## **Index of Subjects**

Acomys cahirinus; the response of the Egyptian spiny mouse and two other species of commensal rodents to anticoagulant rodenticides, 329

Adenovirus eye infections in an Australian city, 1972-9, 95

Antibody capture radioimmunoassay for anti-rubella IgM, 139

Antigenic scheme for Citrobacter koseri (syn. C. diversus, Levinea malonatica); three new antigens recognized in strains from Israel, 111

Anti-rubella IgM; antibody capture radioimmunoassay, 139

Ascending urinary tract infections; contamination of chlorhexidine cream used to prevent, 295

Aspects of the epidemiology of bovine tuberculosis in the badgers and cattle. I. The prevalence of infection in two wild animal populations in south-west England, 237

Aspects of the epidemiology of bovine tuberculosis in badgers and cattle. II. The development and use of a typing system for *Mycobacterium bovis*, 247

Bacillus anthracis; the occurrence and significance of in sewage and sewage sludges, 129

Bromadiolone; field trials of bromadiolone against infestations of warfarin-resistant Rattus norvegicus, 363

Brucella abortus; the occurrence and significance to animal health of in sewage and sewage sludges, 129

Campylobacter jejuni; experimental infection of Rhesus monkeys with a human strain of, 343

Chlorhexidine; contamination of chlorhexidine cream used to prevent urinary tract infections, 295

Citrobacter koseri; Antigenic scheme for (syn. C. diversus, Levinea malonatica); three new antigens recognized in strains from Israel, 111

Comparative study of spirochaetes from the porcine alimentary tract, 173

Comparison between immunoadherence and radioimmunoassay; epidemiological and serological study of hepatitis A virus outbreaks in France, 155

Comparison of four methods for exclusion of non-specific serum inhibitors, 315

Coagulase-negative and coagulase-positive staphylococci on skin; transfer of gentamicin resistance between, 183

Colony incompatibility studies among New Zealand and Australian isolates of Salmonella typhimurium phage type 179, 353

Contamination of chlorhexidine cream used to prevent ascending urinary tract infections, 295

Detection and quantification of IgM, IgA, IgG<sub>1</sub> and IgG<sub>2</sub> antibodies against foot-and-mouth disease virus from bovine sera using an enzyme-linked immunosorbent assay, 79

Diagnosis of recent hepatitis A infection: a comparison of two methods for detecting specific IgM, 71

Diet and the faecal microflora of infants, children and adults in rural Nigeria and urban U.K., 285

Diversity of plasmids responsible for multiple resistance in klebsiella serotype K2, 189

Duration of the immune response in subjects inoculated with antimeningococcal A and C vaccines kept in storage at -20 °C and at 4 °C: influence of pre-vaccination titres on the vaccinal response, 117

Epidemiological and serological study of hepatitis A virus outbreaks in France: a comparison between immunoadherence and radioimmunoassay, 155

Epidemiology of bovine tuberculosis in badgers and cattle. I. The prevalence of infection in two wild animal populations in south-west England, 237

Epidemiology of bovine tuberculosis in badgers and cattle. II. The development and use of a typing system for *Mycobacterium bovis*, 247

Epidemiology of influenza; the role of season in the, 35

Escherichia coli; the occurrence and significance to animal health of in sewage and sewage sludges, 129

Evaluation of a portable air purifier, 203

Example of regression analysis; monitoring infectious diseases using routine microbiology data. II. Used to study infectious gastroenteritis, 59

Experimental infection of Rhesus monkeys with a human strain of Campylobacter jejuni, 343

Faecal microflora of infants; diet and the, children and adults in rural Nigeria and urban U.K., 285

Field trials of bromadiolone against infestations of warfarin-resistant Rattus norvegicus, 363

Foot-and-mouth disease virus; detection and quantification of IgM, IgA, IgG<sub>1</sub> and IgG<sub>2</sub> antibodies against foot-and-mouth disease virus from bovine sera using an enzyme-linked immunosorbent assay, 79

Gastroenteritis in an urban area; monitoring infectious diseases using routine microbiology data. I. Study of, 49

Gastroenteritis; monitoring infectious diseases using routine microbiology data. II. An example of regression analysis used to study infectious gastroenteritis, 59

Gull faeces; seagulls (Laurus spp.) as vectors of salmonellae: an investigation into the range of serotypes and numbers of salmonellae in, 195

Hand hygiene; the importance of soap selection for routine hand hygiene in hospital, 275 Hepatitis A virus infections in Voyvodina, 105

Hepatitis A virus outbreaks in France; epidemiological and serological study of: a comparison between immunoadherence and radioimmunoassay, 155

Hepatitis A; diagnosis of recent hepatitis A infection: a comparison of two methods for detecting specific IgM, 71

Hepatitis B core antigen in acute and chronic hepatitis B; IgM-antibody response to the, 163

Hepatitis B; the prevalence of hepatitis B infection amongst urban and rural populations in Western Samoa, 87

IgM-antibody response to the hepatitis B core antigen in acute and chronic hepatitis B, 163 Infections with influenza A/Victoria virus in Houston families, 1976, 303

Infectious bovine rhinotracheitis virus in Scotland; the prevalence of serum neutralizing antibodies to, 209

Infestations of warfarin-resistant Rattus norvegicus; field trials of bromadiolone against, 363 Influence of pre-vaccination titres on the vaccinal response; duration of the immune response in subjects inoculated with antimening and A and C vaccines kept in storage at -20 °C and at 4 °C, 117

Influenza A/Victoria virus in Houston families, 1976; infections with, 303

Influenza; the role of season in the epidemiology of influenza, 35

Influenza; responses of volunteers to inactivated influenza virus vaccines, 1

Influenza; seroepidemiology of H1N1 influenza: the infection and re-infection rate in winter 1978-79, 27

Influenza A; strain specificity of serum antibody to the haemagglutinin of influenza A (H3N2) viruses in children following immunization or natural infection, 17

Immunization or natural infection; strain specificity of serum antibody to the haemagglutinin of influenza A (H3N2) viruses in children following, 17

Importance of soap selection for routine hand hygiene in hospital, 275

Larus; seagulls as vectors of salmonellae: an investigation into the range of serotypes and numbers of salmonellae in gull faeces, 195

Leptospira; the occurrence and significance to animal health of in sewage and sewage sludges, 129

Meningococcal vaccine; duration of the immune response in subjects inoculated with antimeningococcal A and C vaccines kept in storage at -20 °C and at 4 °C: influence of pre-vaccination titres on the vaccinal response, 117

Monitoring infectious diseases using routine microbiology data. I. Study of gastroenteritis in an urban area, 49

Monitoring infectious diseases using routine microbiology data. II. An example of regression analysis used to study infectious gastroenteritis, 59

Multiple resistance in klebsiella serotype K2, diversity of plasmids responsible for, 189

Mycobacterium; the occurrence and significance to animal health of in sewage and sewage sludges, 129

Mycobacterium bovis; aspects of the epidemiology of bovine tuberculosis in badgers and cattle. II. The development and use of a typing system for, 247

Observations on the occurrence of Salmonella cholerae-suis and other salmonellas in two herds of feeder pigs, 369

Occurrence and significance to animal health of Leptospira, Mycobacterium, Escherichia coli, Brucella abortus and Bacillus anthracis in sewage and sewage sludges, 129

Otitis externa; an outbreak of otitis externa in competitive swimmers due to Pseudomonas aeruginosa, 357

Outbreak of otitis externa in competitive swimmers due to Pseudomonas aeruginosa, 357

Plasmids; diversity of plasmids responsible for multiple resistance in klebsiella serotype K2, 189

Porcine alimentary tract; a comparative study of spirochaetes from the, 173

Portable air purifier; evaluation of, 203

Prevalence of hepatitis B infection amongst urban and rural populations in Western Samos, 87

Prevalence of serum neutralizing antibodies to infectious bovine rhinotracheitis virus in Scotland, 209

Pseudomonas aeruginosa; an outbreak of otitis externa in competitive swimmers due to, 357

Rattus norvegicus; field trials of bromadiolone against infestations of warfarin-resistant, 363 Respiratory virus infection on paediatric wards; a two-year prospective study of hospital-acquired, 335

Response of the Egyptian spiny mouse (Acomys cahirinus) and two other species of commensal rodents to anticoagulant rodenticides, 329

Rhesus monkeys with a human strain of Campylobacter jejuni; experimental infection of, 343 Rodenticides; the response of the Egyptian spiny mouse (Acomys caharinus) and two other species of commensal rodents to anticoagulant rodenticides, 329

Routine band hygiene in hospital; the importance of soap selection for, 275

Rubella serology: a comparison of four methods for exclusion of non-specific serum inhibitors, 315

Rubella; antibody capture radioimmunoassay for anti-rubella IgM, 139

Salmonella cholerae-suis; observations on the occurrence of and other salmonellas in two herds of feeder pigs, 369

Salmonellae isolated from domestic meat waste, 259

Salmonellae; seagulls (*Larus* spp.) as vectors of salmonellae: an investigation into the range of serotypes and numbers of salmonellae in gull faeces, 195

Salmonella oranienburg; salmonellosis in Indonesia: phage-type of obtained from hospitalized patients in Jakarta, Indonesia, 227

Salmonella typhimurium; colony incompatibility studies among New Zealand and Australian isolates of, phage type 179, 353

Salmonellosis in Indonesia: phage-type of Salmonella oranienburg obtained from hospitalized patients in Jakarta, Indonesia, 227

Seagulls (*Larus* spp.) as vectors of salmonellae: an investigation into the range of serotypes and numbers of salmonellae in gull faeces, 195

Seroepidemiology of H1N1 influenza: the infection and re-infection rate in winter 1978-79, 27 Serotypes and numbers of salmonellae in gull faeces; seagulls (*Larus* spp.) as vectors of salmonellae: an investigation into the range of, 195

Serum antibody; strain specificity of, to the haemagglutinin of influenza A (H3N2) viruses in children following immunization or natural infection, 17

Serum neutralizing antibodies; the prevalence of to infectious bovine rhinotracheitis virus in Scotland, 209

Sewage; viruses in sewage as an indicator of their presence in the community, 217

Sewage; the occurrence and significance to animal health of Leptospira, Mycobacterium, Escherichia coli, Brucella abortus and Bacillus anthracis in sewage and sewage sludges, 129

Soap; the importance of soap selection for routine hand hygiene in hospital, 275

Spirochaetes; a comparative study of spirochaetes from the porcine alimentary tract, 173

Staphylococci; transfer of gentamicin resistance between coagulase-negative and coagulase-positive staphylococci on skin, 183

Streptococcal antibodies in patients with burn injuries, 265

Transfer of gentamicin resistance between coagulase-negative and coagulase-positive staphylococci on skin, 183

Tuberculosis; aspects of the epidemiology of bovine tuberculosis in badgers and cattle. II. The development and use of a typing system for *Mycobacterium bovis*, 247

Tuberculosis; aspects of the epidemiology of bovine tuberculosis in badgers and cattle. I. The prevalence of infection in two wild animal populations in south-west England, 237

Two year prospective study of hospital-acquired respiratory virus infection on paediatric wards, 335

Urinary tract infections; contamination of chlorhexidine cream used to prevent urinary tract infections, 295

Viruses in children; strain specificity of serum antibody to the haemagglutinin of influenza A (H3N2) following immunization or natural infection, 17

Viruses in sewage as an indicator of their presence in the community, 217

Virus vaccines; responses of volunteers to inactivated influenza, 1