

## **Comparative studies on the implantation of nano platinum black and pure platinum electrodes in the rabbit orbicularis oculi muscle – ERRATUM**

Y ZHANG<sup>1,2</sup>, K Y LI<sup>1</sup>, C JIN<sup>2</sup>, Y T WANG<sup>2</sup>, L GENG<sup>1</sup>, Y J SUN<sup>1</sup>, H C TIAN<sup>3</sup>, J Q LIU<sup>3</sup>, X J JIN<sup>2</sup>

doi: 10.1017/S0022215114001558, Published by Cambridge University Press, August 2014, pages 679–689

The address was not fully listed. Instead we should have printed Shanghai Jiao Tong University at the end of the first address.

<sup>1</sup>*Department of Otorhinolaryngology Head and Neck Surgery, Shanghai First People's Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai Jiao Tong University*

### **Reference**

1 Zhang Y, Li KY, Jin C, Wang YT, Geng L, Sun YJ *et al.* Comparative studies on the implantation of nano platinum black and pure platinum electrodes in the rabbit orbicularis oculi muscle. *J Laryngol Otol* 2014; **128**: 679–689

## **Online Only Paper**

### **Abstracts**

Proceedings of the 146th Semon Club, 5 November 2013, ENT Department, Guy's and St Thomas' NHS Foundation Trust, London, UK, E3

The above article is published online and can be viewed by subscribers at  
[http://journals.cambridge.org/jid\\_JLO](http://journals.cambridge.org/jid_JLO)

First published online 8 October 2014