

PROCEEDINGS
OF
THE ROYAL SOCIETY OF EDINBURGH

PROCEEDINGS
OF
THE ROYAL SOCIETY
OF EDINBURGH

Section A (Mathematics)

VOL. 102

1986

PUBLISHED BY
THE ROYAL SOCIETY OF EDINBURGH
22 GEORGE STREET
EDINBURGH EH2 2PQ

1986

NOTES FOR AUTHORS

Papers to be considered for publication should be sent to the Publications Secretary, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland.

A paper by more than one author must be submitted with a statement, signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence with the Society.

Authors will receive fifty (50) offprints free of charge, this number to be shared between joint authors. Additional offprints may be obtained, in units of fifty, at a fixed scale of prices given on a form which will be attached to the proof.

In view of the high cost of publication, authors must prepare their papers as concisely as possible. Manuscripts should be submitted in triplicate and preferably should be typewritten on one side of A4 paper, double spaced with adequate margins. Authors are advised to retain a copy of their papers as the Society cannot accept responsibility for any loss.

Every paper must be accompanied by a Synopsis, in general not exceeding two hundred words, which will be printed in small type at the beginning of the paper.

References within the text should be indicated by bold numbers in square brackets, e.g. [2] or [3, p. 167]. For style of references at end of text, see recent issues of *Proceedings A*.

Authors should ensure that punctuation carries through the mathematics in the proper manner. The use of hyphens should be consistent. In the text avoid such abbreviations as: *iff*, *w.r.t.*, *a.e.*, \forall , \exists , and *thm*.

Footnotes should be avoided. Headings should not be underlined. Every effort should be made to avoid complicated subscripts, superscripts, ranges of summation and integration. Horizontal fraction signs should normally be avoided: use either solidus signs / or negative exponents. Replace $e^{(\dots)}$ by $\exp[\dots]$ if the expression in parenthesis is complicated. Simple formulae should *not* be displayed unless they require a formula number. Use the prime ' or d/dx , but preferably not a dot, to denote ordinary differentiation. If possible use subscripts to denote partial differentiation of $\partial/\partial x$ etc. Bars reaching over several letters should be avoided: use $\sqrt{()}$ or the exponent 1/2 for the square root. Sub-subscripts and super-superscripts should be avoided if possible: bars and other devices over indices cannot be supplied.

Note that confusion very often arises between 1 (one) and l (ell); 0 (zero) and O (Capital oh); \circ (composition) and o (lower case oh); x and \times ; U and \cup ; c and \subset ; \in (belongs to) and ϵ (epsilon); \emptyset (empty set) and ϕ (phi); $!$ and comma ;; prime ' and 1 ; K and κ ; p and ρ ; w and ω ; \sum (summation) and Σ (capital sigma); Π (capital pi); v (lower case vee) and ν (Greek nu); a (lower case a) and α (Greek alpha); y (lower case y) and γ (Greek gamma). Please provide pencilled indicators in the margin where necessary. Where capitals and lower case of the same shape have to be printed, please indicate accordingly. Show italics by single underlining (except in the formulae which are set up normally in italics), bold face/Clarendon by wavy underlining and Greek by red underlining.

The statement of theorems, lemmas, et cetera, will be printed in italics and should be underlined. In definitions key words only should be in italics.

Equations should be indicated by numbers in parentheses in the right-hand margin.

Proofs of papers will be sent to the author. The cost of *authors' corrections in excess of five per cent* of the printers' charge for the setting of a particular paper *will be charged to the author*.

Copyright

© 1986 The Royal Society of Edinburgh and the authors of individual papers.

It is the policy of the Royal Society of Edinburgh not to charge any royalty for the production of a single copy of any one article made for private study or research. Requests for the copying or reprinting of any article for any other purpose should be sent to the Royal Society of Edinburgh, 22/24 George Street, Edinburgh EH2 2PQ

PROCEEDINGS OF THE ROYAL SOCIETY OF EDINBURGH
(Section A)

Volume 102

1986

Parts 3/4

CONTENTS

ERNST P. STEPHAN	
Boundary integral equations for magnetic screens in \mathbb{R}^3	189
E. N. DANCER	
The G -invariant implicit function theorem in infinite dimensions II	211
HANS ENGLER	
On Hamilton–Jacobi equations in bounded domains	221
B. J. HARRIS	
The asymptotic form of the Titchmarsh–Weyl m -function associated with a second order differential equation with locally integrable coefficient	243
B. J. HARRIS	
A property of the asymptotic series for a class of Titchmarsh–Weyl m -functions	253
J. G. DOS REIS and R. L. S. BARONI	
On the existence of periodic solutions for autonomous retarded functional differential equations on \mathbb{R}^2	259
BENTO LOURO and JOSÉ-FRANCISCO RODRIGUES	
Remarks on the quasi-steady one phase Stefan problem	263
AVNER FRIEDMAN and BRYCE MCLEOD	
Strict inequalities for integrals of decreasingly rearranged functions	277
MICHEL CHIPOT and LAWRENCE C. EVANS	
Linearisation at infinity and Lipschitz estimates for certain problems in the calculus of variations	291
A. A. LACEY	
A limiting solution for an ill-posed membrane problem	305
PHILIP KORMAN and ANTHONY W. LEUNG	
A general monotone scheme for elliptic systems with applications to ecological models	315
OTARED KAVIAN	
Minimum action solutions of non-linear elliptic equations in unbounded domains containing a plane	327
RICHARD C. CHURCHILL and DAVID L. ROD	
Homoclinic and heteroclinic orbits of reversible vectorfields under perturbation	345
M. H. LANTSMAN	
Corrigenda: Asymptotic solutions to linear differential equations with coefficients of the power order of growth, 1	365