

Parasitology

EDITORS

F. E. G. COX *and* C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.

J. R. BAKER

D. C. BARKER

J. BARRETT

D. A. P. BUNDY

A. E. BUTTERWORTH

ELIZABETH U. CANNING

L. H. CHAPPELL*

D. W. T. CROMPTON

D. I. GIBSON

R. E. HOWELLS

C. R. KENNEDY

A. E. KEYMER

D. L. LEE

D. J. McLAREN

D. P. McMANUS

D. H. MOLYNEUX

BRIDGET M. OGILVIE

D. ROLLINSON

M. ELAINE ROSE

V. R. SOUTHGATE*

R. C. TINSLEY

K. VICKERMAN, F.R.S.

D. WAKELIN

P. J. WHITFIELD

H. H. WILLIAMS

R. A. WILSON

* Representing the British Society for Parasitology.



CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Victoria 3166, Australia

© Cambridge University Press, 1992

Printed in Great Britain by the
University Press, Cambridge

CONTENTS

PART 1 AUGUST 1992

SORICE, M., LENTI, L., MISASI, R., CONTINI, C., CIGNARELLA, L., GRIGGI, T., VULLO, V. and MASALA, C. Evidence for the existence of ganglioside molecules on <i>Pneumocystis carinii</i> from human lungs	1
CURFS, J. H. A. J., HERMSEN, C. C., MEUWISSEN, J. H. E. TH. and ELING, W. M. C. Immunization against cerebral pathology in <i>Plasmodium berghei</i> -infected mice	7
FIELD, S. J., RANGACHARI, K., DLUZEWSKI, A. R., WILSON, R. J. M. and GRATZER, W. B. Effect of intra-erythrocytic magnesium ions on invasion by <i>Plasmodium falciparum</i>	15
SNOUNOU, G., BOURNE, T., JARRA, W., VIRIYAKOSOL, S. and BROWN, K. N. Identification and quantification of rodent malaria strains and species using gene probes	21
GRAMICCIA, M., SMITH, D. F., ANGELICI, M. C., READY, P. D. and GRADONI, L. A kinetoplast DNA probe diagnostic for <i>Leishmania infantum</i>	29
DYE, C., KILLICK-KENDRICK, R., VITUTIA, M. M., WALTON, R., KILLICK-KENDRICK, M., HARITH, A. E., GUY, M. W., CAÑAVATE, M.-C. and HASIBEDER, G. Epidemiology of canine leishmaniasis: prevalence, incidence and basic reproduction number calculated from a cross-sectional serological survey on the island of Gozo, Malta	35
HASIBEDER, G., DYE, C. and CARPENTER, J. Mathematical modelling and theory for estimating the basic reproduction number of canine leishmaniasis	43
GOLD, D. and OFEK, I. Adhesion of <i>Trichomonas vaginalis</i> to plastic surfaces: requirements for energy and serum constituents	55
SMITH, A. L., HUGGINS, M. C. and HAVERCROFT, J. C. <i>Schistosoma mansoni</i> : adult males and females differentially express antigens encoded by repetitive genomic DNA	63
LINDER, E. and THORS, C. <i>Schistosoma mansoni</i> : praziquantel-induced tegumental lesion exposes actin of surface spines and allows binding of actin depolymerizing factor, gelsolin	71
MOFFAT, D. and KUSEL, J. R. Fluorescent lipid uptake and transport in adult <i>Schistosoma mansoni</i>	81
SUTHERLAND, I. A., MOUNSEY, D. A., EISLER, M. and HOLMES, P. H. Kinetic modelling of isometamidium chloride (Samorin) uptake by <i>Trypanosoma congolense</i>	91
BENDER, K., BETSCHART, B., SCHALLER, J., KÄMPFER, U. and HECKER, H. Sequence differences between histones of procyclic <i>Trypanosoma brucei brucei</i> and higher eukaryotes	97
ADLER, G. H., TELFORD, S. R., III, WILSON, M. L. and SPIELMAN, A. Vegetation structure influences the burden of immature <i>Ixodes dammini</i> on its main host, <i>Peromyscus leucopus</i>	105
SERRANO, F., PÉREZ, E., REINA, D. and NAVARRETE, I. <i>Trichinella</i> strain, pig race and other parasitic infections as factors in the reliability of ELISA for the detection of swine trichinellosis	111
LAMMAS, D. A., WAKELIN, D., MITCHELL, L. A., TUOHY, M., ELSE, K. J. and GRENCIS, R. K. Genetic influences upon eosinophilia and resistance in mice infected with <i>Trichinella spiralis</i>	117
BELL, R. G. Variation in responsiveness to <i>Trichinella spiralis</i> infection in inbred rat strains	125
REA, J. G. and IRWIN, S. W. B. The effects of age, temperature, light quantity and wavelength on the swimming behaviour of cercariae of <i>Cryptocotyle lingua</i> (Digenea: Heterophyidae)	131
MICHAEL, E. and BUNDY, D. A. P. Protein content of CBA/Ca mouse diet: relationship with host antibody responses and the population dynamics of <i>Trichuris muris</i> (Nematoda) in repeated infection	139
BOOTH, M. and BUNDY, D. A. P. Comparative prevalence of <i>Ascaris lumbricoides</i> , <i>Trichuris trichiura</i> and hookworm infections and the prospects for combined control	151

PART 2 OCTOBER 1992

SHIEH, J.-N. and ROSSIGNOL, P. A. Opposite influences of host anaemia on blood feeding rate and fecundity of mosquitoes	159
NEILL, A. L. and HUNT, N. H. Pathology of fatal and resolving <i>Plasmodium berghei</i> cerebral malaria in mice	165
BECUWE, P., SLOMIANNY, C., VALENTIN, A., SCHREVEL, J., CAMUS, D. and DIVE, D. Endogenous superoxide dismutase activity in two <i>Babesia</i> species	177
SMYTH, A. J., GHOSH, A., HASSAN, MD. Q., BASU, D., DE BRUIJN, M. H. L., ADHYA, S., MALLIK, K. K. and BARKER, D. C. Rapid and sensitive detection of <i>Leishmania</i> kinetoplast DNA from spleen and blood samples of kala-azar patients	183
BATES, P. A., ROBERTSON, C. D., TETLEY, L. and COOMBS, G. H. Axenic cultivation and characterization of <i>Leishmania mexicana</i> amastigote-like forms	193
LUACES, A. L., PICÓ, T. and BARRETT, A. J. The ENZYMEBA test: detection of intestinal <i>Entamoeba histolytica</i> infection by immunoenzymatic detection of histolysain	203
OSORIO, L. M., PICÓ, T. and LUACES, A. Circulating antibodies to histolysain, the major cysteine proteinase of <i>Entamoeba histolytica</i> , in amoebic liver abscess patients	207
CHAVEZ-OLORTEGUI, C., RESENDE, M. and TAVARES, C. A. P. Purification and characterization of a 47 kDa protease from <i>Schistosoma mansoni</i> cercarial secretion	211
FULFORD, A. J. C., BUTTERWORTH, A. E., STURROCK, R. F. and OUMA, J. H. On the use of age-intensity data to detect immunity to parasitic infections, with special reference to <i>Schistosoma mansoni</i> in Kenya	219
CABLE, J. and TINSLEY, R. C. Unique ultrastructural adaptations of <i>Pseudodiplorchis americanus</i> (Polystomatidae: Monogenea) to a sequence of hostile conditions following host infection	229
REA, J. G. and IRWIN, S. W. B. The effects of computer-controlled shadow stimuli on the success of cercarial transmission by <i>Cryptocotyle lingua</i> (Digenea: Heterophyidae)	243
BRAILSFORD, T. J. and BEHNKE, J. M. The dynamics of trickle infections with <i>Ancylostoma ceylanicum</i> in inbred hamsters	247
MAYRHOFFER, G., ANDREWS, R. H., EY, P. L., ALBERT, M. J., GRIMMOND, T. R. and MERRY, D. J. The use of suckling mice to isolate and grow <i>Giardia</i> from mammalian faecal specimens for genetic analysis	255
POULIN, R., CURTIS, M. A. and RAU, M. E. Effects of <i>Eubothrium salvelini</i> (Cestoda) on the behaviour of <i>Cyclops vernalis</i> (Copepoda) and its susceptibility to fish predators	265
NEEDHAM, C. S., BUNDY, D. A. P., LILLYWHITE, J. E., DIDIER, J. M., SIMMONS, I. and BIANCO, A. E. The relationship between <i>Trichuris tichiura</i> transmission intensity and the age-profiles of parasite-specific antibody isotypes in two endemic communities	273
PAGE, A. P., RUDIN, W. and MAIZELS, R. M. Lectin binding to secretory structures, the cuticle and the surface coat of <i>Toxocara canis</i> infective larvae	285
PAGE, A. P. and MAIZELS, R. M. Biosynthesis and glycosylation of serine/threonine-rich secreted proteins from <i>Toxocara canis</i> larvae	297
LEWIS, E. E., GAUGLER, R. and HARRISON, R. Entomopathogenic nematode host finding: response to host contact cues by cruise and ambush foragers	309
REID, A. P. and HOMINICK, W. M. Restriction fragment length polymorphisms within the ribosomal DNA repeat unit of British entomopathogenic nematodes (Rhabditida: Steinernematidae)	317
BRITTON, C., KNOX, D. P., CANTO, G. J., URQUHART, G. M. and KENNEDY, M. W. The secreted and somatic proteinases of the bovine lungworm <i>Dictyocaulus viviparus</i> and their inhibition by antibody from infected and vaccinated animals	325
HARDER, A., WUNDERLICH, F. and MARINOVKSI, P. Effects of testosterone on <i>Heterakis spumosa</i> infections in mice	335

PART 3 DECEMBER 1992

HENDERSON, W. R. JR and CHI, E. Y. Cytotoxic activity of 13-hydroxyoctadecadienoic acid against <i>Toxoplasma gondii</i>	343
ROSE, M. E., HESKETH, P. and WAKELIN, D. Immune control of murine coccidiosis: CD4 ⁺ and CD8 ⁺ T lymphocytes contribute differentially in resistance to primary and secondary infections	349
MCNALLY, J., O'DONOVAN, S. M. and DALTON, J. P. <i>Plasmodium berghei</i> and <i>Plasmodium chabaudi chabaudi</i> : development of simple <i>in vitro</i> erythrocyte invasion assays	355
SNOUNOU, G., BOURNE, T., JARRA, W., VIRIYAKOSOL, S., WOOD, J. C. and BROWN, K. N. Assessment of parasite population dynamics in mixed infections of rodent plasmodia	363
ANDREWS, R. H., CHILTON, N. B. and MAYRHOFER, G. Selection of specific genotypes of <i>Giardia intestinalis</i> by growth <i>in vitro</i> and <i>in vivo</i>	375
BÓZNER, P., GOMBOŠOVÁ, A., VALENT, M., DEMEŠ, P. and ALDERETE, J. F. Proteinases of <i>Trichomonas vaginalis</i> : antibody response in patients with urogenital trichomoniasis	387
COPPENS, I., TER KUILE, B. H. and OPPERDOES, F. R. Impairment of growth of <i>Leishmania donovani</i> by <i>Trypanosoma brucei</i> during co-culture	393
STEWART, T. J., SMITH, A. L. and HAVERCROFT, J. C. Analysis of the complete sequence of a muscle calcium-binding protein of <i>Schistosoma mansoni</i>	399
AMEN, R. I. and DE JONG-BRINK, M. <i>Trichobilharzia ocellata</i> infections in its snail host <i>Lymnaea stagnalis</i> : an <i>in vitro</i> study showing direct and indirect effects on the snail internal defence system, via the host central nervous system	409
BAYLIS, H. A., MEGSON, A., BROWN, C. G. D., WILKIE, G. F. and HALL, R. <i>Theileria annulata</i> -infected cells produce abundant proteases whose activity is reduced by long-term cell culture	417
FLETCHER, C. and WU, C. C. Antibodies against somatic antigens and excreted/secreted products of <i>Brugia pahangi</i> in rats with patent and non-patent infections	425
McMICHAEL-PHILLIPS, D. F., LEWIS, J. W. and THORNDYKE, M. C. Ultrastructural studies on the miracidium of <i>Sanguinicola inermis</i> (Digenea: Sanguinicolidae)	435
TAYLOR, M. J., VAN ES, R. P., TOWNSON, S. and BIANCO, A. E. Host strain, H-2 genotype and immunocompetence do not affect the survival or development of <i>Onchocerca lienalis</i> infective larvae implanted within micropore chambers into mice or rats	445
JENKINS, P., SPIERS, S., DIXON, J. B., CARTER, S. D. and MAY, S. The effects of tumour necrosis factor on host-parasite relations in murine <i>Mesocestoides corti</i> (Cestoda) infection	453
DE BOER, J. M., OVERMARS, H. A., BAKKER, J. and GOMMERS, F. J. Analysis of two-dimensional protein patterns from developmental stages of the potato cyst-nematode, <i>Globodera rostochiensis</i>	461
DAVIES, K. G. and DANKS, C. Interspecific differences in the nematode surface coat between <i>Meloidogyne incognita</i> and <i>M. arenaria</i> related to the adhesion of the bacterium <i>Pasteuria penetrans</i>	475
GULLAND, F. M. D. and FOX, M. Epidemiology of nematode infections of Soay sheep (<i>Ovis aries</i> L.) on St Kilda	481
GULLAND, F. M. D. The role of nematode parasites in Soay sheep (<i>Ovis aries</i> L.) mortality during a population crash	493
MAULE, A. G., SHAW, C., HALTON, D. W., BRENNAN, G. P., JOHNSTON, C. F. and MOORE, S. Neuropeptide F (<i>Moniezia expansa</i>): localization and characterization using specific antisera	505
SCHWEITZER, A. N. and ANDERSON, R. M. Dynamic interaction between CD4 ⁺ T cells and parasitic helminths: mathematical models of heterogeneity in outcome	513

Continued from back cover

McMichael-Phillips, D. F., Lewis, J. W. and Thorndyke, M. C. Ultrastructural studies on the miracidium of <i>Sanguinicola inermis</i> (Digenea : Sanguinicolidae)	435
Taylor, M. J., Van Es, R. P., Townson, S. and Bianco, A. E. Host strain, H-2 genotype and immunocompetence do not affect the survival or development of <i>Onchocerca lienalis</i> infective larvae implanted within micropore chambers into mice or rats	445
Jenkins, P., Spiers, S., Dixon, J. B., Carter, S. D. and May, S. The effects of tumour necrosis factor on host-parasite relations in murine <i>Mesocestoides corti</i> (Cestoda) infection	453
De Boer, J. M., Overmars, H. A., Bakker, J. and Gommers, F. J. Analysis of two-dimensional protein patterns from developmental stages of the potato cyst-nematode, <i>Globodera rostochiensis</i>	461
Davies, K. G. and Danks, C. Interspecific differences in the nematode surface coat between <i>Meloidogyne incognita</i> and <i>M. arenaria</i> related to the adhesion of the bacterium <i>Pasteuria penetrans</i>	475
Gulland, F. M. D. and Fox, M. Epidemiology of nematode infections of Soay sheep (<i>Ovis aries</i> L.) on St Kilda	481
Gulland, F. M. D. The role of nematode parasites in Soay sheep (<i>Ovis</i> <i>aries</i> L.) mortality during a population crash	493
Maule, A. G., Shaw, C., Halton, D. W., Brennan, G. P., Johnston, C. F. and Moore, S. Neuropeptide F (<i>Moniezia expansa</i>) : localization and characterization using specific antisera	505
Schweitzer, A. N. and Anderson, R. M. Dynamic interaction between CD4+ T cells and parasitic helminths: mathematical models of heterogeneity in outcome	513

Parasitology

Back volumes. Vols. 1-71: Inquiries should be addressed to Wm. Dawson & Sons Ltd, Cannon House, Folkestone, Kent. Vols. 72 onwards: quotations for parts still in print may be obtained from Cambridge or the American Branch of Cambridge University Press.

Copying. This journal is registered with the Copyright Clearance Center, 27 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$5.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0031-1820/92 \$5.00 + .00.

ISI Tear Sheet Service. 3051 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

Claims for missing issues can only be considered if made immediately after receipt of the subsequent issue.

Advertising. Details of advertising in *Parasitology* may be obtained from the publisher.

Parasitology

CONTENTS

	PAGE
Henderson, W. R. Jr and Chi, E. Y. Cytotoxic activity of 13-hydroxyoctadecadienoic acid against <i>Toxoplasma gondii</i>	343
Rose, M. E., Hesketh, P. and Wakelin, D. Immune control of murine coccidiosis: CD4 ⁺ and CD8 ⁺ T lymphocytes contribute differentially in resistance to primary and secondary infections	349
McNally, J., O'Donovan, S. M. and Dalton, J. P. <i>Plasmodium berghei</i> and <i>Plasmodium chabaudi chabaudi</i> : development of simple <i>in vitro</i> erythrocyte invasion assays	355
Snounou, G., Bourne, T., Jarra, W., Viriyakosol, S., Wood, J. C. and Brown, K. N. Assessment of parasite population dynamics in mixed infections of rodent plasmodia	363
Andrews, R. H., Chilton, N. B. and Mayrhofer, G. Selection of specific genotypes of <i>Giardia intestinalis</i> by growth <i>in vitro</i> and <i>in vivo</i>	375
Bózner, P., Gombošová, A., Valent, M., Demeš, P. and Alderete, J. F. Proteinases of <i>Trichomonas vaginalis</i> : antibody response in patients with urogenital trichomoniasis	387
Coppens, I., Ter Kuile, B. H. and Opperdoes, F. R. Impairment of growth of <i>Leishmania donovani</i> by <i>Trypanosoma brucei</i> during co-culture	393
Stewart, T. J., Smith, A. L. and Havercroft, J. C. Analysis of the complete sequence of a muscle calcium-binding protein of <i>Schistosoma mansoni</i>	399
Amen, R. I. and De Jong-Brink, M. <i>Trichobilharzia ocellata</i> infections in its snail host <i>Lymnaea stagnalis</i> : an <i>in vitro</i> study showing direct and indirect effects on the snail internal defence system, via the host central nervous system	409
Baylis, H. A., Megson, A., Brown, C. G. D., Wilkie, G. F. and Hall, R. <i>Theileria annulata</i> -infected cells produce abundant proteases whose activity is reduced by long-term cell culture	417
Fletcher, C. and Wu, C. C. Antibodies against somatic antigens and excreted/secreted products of <i>Brugia pahangi</i> in rats with patent and non-patent infections	425

Continued inside back cover

© Cambridge University Press 1992

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
 40 West 20th Street, New York, NY 10011-4211, USA
 10 Stamford Road, Oakleigh, Victoria 3166, Australia

Printed in Great Britain by the University Press, Cambridge