Dublin 3, Ireland.

References

. Taylor D. Pharmacokinetic interactions involving clozapine. Br J Psychiatry 1997; 171; 109-12.

2. Jerling M, Lindstrom L, Bondesson U et al. Fluvoxamine inhibition and carbamazepine induction of the metabolism of clozapine: evidence from a therapeutic drug monitoring service. Ther Drug Monit 1994; 16(4): 368-74. 3. Pirmohamed M, Williams D, Madden S et al. Metabolism and bioactivation

of clozapine by human liver in vitro. J Pharmacol Exp Ther 1995 Mar; 272(3):

4. Von Moltke LL, Greenblatt DJ, Cotreau-Bibbo MM et al. Inhibitors of alprzolam metabolism in vitro: effect of serotonin-reuptake inhibitor antidepressants, ketoconazole and quinidine. Br J Clin Pharmacol 1994; 36:

5. Dahl M, Llerena A, Bondesson U et al. Disposition of clozapine in man: lack of association with debrisoquine and S-mephenytoin hydroxylation polymorphism. Br J Clin Pharmacol 1994; 37: 71-4.

6. Taylor D (Chief Pharmacist) Bethlem and Maudsley NHS Trust, Honary Lecturer, Institute of Psychiatry (personal communication).

RE: False Memory Syndrome – Balancing the evidence for and against

Sir - Following publication of this paper, I have been asked whether I would care to comment further in the light of the recent Brandon Report, which has been published since my paper was accepted. (Brandon et al 1998)

Most of the conclusions and recommendations of the Brandon Report will be endorsed by the psychiatric profession. Both the report and my paper emphasise that we have a responsibility not to cause harm to patients or their

The Report makes the following statements:

"There can be no justification for the use of memory recovery techniques which involve significant departure from normal interview or psychotherapy techniques".

It adds, "Great caution is needed if memory is reported after years of apparent amnesia. There is considerable evidence that such memories cannot be relied upon". It goes on to make extremely helpful recommendations regarding interview procedures.

Both the Brandon Report and my own paper emphasise that if accounts of sexual abuse in childhood are to be believed, then there must be corroborative evidence. It is deplorable that so many families have been harmed by the 'discovery' of previous sexual abuse, when no such abuse

The difference in view point between the Brandon Report and my paper is this. The Report states, "given the prevalence of childhood sexual abuse, even if only a small proportion are repressed and only some of them are subsequently recovered, there should be a significant number of corroborated cases. In fact there is none".

I quoted one or two cases at length in my paper. This was to emphasise that even if there are only one or two well documented cases, this would prove that sexual abuse may indeed occur, be forgotten, and subsequently be recalled. It is my opinion that this happens although prob-

Extreme caution needs to be exercised before any accounts of sexual abuse which are 'remembered during therapy' are believed, and definite corroborative evidence should always be obtained where possible. It will be interesting to see if further well documented cases come to light.

Stephen Critchlow, MRCPsych,

Specialist Registrar in Psychiatry, Down Lisburn Trust, Downshire Hospital, Ardglass Rd, Downpatrick, Co Down BT30 6RA, Northern Ireland.

References

1. Brandon S, Boakes J, Glaser D et al. Recovered memories of childhood sexual abuse. Implications for clinical practice. Brit J Psychiatry 1998; 172: 296-307. 2. Critchlow S. False Memory Syndrome – balancing the evidence for and against. Ir J Psych Med 1998; 15(2): 64-7.

False Memory Syndrome

Sir - Dr Critchlow is to be congratulated on his effort to balance the evidence in this difficult area (IJPM June 1998). It is an issue that will continue to be debated for many years. The most important fact for psychiatrists to grasp is that false memories of childhood abuse can be induced and often the results cause great suffering in families and in the 'victim'. There are some techniques which are particularly likely to result in false memories, most of them discredited techniques and these will be avoided by sensible doctors.1 What is not always recognised is that in any therapeutic relationship the therapist may inadvertently communicate his/her beliefs and expectations to the subject. Public and professional education can bring about dramatic changes. The so called epidemic of recovered or false memories seems to have come to an end in the USA though whether this is due to the successful litigation against therapists or widespread professional and media attention remains uncertain.2 We have a clear duty to avoid the creation of false memories but we must also treat with respect and concern anyone who presents with a story of childhood abuse. Where these are memories recovered after a long period of amnesia then an element of scepticism is justified but psychotherapy rather than confrontation is then called for.

Sydney Brandon, MD, FRCP, FRCPsych, DPM, DCH, 19 Holmfield Road, Leicester LE2 1SD, England.

Fatal pharmacokinetic interaction involving amitriptyline combined with valproate and clozapine

Sir – The purpose of this case history is to draw attention to the possible fatal consequences of combining amitriptyline with valproate and clozapine.

A physically healthy young adult male was diagnosed as suffering from schizophrenia in 1993. This was complicated at times by a significantly depressed affect which required antidepressant medication.

Following failure to respond to standard antipsychotic medication he was commenced on clozapine, with some clinical improvement. However he experienced epileptiform-like phenomena which were confirmed by an EEG. Consequently the dose of clozapine was reduced to 200mg bd and prophylactically he was commenced on valproate 500mg bd, which appeared to successfully alleviate this side-effect. During this time he continued to receive