

References

- [1] ATLAS Collaboration, Aad, G., *et al.* 2011. *Measurement of the centrality dependence of J/ψ yields and observation of Z production in lead-lead collisions with the ATLAS detector at the LHC*. Phys. Lett., **B697**, 294–312. arXiv:1012.5419 [hep-ex].
- [2] ATLAS Collaboration, Aad, Georges, *et al.* 2010. *Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at $\sqrt{s_{NN}} = 2.77$ TeV with the ATLAS Detector at the LHC*. Phys. Rev. Lett., **105**, 252303. arXiv:1011.6182 [hep-ex].
- [3] ATLAS Collaboration, Aad, Georges, *et al.* 2013. *Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector*. Phys.Lett., **B719**, 220–241. arXiv:1208.1967 [hep-ex].
- [4] ALICE Collaboration, Aamodt, K., *et al.* 2010a. *Charged-particle multiplicity density at mid-rapidity in central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys.Rev.Lett., **105**, 252301. arXiv:1011.3916 [nucl-ex].
- [5] ALICE Collaboration, Aamodt, K., *et al.* 2010b. *Elliptic flow of charged particles in Pb-Pb collisions at 2.76 TeV*. Phys.Rev.Lett., **105**, 252302. arXiv:1011.3914 [nucl-ex].
- [6] ALICE Collaboration, Aamodt, K., *et al.* 2011a. *Higher harmonic anisotropic flow measurements of charged particles in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys. Rev. Lett., **107**, 032301. arXiv:1105.3865 [nucl-ex].
- [7] ALICE Collaboration, Aamodt, K., *et al.* 2011b. *Suppression of Charged Particle Production at Large Transverse Momentum in Central Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys.Lett., **B696**, 30–39. arXiv:1012.1004 [nucl-ex].
- [8] Aarts, G., Allton, C., Kim, S., Lombardo, M.P., Oktay, M.B., *et al.* 2011. *What happens to the Upsilon and η_b in the quark-gluon plasma? Bottomonium spectral functions from lattice QCD*. JHEP, **111**, 103. arXiv:1109.4496 [hep-lat].
- [9] Aarts, Gert, and Martinez Resco, Jose M. 2005. *Continuum and lattice meson spectral functions at nonzero momentum and high temperature*. Nucl. Phys., **B726**, 93–108. arXiv:hep-lat/0507004.
- [10] Aarts, Gert, and Martinez Resco, Jose Maria. 2002. *Transport coefficients, spectral functions and the lattice*. JHEP, **04**, 053. arXiv:hep-ph/0203177.
- [11] Aarts, Gert, Allton, Chris, Oktay, Mehmet Bugrahan, Peardon, Mike, and Skullerud, Jon-Ivar. 2007. *Charmonium at high temperature in two-flavor QCD*. Phys. Rev., **D76**, 094513. arXiv:0705.2198 [hep-lat].

- [12] ALICE Collaboration, Abelev, Betty, *et al.* 2012. *Transverse Momentum Distribution and Nuclear Modification Factor of Charged Particles in p-Pb Collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$* . arXiv:1210.4520 [nucl-ex].
- [13] Accardi, Alberto, Arleo, Francois, Brooks, William K., D'Enterria, David, and Muccifora, Valeria. 2010. *Parton Propagation and Fragmentation in QCD Matter*. Riv. Nuovo Cim., **32**, 439–553. arXiv:0907.3534 [nucl-th].
- [14] Adams, Allan, Chesler, Paul M., and Liu, Hong. 2012. *Holographic Vortex Liquids and Superfluid Turbulence*. arXiv:1212.0281 [hep-th].
- [15] STAR Collaboration, Adams, John, *et al.* 2003. *Evidence from d+Au measurements for final-state suppression of high p_T hadrons in Au+Au collisions at RHIC*. Phys. Rev. Lett., **91**, 072304. nucl-ex/0306024.
- [16] STAR Collaboration, Adams, John, *et al.* 2005a. *Experimental and theoretical challenges in the search for the quark gluon plasma: The STAR collaboration's critical assessment of the evidence from RHIC collisions*. Nucl. Phys., **A757**, 102–183. arXiv:nucl-ex/0501009.
- [17] STAR Collaboration, Adams, John, *et al.* 2005b. *Pion, kaon, proton and anti-proton transverse momentum distributions from pp and d+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$* . Phys. Lett., **B616**, 8–16. arXiv:nucl-ex/0309012.
- [18] PHENIX Collaboration, Adare, A., *et al.* 2007a. *Energy Loss and Flow of Heavy Quarks in Au+Au Collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$* . Phys. Rev. Lett., **98**, 172301. nucl-ex/0611018.
- [19] PHENIX Collaboration, Adare, A., *et al.* 2007b. *J/ψ production vs centrality, transverse momentum, and rapidity in Au+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$* . Phys. Rev. Lett., **98**, 232301. arXiv:nucl-ex/0611020.
- [20] PHENIX Collaboration, Adare, A., *et al.* 2008. *Quantitative Constraints on the Opacity of Hot Partonic Matter from Semi-Inclusive Single High Transverse Momentum Pion Suppression in Au+Au collisions at $\sqrt(s_{NN}) = 200 \text{ GeV}$* . Phys. Rev., **C77**, 064907. arXiv:0801.1665 [nucl-ex].
- [21] PHENIX Collaboration, Adare, A., *et al.* 2012. *Medium modification of jet fragmentation in Au+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$ measured in direct photon-hadron correlations*. arXiv:1212.3323 [nucl-ex].
- [22] Adawi, Tom, Cederwall, Martin, Gran, Ulf, Nilsson, Bengt E. W., and Razaznejad, Behrooz. 1999. *Goldstone tensor modes*. JHEP, **02**, 001. arXiv:hep-th/9811145.
- [23] PHENIX Collaboration, Adler, Stephen Scott, *et al.* 2003. *Absence of suppression in particle production at large transverse momentum in $\sqrt{s_{NN}} = 200 \text{ GeV}$ d+Au collisions*. Phys. Rev. Lett., **91**, 072303. nucl-ex/0306021.
- [24] PHENIX Collaboration, Adler, Stephen Scott, *et al.* 2004a. *High- p_T charged hadron suppression in Au+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$* . Phys. Rev., **C69**, 034910. nucl-ex/0308006.
- [25] PHENIX Collaboration, Adler, Stephen Scott, *et al.* 2004b. *Identified charged particle spectra and yields in Au+Au collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$* . Phys. Rev., **C69**, 034909. arXiv:nucl-ex/0307022.
- [26] PHENIX Collaboration, Adler, Stephen Scott, *et al.* 2006. *J/ψ production and nuclear effects for d+Au and pp collisions at $\sqrt{s_{NN}} = 200 \text{ GeV}$* . Phys. Rev. Lett., **96**, 012304. arXiv:nucl-ex/0507032.
- [27] Aharony, Ofer. 2002. *The non-AdS/non-CFT correspondence, or three different paths to QCD*. arXiv:hep-th/0212193.
- [28] Aharony, Ofer, Fayyazuddin, Ansar, and Maldacena, Juan Martin. 1998. *The large- N limit of $\mathcal{N} = 2, 1$ field theories from three-branes in F-theory*. JHEP, **07**, 013. arXiv:hep-th/9806159.

- [29] Aharony, Ofer, Gubser, Steven S., Maldacena, Juan Martin, Ooguri, Hirosi, and Oz, Yaron. 2000. *Large- N field theories, string theory and gravity*. Phys. Rept., **323**, 183–386. arXiv:hep-th/9905111.
- [30] Aharony, Ofer, Sonnenschein, Jacob, and Yankielowicz, Shimon. 2007. *A holographic model of deconfinement and chiral symmetry restoration*. Annals Phys., **322**, 1420–1443. arXiv:hep-th/0604161.
- [31] Akamatsu, Yukinao, and Rothkopf, Alexander. 2012. *Stochastic potential and quantum decoherence of heavy quarkonium in the quark-gluon plasma*. Phys. Rev., **D85**, 105011. arXiv:1110.1203 [hep-ph].
- [32] Akamatsu, Yukinao, Hatsuda, Tetsuo, and Hirano, Tetsufumi. 2009. *Heavy Quark Diffusion with Relativistic Langevin Dynamics in the Quark-Gluon Fluid*. Phys. Rev., **C79**, 054907. arXiv:0809.1499 [hep-ph].
- [33] Akhmedov, Emil T. 1998. *A Remark on the AdS/CFT correspondence and the renormalization group flow*. Phys. Lett., **B442**, 152–158. arXiv:hep-th/9806217 [hep-th].
- [34] Albacete, Javier L., Kovchegov, Yuri V., and Taliotis, Anastasios. 2008a. *DIS on a Large Nucleus in AdS/CFT*. JHEP, **0807**, 074. arXiv:0806.1484 [hep-th].
- [35] Albacete, Javier L., Kovchegov, Yuri V., and Taliotis, Anastasios. 2008b. *Modeling Heavy Ion Collisions in AdS/CFT*. JHEP, **0807**, 100. arXiv:0805.2927 [hep-th].
- [36] Albacete, Javier L., Kovchegov, Yuri V., and Taliotis, Anastasios. 2009. *Asymmetric Collision of Two Shock Waves in AdS₅*. JHEP, **0905**, 060. arXiv:0902.3046 [hep-th].
- [37] Albash, Tameem, Filev, Veselin G., Johnson, Clifford V., and Kundu, Arnab. 2008a. *A topology-changing phase transition and the dynamics of flavor*. Phys. Rev., **D77**, 066004. arXiv:hep-th/0605088.
- [38] Albash, Tameem, Filev, Veselin G., Johnson, Clifford V., and Kundu, Arnab. 2008b. *Global Currents, Phase Transitions, and Chiral Symmetry Breaking in Large- N_c Gauge Theory*. JHEP, **12**, 033. arXiv:hep-th/0605175.
- [39] Alberico, W. M., Beraudo, A., De Pace, A., and Molinari, A. 2005. *Heavy quark bound states above T_c* . Phys. Rev., **D72**, 114011. arXiv:hep-ph/0507084.
- [40] Alberico, W. M., Beraudo, A., De Pace, A., and Molinari, A. 2008. *Potential models and lattice correlators for quarkonia at finite temperature*. Phys. Rev., **D77**, 017502. arXiv:0706.2846 [hep-ph].
- [41] Alberico, W. M., Beraudo, A., De Pace, A., Molinari, A., Monteno, M., et al. 2011. *Heavy quark dynamics in the QGP: R_{AA} and v_2 from RHIC to LHC*. Nucl. Phys., **A855**, 404–407. arXiv:1011.0400 [hep-ph].
- [42] Alday, Luis F., and Maldacena, Juan. 2007. *Comments on gluon scattering amplitudes via AdS/CFT*. JHEP, **0711**, 068. arXiv:0710.1060 [hep-th].
- [43] NA50 Collaboration, Alessandro, B., et al. 2005. *A new measurement of J/ψ suppression in Pb-Pb collisions at 158 GeV per nucleon*. Eur. Phys. J., **C39**, 335–345. arXiv:hep-ex/0412036.
- [44] Ali-Akbari, M., and Bitaghsir Fadafan, K. 2010. *Rotating mesons in the presence of higher derivative corrections from gauge-string duality*. Nucl. Phys., **B835**, 221–237. arXiv:0908.3921 [hep-th].
- [45] Allton, C. R., Ejiri, S., Hands, S. J., Kaczmarek, O., Karsch, F., et al. 2002. *The QCD thermal phase transition in the presence of a small chemical potential*. Phys. Rev., **D66**, 074507. arXiv:hep-lat/0204010 [hep-lat].
- [46] Allton, C. R., Doring, M., Ejiri, S., Hands, S. J., Kaczmarek, O., et al. 2005. *Thermodynamics of two flavor QCD to sixth order in quark chemical potential*. Phys. Rev., **D71**, 054508. arXiv:hep-lat/0501030 [hep-lat].

- [47] Alvarez, Enrique, and Gomez, Cesar. 1999. *Geometric holography, the renormalization group and the c-theorem*. Nucl. Phys., **B541**, 441–460. arXiv:hep-th/9807226 [hep-th].
- [48] Amado, Irene, Hoyos-Badajoz, Carlos, Landsteiner, Karl, and Montero, Sergio. 2008. *Hydrodynamics and beyond in the strongly coupled $\mathcal{N} = 4$ plasma*. JHEP, **0807**, 133. arXiv:0805.2570 [hep-th].
- [49] Amsel, Aaron J., and Gorbonos, Dan. 2010. *The Weak Gravity Conjecture and the Viscosity Bound with Six-Derivative Corrections*. JHEP, **11**, 033. arXiv:1005.4718 [hep-th].
- [50] Andersen, Jens O., Braaten, Eric, and Strickland, Michael. 1999. *Hard thermal loop resummation of the free energy of a hot gluon plasma*. Phys. Rev. Lett., **83**, 2139–2142. arXiv:hep-ph/9902327 [hep-ph].
- [51] Andersen, Jens O., Petitgirard, Emmanuel, and Strickland, Michael. 2004. *Two loop HTL thermodynamics with quarks*. Phys. Rev., **D70**, 045001. arXiv:hep-ph/0302069 [hep-ph].
- [52] Andersen, Jens O., Leganger, Lars E., Strickland, Michael, and Su, Nan. 2011. *NNLO hard-thermal-loop thermodynamics for QCD*. Phys. Lett., **B696**, 468–472. arXiv:1009.4644 [hep-ph].
- [53] Anderson, P. W. 1972. *More is Different*. Science, New Series, **177**, 393–396.
- [54] Andreev, O. D., and Tseytlin, Arkady A. 1988. *Partition Function Representation for the Open Superstring Effective Action: Cancellation of M\"obius Infinities and Derivative Corrections to Born-Infeld Lagrangian*. Nucl. Phys., **B311**, 205.
- [55] Andreev, Oleg, and Zakharov, Valentine I. 2006. *Heavy-quark potentials and AdS/QCD*. Phys. Rev., **D74**, 025023. arXiv:hep-ph/0604204 [hep-ph].
- [56] Andronic, A., Braun-Munzinger, P., and Stachel, J. 2006. *Hadron production in central nucleus-nucleus collisions at chemical freeze-out*. Nucl. Phys., **A772**, 167–199. arXiv:nucl-th/0511071.
- [57] Anninos, Peter, Price, Richard H., Pullin, Jorge, Seidel, Edward, and Suen, Wai-Mo. 1995. *Head-on collision of two black holes: Comparison of different approaches*. Phys. Rev., **D52**, 4462–4480. arXiv:gr-qc/9505042 [gr-qc].
- [58] Antonyan, E., Harvey, J. A., and Kutasov, D. 2007. *The Gross-Neveu model from string theory*. Nucl. Phys., **B776**, 93–117. arXiv:hep-th/0608149.
- [59] Aoki, Y., Endrodi, G., Fodor, Z., Katz, S. D., and Szabo, K. K. 2006. *The order of the quantum chromodynamics transition predicted by the standard model of particle physics*. Nature, **443**, 675–678. arXiv:hep-lat/0611014.
- [60] Arean, Daniel, and Ramallo, Alfonso V. 2006. *Open string modes at brane intersections*. JHEP, **04**, 037. arXiv:hep-th/0602174.
- [61] Argyres, Philip C., Edalati, Mohammad, and Vazquez-Poritz, Justin F. 2007a. *No-drag string configurations for steadily moving quark- antiquark pairs in a thermal bath*. JHEP, **01**, 105. arXiv:hep-th/0608118.
- [62] Argyres, Philip C., Edalati, Mohammad, and Vazquez-Poritz, Justin F. 2007b. *Spacelike strings and jet quenching from a Wilson loop*. JHEP, **04**, 049. arXiv:hep-th/0612157.
- [63] Argyres, Philip C., Edalati, Mohammad, and Vazquez-Poritz, Justin F. 2008. *Lightlike Wilson loops from AdS/CFT*. JHEP, **03**, 071. arXiv:0801.4594 [hep-th].
- [64] Arleo, Francois. 2006. *Hard pion and prompt photon at RHIC, from single to double inclusive production*. JHEP, **09**, 015. arXiv:hep-ph/0601075.
- [65] Arleo, Francois, d'Enterria, David G., and Peressounko, Dmitri. 2007. *Direct photon spectra in Pb-Pb at $\sqrt{s} = 5.5$ TeV: hydrodynamics + pQCD predictions*. J. Phys. G. arXiv:0707.2357 [nucl-th].

- [66] Armesto, Nestor, Edelstein, Jose D., and Mas, Javier. 2006. *Jet quenching at finite 't Hooft coupling and chemical potential from AdS/CFT*. JHEP, **09**, 039. arXiv:hep-ph/0606245.
- [67] Armesto, Nestor, Cunqueiro, Leticia, and Salgado, Carlos A. 2009. *Q-PYTHIA: A Medium-modified implementation of final state radiation*. Eur.Phys.J., **C63**, 679–690. arXiv:0907.1014 [hep-ph].
- [68] Armesto, Nestor, Cacciari, Matteo, Hirano, Tetsufumi, Nagle, James L., and Salgado, Carlos A. 2010. *Constraint fitting of experimental data with a jet quenching model embedded in a hydrodynamical bulk medium*. J. Phys., **G37**, 025104. arXiv:0907.0667 [hep-ph].
- [69] Armesto, Nestor, Ma, Hao, Mehtar-Tani, Yacine, Salgado, Carlos A., and Tywoniuk, Konrad. 2012a. *Coherence effects and broadening in medium-induced QCD radiation off a massive $q\bar{q}$ antenna*. JHEP, **1201**, 109. arXiv:1110.4343 [hep-ph].
- [70] Armesto, Nestor, Cole, Brian, Gale, Charles, Horowitz, William A., Jacobs, Peter, et al. 2012b. *Comparison of Jet Quenching Formalisms for a Quark–Gluon Plasma ‘Brick’*. Phys. Rev., **C86**, 064904. arXiv:1106.1106 [hep-ph].
- [71] Armesto, Nestor, Ma, Hao, Martinez, Mauricio, Mehtar-Tani, Yacine, and Salgado, Carlos A. 2012c. *Interference between initial and final state radiation in a QCD medium*. Phys. Lett., **B717**, 280–286. arXiv:1207.0984 [hep-ph].
- [72] NA60 Collaboration, Arnaldi, R., et al. 2007. *J/ψ production in indium-indium collisions at 158 GeV/nucleon*. Phys. Rev. Lett., **99**, 132302.
- [73] Arnold, Peter, and Vaman, Diana. 2010. *Jet quenching in hot strongly coupled gauge theories revisited: 3-point correlators with gauge–gravity duality*. JHEP, **1010**, 099. arXiv:1008.4023 [hep-th].
- [74] Arnold, Peter, and Vaman, Diana. 2011. *Jet quenching in hot strongly coupled gauge theories simplified*. JHEP, **1104**, 027. arXiv:1101.2689 [hep-th].
- [75] Arnold, Peter Brockway, Moore, Guy D., and Yaffe, Laurence G. 2000. *Transport coefficients in high temperature gauge theories. I: Leading-log results*. JHEP, **11**, 001. arXiv:hep-ph/0010177.
- [76] Arnold, Peter Brockway, Moore, Guy D., and Yaffe, Laurence G. 2002. *Photon and Gluon Emission in Relativistic Plasmas*. JHEP, **06**, 030. arXiv:hep-ph/0204343.
- [77] Arnold, Peter Brockway, Moore, Guy D., and Yaffe, Laurence G. 2003a. *Effective kinetic theory for high temperature gauge theories*. JHEP, **01**, 030. arXiv:hep-ph/0209353.
- [78] Arnold, Peter Brockway, Moore, Guy D, and Yaffe, Laurence G. 2003b. *Transport coefficients in high temperature gauge theories. II: Beyond leading log*. JHEP, **05**, 051. arXiv:hep-ph/0302165.
- [79] Arnold, Peter Brockway, Lenaghan, Jonathan, Moore, Guy D., and Yaffe, Laurence G. 2005. *Apparent thermalization due to plasma instabilities in quark-gluon plasma*. Phys. Rev. Lett., **94**, 072302. arXiv:nucl-th/0409068 [nucl-th].
- [80] Asakawa, M., and Hatsuda, T. 2004. *J/ψ and η_c in the deconfined plasma from lattice QCD*. Phys. Rev. Lett., **92**, 012001. arXiv:hep-lat/0308034.
- [81] Asakawa, M., Hatsuda, T., and Nakahara, Y. 2001. *Maximum entropy analysis of the spectral functions in lattice QCD*. Prog. Part. Nucl. Phys., **46**, 459–508. arXiv:hep-lat/0011040.
- [82] Asakawa, M., Hatsuda, T., and Nakahara, Y. 2003. *Hadronic spectral functions above the QCD phase transition*. Nucl. Phys., **A715**, 863–866. arXiv:hep-lat/0208059.

- [83] Ashtekar, Abhay, and Krishnan, Badri. 2004. *Isolated and dynamical horizons and their applications*. Living Rev. Rel., **7**, 10. arXiv:gr-qc/0407042 [gr-qc].
- [84] Athanasiou, Christiana, Liu, Hong, and Rajagopal, Krishna. 2008. *Velocity Dependence of Baryon Screening in a Hot Strongly Coupled Plasma*. JHEP, **05**, 083. arXiv:0801.1117 [hep-th].
- [85] Athanasiou, Christiana, Chesler, Paul M., Liu, Hong, Nickel, Dominik, and Rajagopal, Krishna. 2010. *Synchrotron radiation in strongly coupled conformal field theories*. Phys. Rev., **D81**, 126001. arXiv:1001.3880 [hep-th].
- [86] Avdeev, L. V., Tarasov, O. V., and Vladimirov, A. A. 1980. *Vanishing of the Three Loop Charge Renormalization Function in a Supersymmetric Gauge Theory*. Phys. Lett., **B96**, 94–96.
- [87] Avramis, Spyros D., and Sfetsos, Konstandinos. 2007. *Supergravity and the jet quenching parameter in the presence of R-charge densities*. JHEP, **01**, 065. arXiv:hep-th/0606190.
- [88] Avramis, Spyros D., Sfetsos, Konstandinos, and Zoakos, Dimitrios. 2007a. *On the velocity and chemical-potential dependence of the heavy-quark interaction in $\mathcal{N} = 4$ SYM plasmas*. Phys. Rev., **D75**, 025009. arXiv:hep-th/0609079.
- [89] Avramis, Spyros D., Sfetsos, Konstandinos, and Siampos, Konstandinos. 2007b. *Stability of strings dual to flux tubes between static quarks in $\mathcal{N} = 4$ SYM*. Nucl. Phys., **B769**, 44–78. arXiv:hep-th/0612139.
- [90] Avramis, Spyros D., Sfetsos, Konstandinos, and Siampos, Konstandinos. 2008. *Stability of string configurations dual to quarkonium states in AdS/CFT*. Nucl. Phys., **B793**, 1–33. arXiv:0706.2655 [hep-th].
- [91] Avsar, E., Iancu, E., McLerran, L., and Triantafyllopoulos, D. N. 2009. *Shockwaves and deep inelastic scattering within the gauge/gravity duality*. JHEP, **0911**, 105. arXiv:0907.4604 [hep-th].
- [92] Babington, J., Erdmenger, J., Evans, Nick J., Guralnik, Z., and Kirsch, I. 2004. *Chiral symmetry breaking and pions in non-supersymmetric gauge/gravity duals*. Phys. Rev., **D69**, 066007. arXiv:hep-th/0306018.
- [93] Bachas, Constantin P., Bain, Pascal, and Green, Michael B. 1999. *Curvature terms in D-brane actions and their M-theory origin*. JHEP, **05**, 011. arXiv:hep-th/9903210.
- [94] PHOBOS Collaboration, Back, B. B., et al. 2003. *The significance of the fragmentation region in ultrarelativistic heavy ion collisions*. Phys. Rev. Lett., **91**, 052303. arXiv:nucl-ex/0210015.
- [95] PHOBOS Collaboration, Back, B. B., et al. 2005. *The PHOBOS perspective on discoveries at RHIC*. Nucl. Phys., **A757**, 28–101. arXiv:nucl-ex/0410022.
- [96] PHOBOS Collaboration, Back, B. B., et al. 2006. *Charged-particle pseudorapidity distributions in Au + Au collisions at $\sqrt{s_{NN}} = 62.4$ GeV*. Phys. Rev., **C74**, 021901. nucl-ex/0509034.
- [97] Baier, R. 2003. *Jet quenching*. Nucl. Phys., **A715**, 209–218. arXiv:hep-ph/0209038.
- [98] Baier, R., Dokshitzer, Yuri L., Mueller, Alfred H., Peigne, S., and Schiff, D. 1997a. *Radiative energy loss and p_T -broadening of high energy partons in nuclei*. Nucl. Phys., **B484**, 265–282. arXiv:hep-ph/9608322.
- [99] Baier, R., Dokshitzer, Yuri L., Mueller, Alfred H., Peigne, S., and Schiff, D. 1997b. *Radiative energy loss of high energy quarks and gluons in a finite-volume quark-gluon plasma*. Nucl. Phys., **B483**, 291–320. arXiv:hep-ph/9607355.
- [100] Baier, R., Dokshitzer, Yuri L., Mueller, Alfred H., and Schiff, D. 1998. *Radiative energy loss of high energy partons traversing an expanding QCD plasma*. Phys. Rev., **C58**, 1706–1713. arXiv:hep-ph/9803473.

- [101] Baier, R., Schiff, D., and Zakharov, B. G. 2000. *Energy loss in perturbative QCD*. Ann. Rev. Nucl. Part. Sci., **50**, 37–69. arXiv:hep-ph/0002198.
- [102] Baier, R., Mueller, Alfred H., Schiff, D., and Son, D.T. 2001a. ‘*Bottom up*’ thermalization in heavy ion collisions. Phys. Lett., **B502**, 51–58. arXiv:hep-ph/0009237 [hep-ph].
- [103] Baier, R., Dokshitzer, Yuri L., Mueller, Alfred H., and Schiff, D. 2001b. Quenching of hadron spectra in media. JHEP, **09**, 033. arXiv:hep-ph/0106347.
- [104] Baier, Rudolf. 2012. On radiation by a heavy quark in $\mathcal{N} = 4$ SYM. Adv. High Energy Phys., **2012**, 592854. arXiv:1107.4250 [hep-th].
- [105] Baier, Rudolf, and Romatschke, Paul. 2007. Causal viscous hydrodynamics for central heavy-ion collisions. Eur. Phys. J., **C51**, 677–687. arXiv:nucl-th/0610108.
- [106] Baier, Rudolf, Romatschke, Paul, and Wiedemann, Urs Achim. 2006. Dissipative hydrodynamics and heavy ion collisions. Phys. Rev., **C73**, 064903. arXiv:hep-ph/0602249 [hep-ph].
- [107] Baier, Rudolf, Romatschke, Paul, Son, Dam Thanh, Starinets, Andrei O., and Stephanov, Mikhail A. 2008. Relativistic viscous hydrodynamics, conformal invariance, and holography. JHEP, **0804**, 100. arXiv:0712.2451 [hep-th].
- [108] Bak, Dongsu, Karch, Andreas, and Yaffe, Laurence G. 2007. Debye screening in strongly coupled $\mathcal{N} = 4$ supersymmetric Yang-Mills plasma. JHEP, **08**, 049. arXiv:0705.0994 [hep-th].
- [109] Balasubramanian, V., Bernamonti, A., de Boer, J., Copland, N., Craps, B., et al. 2011a. Holographic Thermalization. Phys. Rev., **D84**, 026010. arXiv:1103.2683 [hep-th].
- [110] Balasubramanian, V., Bernamonti, A., de Boer, J., Copland, N., Craps, B., et al. 2011b. Thermalization of Strongly Coupled Field Theories. Phys. Rev. Lett., **106**, 191601. arXiv:1012.4753 [hep-th].
- [111] Balasubramanian, Vijay, and Kraus, Per. 1999a. A Stress tensor for Anti-de Sitter gravity. Commun.Math.Phys., **208**, 413–428. arXiv:hep-th/9902121 [hep-th].
- [112] Balasubramanian, Vijay, and Kraus, Per. 1999b. Space-time and the holographic renormalization group. Phys. Rev. Lett., **83**, 3605–3608. arXiv:hep-th/9903190 [hep-th].
- [113] Balasubramanian, Vijay, Kraus, Per, and Lawrence, Albion E. 1999a. Bulk vs. boundary dynamics in anti-de Sitter spacetime. Phys. Rev., **D59**, 046003. arXiv:hep-th/9805171.
- [114] Balasubramanian, Vijay, Kraus, Per, Lawrence, Albion E., and Trivedi, Sandip P. 1999b. Holographic probes of anti-de Sitter space-times. Phys. Rev., **D59**, 104021. arXiv:hep-th/9808017.
- [115] Ballon Bayona, C.A., Boschi-Filho, Henrique, Braga, Nelson R.F., and Pando Zayas, Leopoldo A. 2008. On a Holographic Model for Confinement/Deconfinement. Phys. Rev., **D77**, 046002. arXiv:0705.1529 [hep-th].
- [116] Bando, Masako, Sugamoto, Akio, and Terunuma, Sachiko. 2006. Meson strings and flavor branes. Prog. Theor. Phys., **115**, 1111–1127. arXiv:hep-ph/0602203.
- [117] Banerjee, Nabamita, Bhattacharya, Jyotirmoy, Bhattacharyya, Sayantani, Dutta, Suvankar, Loganayagam, R., et al. 2011. Hydrodynamics from charged black branes. JHEP, **1101**, 094. arXiv:0809.2596 [hep-th].
- [118] Banks, Tom, Douglas, Michael R., Horowitz, Gary T., and Martinec, Emil J. 1998. AdS dynamics from conformal field theory. arXiv:hep-th/9808016.

- [119] Bantilan, Hans, Pretorius, Frans, and Gubser, Steven S. 2012. *Simulation of Asymptotically AdS₅ Spacetimes with a Generalized Harmonic Evolution Scheme*. Phys. Rev., **D85**, 084038. arXiv:1201.2132 [hep-th].
- [120] Barnes, Edwin, Vaman, Diana, Wu, Chaolun, and Arnold, Peter. 2010. *Real-time finite-temperature correlators from AdS/CFT*. Phys. Rev., **D82**, 025019. arXiv:1004.1179 [hep-th].
- [121] Bass, S. A., and Dumitru, A. 2000. *Dynamics of hot bulk QCD matter: From the quark-gluon plasma to hadronic freeze-out*. Phys. Rev., **C61**, 064909. arXiv:nucl-th/0001033.
- [122] Bass, Steffen A., et al. 2009. *Systematic Comparison of Jet Energy-Loss Schemes in a realistic hydrodynamic medium*. Phys. Rev., **C79**, 024901. arXiv:0808.0908 [nucl-th].
- [123] Bauer, Christian W., and Stewart, Iain W. 2001. *Invariant operators in collinear effective theory*. Phys. Lett., **B516**, 134–142. arXiv:hep-ph/0107001.
- [124] Bauer, Christian W., Fleming, Sean, and Luke, Michael E. 2000. *Summing Sudakov logarithms in $B \rightarrow X_s \gamma$ in effective field theory*. Phys. Rev., **D63**, 014006. arXiv:hep-ph/0005275.
- [125] Bauer, Christian W., Fleming, Sean, Pirjol, Dan, and Stewart, Iain W. 2001. *An effective field theory for collinear and soft gluons: Heavy to light decays*. Phys. Rev., **D63**, 114020. arXiv:hep-ph/0011336.
- [126] Bauer, Christian W., Fleming, Sean, Pirjol, Dan, Rothstein, Ira Z., and Stewart, Iain W. 2002a. *Hard scattering factorization from effective field theory*. Phys. Rev., **D66**, 014017. arXiv:hep-ph/0202088.
- [127] Bauer, Christian W., Pirjol, Dan, and Stewart, Iain W. 2002b. *Soft-Collinear Factorization in Effective Field Theory*. Phys. Rev., **D65**, 054022. arXiv:hep-ph/0109045.
- [128] Bayona, C. A. Ballon, Boschi-Filho, Henrique, and Braga, Nelson R. F. 2010. *Deep inelastic scattering off a plasma with flavor from D3-D7 brane model*. Phys. Rev., **D81**, 086003. arXiv:0912.0231 [hep-th].
- [129] Bazavov, A., et al. 2009. *Equation of state and QCD transition at finite temperature*. Phys. Rev., **D80**, 014504. arXiv:0903.4379 [hep-lat].
- [130] Bazavov, A., Bhattacharya, T., Cheng, M., DeTar, C., Ding, H.T., et al. 2012. *The chiral and deconfinement aspects of the QCD transition*. Phys. Rev., **D85**, 054503. arXiv:1111.1710 [hep-lat].
- [131] Bazavov, Alexei, Petreczky, Peter, and Velytsky, Alexander. *Quark-Gluon Plasma 4*. Eds. Rudolph C. Hwa and Xin-Nian Wang. Singapore: World Scientific. Chap. Quarkonium at Finite Temperature, arXiv:0904.1748 [hep-ph].
- [132] BRAHMS Collaboration, Bearden, I. G., et al. 2004. *Nuclear stopping in Au + Au collisions at $\sqrt{s_{NN}} = 200$ GeV*. Phys. Rev. Lett., **93**, 102301. nucl-ex/0312023.
- [133] Becker, K., Becker, M., and Schwarz, J. H. 2007. *String theory and M-theory: A modern introduction*. Cambridge University Press.
- [134] Benincasa, Paolo, Buchel, Alex, and Starinets, Andrei O. 2006. *Sound waves in strongly coupled nonconformal gauge theory plasma*. Nucl. Phys., **B733**, 160–187. arXiv:hep-th/0507026.
- [135] Benincasa, Paolo, Buchel, Alex, Heller, Michal P., and Janik, Romuald A. 2008. *On the supergravity description of boost invariant conformal plasma at strong coupling*. Phys. Rev., **D77**, 046006. arXiv:0712.2025 [hep-th].
- [136] Benini, Francesco, Canoura, Felipe, Cremonesi, Stefano, Nunez, Carlos, and Ramallo, Alfonso V. 2007. *Unquenched flavors in the Klebanov–Witten model*. JHEP, **02**, 090. arXiv:hep-th/0612118.

- [137] Beraudo, A., Blaizot, J. P., and Ratti, C. 2008. *Real and imaginary-time $Q\bar{Q}$ correlators in a thermal medium*. Nucl. Phys., **A806**, 312–338. arXiv:0712.4394 [nucl-th].
- [138] Beraudo, A., De Pace, A., Alberico, W. M., and Molinari, A. 2009. *Transport properties and Langevin dynamics of heavy quarks and quarkonia in the Quark Gluon Plasma*. Nucl. Phys., **A831**, 59–90. arXiv:0902.0741 [hep-ph].
- [139] Beraudo, Andrea, Milhano, Jose Guilherme, and Wiedemann, Urs Achim. 2012a. *Medium-induced color flow softens hadronization*. Phys. Rev., **C85**, 031901. arXiv:1109.5025 [hep-ph].
- [140] Beraudo, Andrea, Milhano, Jose Guilherme, and Wiedemann, Urs Achim. 2012b. *The Contribution of Medium-Modified Color Flow to Jet Quenching*. JHEP, **1207**, 144. arXiv:1204.4342 [hep-ph].
- [141] Bergman, Oren, Lifschytz, Gilad, and Lippert, Matthew. 2007. *Holographic Nuclear Physics*. JHEP, **11**, 056. arXiv:0708.0326 [hep-th].
- [142] Berkooz, Micha, Sever, Amit, and Shomer, Assaf. 2002. *Double-trace deformations, boundary conditions and spacetime singularities*. JHEP, **05**, 034. arXiv:hep-th/0112264.
- [143] Bernamonti, Alice, and Peschanski, Robi. 2011. *Time-dependent AdS/CFT correspondence and the Quark-Gluon plasma*. Nucl. Phys. Proc. Suppl., **216**, 94–120. arXiv:1102.0725 [hep-th].
- [144] Bertoldi, G., Bigazzi, F., Cotrone, A.L., and Edelstein, Jose D. 2007. *Holography and unquenched quark-gluon plasmas*. Phys. Rev., **D76**, 065007. arXiv:hep-th/0702225 [hep-th].
- [145] Betz, Barbara, and Gyulassy, Miklos. 2012a. *Examining a reduced jet-medium coupling in Pb+Pb collisions at the Large Hadron Collider*. Phys. Rev., **C86**, 024903. arXiv:1201.0281 [nucl-th].
- [146] Betz, Barbara, and Gyulassy, Miklos. 2012b. *Quantifying a Possibly Reduced Jet-Medium Coupling of the sQGP at the LHC*. arXiv:1211.0804 [nucl-th].
- [147] Betz, Barbara, Gyulassy, Miklos, Noronha, Jorge, and Torrieri, Giorgio. 2009. *Anomalous Conical Dijet Correlations in pQCD vs AdS/CFT*. Phys. Lett., **B675**, 340–346. arXiv:0807.4526 [hep-ph].
- [148] Betz, Barbara, et al. 2009. *Universality of the Diffusion Wake from Stopped and Punch- Through Jets in Heavy-Ion Collisions*. Phys. Rev., **C79**, 034902. arXiv:0812.4401 [nucl-th].
- [149] Betz, Barbara, Noronha, Jorge, Torrieri, Giorgio, Gyulassy, Miklos, and Rischke, Dirk H. 2010. *Universal Flow-Driven Conical Emission in Ultrarelativistic Heavy-Ion Collisions*. Phys. Rev. Lett., **105**, 222301. arXiv:1005.5461 [nucl-th].
- [150] Beuf, Guillaume. 2010. *Gravity dual of $\mathcal{N} = 4$ SYM theory with fast moving sources*. Phys. Lett., **B686**, 55–58. arXiv:0903.1047 [hep-th].
- [151] Beuf, Guillaume, Heller, Michal P., Janik, Romuald A., and Peschanski, Robi. 2009. *Boost-invariant early time dynamics from AdS/CFT*. JHEP, **0910**, 043. arXiv:0906.4423 [hep-th].
- [152] Bhattacharyya, Sayantani, and Minwalla, Shiraz. 2009. *Weak Field Black Hole Formation in Asymptotically AdS Spacetimes*. JHEP, **0909**, 034. arXiv:0904.0464 [hep-th].
- [153] Bhattacharyya, Sayantani, Loganayagam, R., Mandal, Ipsita, Minwalla, Shiraz, and Sharma, Ankit. 2008a. *Conformal Nonlinear Fluid Dynamics from Gravity in Arbitrary Dimensions*. JHEP, **0812**, 116. arXiv:0809.4272 [hep-th].

- [154] Bhattacharyya, Sayantani, Hubeny, Veronika E., Loganayagam, R., Mandal, Gautam, Minwalla, Shiraz, *et al.* 2008b. *Local Fluid Dynamical Entropy from Gravity*. JHEP, **0806**, 055. arXiv:0803.2526 [hep-th].
- [155] Bhattacharyya, Sayantani, Hubeny, Veronika E., Minwalla, Shiraz, and Rangamani, Mukund. 2008c. *Nonlinear Fluid Dynamics from Gravity*. JHEP, **0802**, 045. arXiv:0712.2456 [hep-th].
- [156] Bialas, A., Bleszynski, M., and Czyz, W. 1976. *Multiplicity Distributions in Nucleus-Nucleus Collisions at High-Energies*. Nucl. Phys., **B111**, 461.
- [157] Bialas, A., Janik, R.A., and Peschanski, Robert B. 2007. *Unified description of Bjorken and Landau 1+1 hydrodynamics*. Phys. Rev., **C76**, 054901. arXiv:0706.2108 [nucl-th].
- [158] Bianchi, Massimo, Freedman, Daniel Z., and Skenderis, Kostas. 2002. *Holographic Renormalization*. Nucl. Phys., **B631**, 159–194. arXiv:hep-th/0112119.
- [159] Bigazzi, F., and Cotrone, A. L. 2006. *New predictions on meson decays from string splitting*. JHEP, **11**, 066. arXiv:hep-th/0606059.
- [160] Bigazzi, Francesco, and Cotrone, Aldo L. 2010. *An elementary stringy estimate of transport coefficients of large temperature QCD*. JHEP, **1008**, 128. arXiv:1006.4634 [hep-ph].
- [161] Bigazzi, Francesco, Cotrone, Aldo L., Mas, Javier, Paredes, Angel, Ramallo, Alfonso V., *et al.* 2009. *D3-D7 Quark–Gluon Plasmas*. JHEP, **0911**, 117. arXiv:0909.2865 [hep-th].
- [162] Bigazzi, Francesco, Cotrone, Aldo L., and Tarrio, Javier. 2010. *Hydrodynamics of fundamental matter*. JHEP, **1002**, 083. arXiv:0912.3256 [hep-th].
- [163] Birukou, M., Husain, V., Kunstatter, G., Vaz, E., and Olivier, M. 2002. *Scalar field collapse in any dimension*. Phys. Rev., **D65**, 104036. arXiv:gr-qc/0201026 [gr-qc].
- [164] Bizon, Piotr, and Rostworowski, Andrzej. 2011. *On weakly turbulent instability of anti-de Sitter space*. Phys. Rev. Lett., **107**, 031102. arXiv:1104.3702 [gr-qc].
- [165] Bjorken, J. D. 1983. *Highly Relativistic Nucleus-Nucleus Collisions: The Central Rapidity Region*. Phys. Rev., **D27**, 140–151.
- [166] Blaizot, J. P., Iancu, Edmond, and Rebhan, A. 1999. *The entropy of the QCD plasma*. Phys. Rev. Lett., **83**, 2906–2909. arXiv:hep-ph/9906340.
- [167] Blaizot, Jean Paul, and Iancu, Edmond. 1993. *Kinetic equations for long wavelength excitations of the quark–gluon plasma*. Phys. Rev. Lett., **70**, 3376–3379. arXiv:hep-ph/9301236.
- [168] Blaizot, Jean-Paul, and Iancu, Edmond. 1999. *A Boltzmann equation for the QCD plasma*. Nucl. Phys., **B557**, 183–236. arXiv:hep-ph/9903389 [hep-ph].
- [169] Blaizot, Jean-Paul, and Iancu, Edmond. 2002. *The quark–gluon plasma: Collective dynamics and hard thermal loops*. Phys. Rept., **359**, 355–528. arXiv:hep-ph/0101103.
- [170] Blaizot, J.P., Iancu, Edmond, and Rebhan, A. 2001. *Quark number susceptibilities from HTL resummed thermodynamics*. Phys. Lett., **B523**, 143–150. arXiv:hep-ph/0110369 [hep-ph].
- [171] Bluhm, M., and Kampfer, Burkhard. 2008. *Flavor Diagonal and Off-Diagonal Susceptibilities in a Quasiparticle Model of the Quark-Gluon Plasma*. Phys. Rev., **D77**, 114016. arXiv:0801.4147 [hep-ph].
- [172] Booth, Ivan. 2005. *Black hole boundaries*. Can. J. Phys., **83**, 1073–1099. arXiv:gr-qc/0508107 [gr-qc].

- [173] Booth, Ivan, Heller, Michal P., and Spalinski, Michal. 2009. *Black brane entropy and hydrodynamics: The Boost-invariant case*. Phys. Rev., **D80**, 126013. arXiv:0910.0748 [hep-th].
- [174] Booth, Ivan, Heller, Michal P., and Spalinski, Michal. 2011a. *Black Brane Entropy and Hydrodynamics*. Phys. Rev., **D83**, 061901. arXiv:1010.6301 [hep-th].
- [175] Booth, Ivan, Heller, Michal P., Plewa, Grzegorz, and Spalinski, Michal. 2011b. *On the apparent horizon in fluid-gravity duality*. Phys. Rev., **D83**, 106005. arXiv:1102.2885 [hep-th].
- [176] Borghini, Nicolas, and Gombeaud, Clement. 2012. *Heavy quarkonia in a medium as a quantum dissipative system: Master equation approach*. Eur.Phys.J., **C72**, 2000. arXiv:1109.4271 [nucl-th].
- [177] Borghini, Nicolas, Dinh, Phuong Mai, and Ollitrault, Jean-Yves. 2001. *A new method for measuring azimuthal distributions in nucleus-nucleus collisions*. Phys. Rev., **C63**, 054906. arXiv:nucl-th/0007063.
- [178] Wuppertal-Budapest Collaboration, Borsanyi, Szabolcs, et al. 2010. *Is there still any T_c mystery in lattice QCD? Results with physical masses in the continuum limit III*. JHEP, **09**, 073. arXiv:1005.3508 [hep-lat].
- [179] Borsanyi, Szabolcs, Endrodi, Gergely, Fodor, Zoltan, Jakovac, Antal, Katz, Sandor D., et al. 2010. *The QCD equation of state with dynamical quarks*. JHEP, **1011**, 077. arXiv:1007.2580 [hep-lat].
- [180] Borsanyi, Szabolcs, Fodor, Zoltan, Katz, Sandor D., Krieg, Stefan, Ratti, Claudia, et al. 2012. *Fluctuations of conserved charges at finite temperature from lattice QCD*. JHEP, **1201**, 138. arXiv:1112.4416 [hep-lat].
- [181] Boschi-Filho, Henrique, and Braga, Nelson R.F. 2003. *Gauge/string duality and scalar glueball mass ratios*. JHEP, **0305**, 009. arXiv:hep-th/0212207 [hep-th].
- [182] Boschi-Filho, Henrique, and Braga, Nelson R.F. 2004. *QCD/string holographic mapping and glueball mass spectrum*. Eur. Phys. J., **C32**, 529–533. arXiv:hep-th/0209080 [hep-th].
- [183] Bousso, Raphael. 2002. *The holographic principle*. Rev. Mod. Phys., **74**, 825–874. arXiv:hep-th/0203101.
- [184] Boyd, G., et al. 1996. *Thermodynamics of SU(3) Lattice Gauge Theory*. Nucl. Phys., **B469**, 419–444. arXiv:hep-lat/9602007.
- [185] Braaten, Eric, and Nieto, Agustin. 1996. *Free Energy of QCD at High Temperature*. Phys. Rev., **D53**, 3421–3437. arXiv:hep-ph/9510408.
- [186] Braaten, Eric, and Pisarski, Robert D. 1990a. *Resummation and Gauge Invariance of the Gluon Damping Rate in Hot QCD*. Phys. Rev. Lett., **64**, 1338.
- [187] Braaten, Eric, and Pisarski, Robert D. 1990b. *Soft Amplitudes in Hot Gauge Theories: A General Analysis*. Nucl. Phys., **B337**, 569.
- [188] Brambilla, Nora, Pineda, Antonio, Soto, Joan, and Vairo, Antonio. 2000. *Potential NRQCD: An effective theory for heavy quarkonium*. Nucl. Phys., **B566**, 275. arXiv:hep-ph/9907240.
- [189] Brambilla, Nora, Ghiglieri, Jacopo, Vairo, Antonio, and Petreczky, Peter. 2008. *Static quark-antiquark pairs at finite temperature*. Phys. Rev., **D78**, 014017. arXiv:0804.0993 [hep-ph].
- [190] Brandhuber, A., Itzhaki, N., Sonnenschein, J., and Yankielowicz, S. 1998. *Wilson loops in the large- N limit at finite temperature*. Phys. Lett., **B434**, 36–40. arXiv:hep-th/9803137.

- [191] Brandt, Bastian B., Francis, Anthony, Meyer, Harvey B., and Wittig, Hartmut. 2013a. *Thermal Correlators in the ρ channel of two-flavor QCD*. JHEP, **1303**, 100. arXiv:1212.4200 [hep-lat].
- [192] Brandt, Bastian B., Francis, Anthony, Meyer, Harvey B., and Wittig, Hartmut. 2013b. *Two-flavor lattice QCD correlation functions in the deconfinement transition region*. arXiv:1302.0675 [hep-lat].
- [193] Braun-Munzinger, Peter, Redlich, Krzysztof, and Stachel, Johanna. 2003. *Particle production in heavy ion collisions*. arXiv:nucl-th/0304013.
- [194] Breitenlohner, Peter, and Freedman, Daniel Z. 1982a. *Positive Energy in anti-De Sitter Backgrounds and Gauged Extended Supergravity*. Phys. Lett., **B115**, 197.
- [195] Breitenlohner, Peter, and Freedman, Daniel Z. 1982b. *Stability in Gauged Extended Supergravity*. Ann. Phys., **144**, 249.
- [196] Brigante, Mauro, Liu, Hong, Myers, Robert C., Shenker, Stephen, and Yaida, Sho. 2008a. *The Viscosity Bound and Causality Violation*. Phys. Rev. Lett., **100**, 191601. arXiv:0802.3318 [hep-th].
- [197] Brigante, Mauro, Liu, Hong, Myers, Robert C., Shenker, Stephen, and Yaida, Sho. 2008b. *Viscosity Bound Violation in Higher Derivative Gravity*. Phys. Rev., **D77**, 126006. arXiv:0712.0805 [hep-th].
- [198] Bringoltz, Barak, and Teper, Michael. 2005. *The Pressure of the $SU(N)$ lattice gauge theory at large- N* . Phys. Lett., **B628**, 113–124. arXiv:hep-lat/0506034 [hep-lat].
- [199] Brink, Lars, Schwarz, John H., and Scherk, Joel. 1977. *Supersymmetric Yang-Mills Theories*. Nucl. Phys., **B121**, 77.
- [200] Brink, Lars, Lindgren, Olof, and Nilsson, Bengt E. W. 1983. *The Ultraviolet Finiteness of the $\mathcal{N} = 4$ Yang-Mills Theory*. Phys. Lett., **B123**, 323.
- [201] Brodsky, Stanley J., and de Teramond, Guy F. 2008. *Light-Front Dynamics and AdS/QCD Correspondence: The Pion Form Factor in the Space- and Time-Like Regions*. Phys. Rev., **D77**, 056007. arXiv:0707.3859 [hep-ph].
- [202] Brodsky, Stanley J., and Mueller, Alfred H. 1988. *Using Nuclei to Probe Hadronization in QCD*. Phys. Lett., **B206**, 685.
- [203] Brustein, Ram, and Medved, A. J. M. 2009a. *The ratio of shear viscosity to entropy density in generalized theories of gravity*. Phys. Rev., **D79**, 021901. arXiv:0808.3498 [hep-th].
- [204] Brustein, Ram, and Medved, A. J. M. 2009b. *The shear diffusion coefficient for generalized theories of gravity*. Phys. Lett., **B671**, 119–122. arXiv:0810.2193 [hep-th].
- [205] Brustein, Ram, and Medved, A.J.M. 2011. *Unitarity constraints on the ratio of shear viscosity to entropy density in higher derivative gravity*. Phys. Rev., **D83**, 126005. arXiv:1005.5274 [hep-th].
- [206] Buchel, Alex. 2005a. *On universality of stress-energy tensor correlation functions in supergravity*. Phys. Lett., **B609**, 392–401. arXiv:hep-th/0408095 [hep-th].
- [207] Buchel, Alex. 2005b. *Transport properties of cascading gauge theories*. Phys. Rev., **D72**, 106002. arXiv:hep-th/0509083.
- [208] Buchel, Alex. 2006. *On jet quenching parameters in strongly coupled non-conformal gauge theories*. Phys. Rev., **D74**, 046006. arXiv:hep-th/0605178.
- [209] Buchel, Alex. 2008a. *Bulk viscosity of gauge theory plasma at strong coupling*. Phys. Lett., **B663**, 286–289. arXiv:0708.3459 [hep-th].
- [210] Buchel, Alex. 2008b. *Resolving disagreement for η/s in a CFT plasma at finite coupling*. Nucl. Phys., **B803**, 166–170. arXiv:0805.2683 [hep-th].

- [211] Buchel, Alex. 2008c. *Shear viscosity of boost invariant plasma at finite coupling*. Nucl. Phys., **B802**, 281–306. arXiv:0801.4421 [hep-th].
- [212] Buchel, Alex, and Liu, James T. 2004. *Universality of the shear viscosity in supergravity*. Phys. Rev. Lett., **93**, 090602. arXiv:hep-th/0311175 [hep-th].
- [213] Buchel, Alex, and Pagnutti, Chris. 2009. *Bulk viscosity of $\mathcal{N} = 2^*$ plasma*. Nucl. Phys., **B816**, 62–72. arXiv:0812.3623 [hep-th].
- [214] Buchel, Alex, and Paulos, Miguel. 2008. *Relaxation time of a CFT plasma at finite coupling*. Nucl. Phys., **B805**, 59–71. arXiv:0806.0788 [hep-th].
- [215] Buchel, Alex, Liu, James T., and Starinets, Andrei O. 2005. *Coupling constant dependence of the shear viscosity in $\mathcal{N} = 4$ supersymmetric Yang-Mills theory*. Nucl. Phys., **B707**, 56–68. arXiv:hep-th/0406264.
- [216] Buchel, Alex, Myers, Robert C., Paulos, Miguel F., and Sinha, Aninda. 2008. *Universal holographic hydrodynamics at finite coupling*. Phys. Lett., **B669**, 364–370. arXiv:0808.1837 [hep-th].
- [217] Buchel, Alex, Myers, Robert C., and Sinha, Aninda. 2009. *Beyond $\eta/s = 1/4\pi$* . JHEP, **03**, 084. arXiv:0812.2521 [hep-th].
- [218] Buchel, Alex, Lehner, Luis, and Liebling, Steven L. 2012. *Scalar Collapse in AdS*. Phys. Rev., **D86**, 123011. arXiv:1210.0890 [gr-qc].
- [219] Burnier, Y., Laine, M., and Vepsäläinen, M. 2008. *Heavy quarkonium in any channel in resummed hot QCD*. JHEP, **0801**, 043. arXiv:0711.1743 [hep-ph].
- [220] Burnier, Y., Kharzeev, D. E., Liao, J., and Yee, H.-U. 2012. *From the chiral magnetic wave to the charge dependence of elliptic flow*. arXiv:1208.2537 [hep-ph].
- [221] Burnier, Yannis, and Rothkopf, Alexander. 2012. *Disentangling the timescales behind the non-perturbative heavy quark potential*. Phys. Rev., **D86**, 051503. arXiv:1208.1899 [hep-ph].
- [222] Burnier, Yannis, Kharzeev, Dmitri E., Liao, Jinfeng, and Yee, Ho-Ung. 2011. *Chiral magnetic wave at finite baryon density and the electric quadrupole moment of quark-gluon plasma in heavy ion collisions*. Phys. Rev. Lett., **107**, 052303. arXiv:1103.1307 [hep-ph].
- [223] Burrington, Benjamin A., Liu, James T., Pando Zayas, Leopoldo A., and Vaman, Diana. 2005. *Holographic duals of flavored $\mathcal{N} = 1$ super Yang-Mills: Beyond the probe approximation*. JHEP, **02**, 022. arXiv:hep-th/0406207.
- [224] Caceres, Elena, and Guijosa, Alberto. 2006a. *Drag force in charged $\mathcal{N} = 4$ SYM plasma*. JHEP, **11**, 077. arXiv:hep-th/0605235.
- [225] Caceres, Elena, and Guijosa, Alberto. 2006b. *On Drag Forces and Jet Quenching in Strongly Coupled Plasmas*. JHEP, **12**, 068. arXiv:hep-th/0606134.
- [226] Caceres, Elena, Natsuume, Makoto, and Okamura, Takashi. 2006. *Screening length in plasma winds*. JHEP, **10**, 011. arXiv:hep-th/0607233.
- [227] Caceres, Elena, Chernicoff, Mariano, Guijosa, Alberto, and Pedraza, Juan F. 2010. *Quantum Fluctuations and the Unruh Effect in Strongly-Coupled Conformal Field Theories*. JHEP, **06**, 078. arXiv:1003.5332 [hep-th].
- [228] Cai, Rong-Gen, and Soh, Kwang-Sup. 1999. *Critical behavior in the rotating D-branes*. Mod. Phys. Lett., **A14**, 1895–1908. arXiv:hep-th/9812121.
- [229] Cai, Rong-Gen, Nie, Zhang-Yu, and Sun, Ya-Wen. 2008. *Shear Viscosity from Effective Couplings of Gravitons*. Phys. Rev., **D78**, 126007. arXiv:0811.1665 [hep-th].
- [230] Caines, Helen. 2011. *Jets and Jet-like Correlations at RHIC*. arXiv:1110.1878 [nucl-ex].
- [231] Callan, Jr., Curtis G., Harvey, Jeffrey A., and Strominger, Andrew. 1991. *Worldbrane actions for string solitons*. Nucl. Phys., **B367**, 60–82.

- [232] Calzetta, E., and Hu, B. L. 1988. *Nonequilibrium Quantum Fields: Closed Time Path Effective Action, Wigner Function and Boltzmann Equation*. Phys. Rev., **D37**, 2878.
- [233] Calzetta, E. A., Hu, B. L., and Ramsey, S. A. 2000. *Hydrodynamic transport functions from quantum kinetic field theory*. Phys. Rev., **D61**, 125013. arXiv:hep-ph/9910334.
- [234] Camanho, Xian O., Edelstein, Jose D., and Paulos, Miguel F. 2011. *Lovelock theories, holography and the fate of the viscosity bound*. JHEP, **1105**, 127. arXiv:1010.1682 [hep-th].
- [235] Cao, C., Elliott, E., Joseph, J., Wu, H., Petricka, J., et al. 2011. *Universal Quantum Viscosity in a Unitary Fermi Gas*. Science, **331**, 58. arXiv:1007.2625 [cond-mat.quant-gas].
- [236] Caron-Huot, Simon. 2011. *Loops and trees*. JHEP, **1105**, 080. arXiv:1007.3224 [hep-ph].
- [237] Caron-Huot, Simon, and Moore, Guy D. 2008a. *Heavy quark diffusion in perturbative QCD at next-to-leading order*. Phys. Rev. Lett., **100**, 052301. arXiv:0708.4232 [hep-ph].
- [238] Caron-Huot, Simon, and Moore, Guy D. 2008b. *Heavy quark diffusion in QCD and $\mathcal{N} = 4$ SYM at next- to-leading order*. JHEP, **02**, 081. arXiv:0801.2173 [hep-ph].
- [239] Caron-Huot, Simon, Kovtun, Pavel, Moore, Guy D., Starinets, Andrei, and Yaffe, Laurence G. 2006. *Photon and dilepton production in supersymmetric Yang–Mills plasma*. JHEP, **12**, 015. arXiv:hep-th/0607237.
- [240] Caron-Huot, Simon, Laine, Mikko, and Moore, Guy D. 2009. *A Way to estimate the heavy quark thermalization rate from the lattice*. JHEP, **0904**, 053. arXiv:0901.1195 [hep-lat].
- [241] Caron-Huot, Simon, Chesler, Paul M., and Teaney, Derek. 2011. *Fluctuation, dissipation, and thermalization in non-equilibrium AdS_5 black hole geometries*. Phys. Rev., **D84**, 026012. arXiv:1102.1073 [hep-th].
- [242] Casalbuoni, R., Gomis, J., and Longhi, G. 1974. *The Relativistic Point Revisited in the Light of the String Model*. Nuovo Cim., **A24**, 249.
- [243] Casalderrey-Solana, J., and Iancu, E. 2011. *Interference effects in medium-induced gluon radiation*. JHEP, **1108**, 015. arXiv:1105.1760 [hep-ph].
- [244] Casalderrey-Solana, J., and Shuryak, E. V. 2005. *Conical flow in a medium with variable speed of sound*. arXiv:hep-ph/0511263.
- [245] Casalderrey-Solana, J., Shuryak, E. V., and Teaney, D. 2005. *Conical flow induced by quenched QCD jets*. J. Phys. Conf. Ser., **27**, 22–31. arXiv:hep-ph/0411315.
- [246] Casalderrey-Solana, J., Shuryak, E. V., and Teaney, D. 2006. *Hydrodynamic flow from fast particles*. arXiv:hep-ph/0602183.
- [247] Casalderrey-Solana, J., Milhano, J.G., and Wiedemann, U. 2011a. *Jet quenching via jet collimation*. J. Phys., **G38**, 124086. arXiv:1107.1964 [hep-ph].
- [248] Casalderrey-Solana, Jorge. 2013. *Dynamical Quarkonia Suppression in a QGP-Brick*. JHEP, **1303**, 091. arXiv:1208.2602 [hep-ph].
- [249] Casalderrey-Solana, Jorge, and Mateos, David. 2009. *Prediction of a Photon Peak in Relativistic Heavy Ion Collisions*. Phys. Rev. Lett., **102**, 192302. arXiv:0806.4172 [hep-ph].
- [250] Casalderrey-Solana, Jorge, and Mateos, David. 2012. *Off-diagonal Flavour Susceptibilities from AdS/CFT*. JHEP, **1208**, 165. arXiv:1202.2533 [hep-ph].

- [251] Casalderrey-Solana, Jorge, and Salgado, Carlos A. 2007. *Introductory lectures on jet quenching in heavy ion collisions*. Acta Phys. Polon., **B38**, 3731–3794. arXiv:0712.3443 [hep-ph].
- [252] Casalderrey-Solana, Jorge, and Teaney, Derek. 2006. *Heavy quark diffusion in strongly coupled $\mathcal{N}=4$ Yang–Mills*. Phys. Rev., **D74**, 085012. arXiv:hep-ph/0605199.
- [253] Casalderrey-Solana, Jorge, and Teaney, Derek. 2007. *Transverse momentum broadening of a fast quark in a $\mathcal{N}=4$ Yang Mills plasma*. JHEP, **04**, 039. arXiv:hep-th/0701123.
- [254] Casalderrey-Solana, Jorge, Kim, Keun-Young, and Teaney, Derek. 2009. *Stochastic String Motion Above and Below the World Sheet Horizon*. JHEP, **12**, 066. arXiv:0908.1470 [hep-th].
- [255] Casalderrey-Solana, Jorge, Fernandez, Daniel, and Mateos, David. 2010a. *A New Mechanism of Quark Energy Loss*. Phys. Rev. Lett., **104**, 172301. arXiv:0912.3717 [hep-ph].
- [256] Casalderrey-Solana, Jorge, Fernandez, Daniel, and Mateos, David. 2010b. *Cherenkov mesons as in-medium quark energy loss*. JHEP, **1011**, 091. arXiv:1009.5937 [hep-th].
- [257] Casalderrey-Solana, Jorge, Milhano, Jose Guilherme, and Wiedemann, Urs Achim. 2011b. *Jet Quenching via Jet Collimation*. J. Phys., **G38**, 035006. arXiv:1012.0745 [hep-ph].
- [258] Casalderrey-Solana, Jorge, Milhano, Jose Guilherme, and Arias, Paloma Quiroga. 2012. *Out of Medium Fragmentation from Long-Lived Jet Showers*. Phys. Lett., **B710**, 175–181. arXiv:1111.0310 [hep-ph].
- [259] Caswell, William E., and Zanon, Daniela. 1981. *Zero Three Loop Beta Function in the $\mathcal{N} = 4$ Supersymmetric Yang–Mills Theory*. Nucl. Phys., **B182**, 125.
- [260] Chalmers, Gordon, Nastase, Horatiu, Schalm, Koenraad, and Siebelink, Ruud. 1999. *R-current correlators in $\mathcal{N} = 4$ super Yang–Mills theory from anti-de Sitter supergravity*. Nucl. Phys., **B540**, 247–270. arXiv:hep-th/9805105.
- [261] Chamblin, Andrew, Emparan, Roberto, Johnson, Clifford V., and Myers, Robert C. 1999a. *Charged AdS black holes and catastrophic holography*. Phys. Rev., **D60**, 064018. arXiv:hep-th/9902170.
- [262] Chamblin, Andrew, Emparan, Roberto, Johnson, Clifford V., and Myers, Robert C. 1999b. *Holography, thermodynamics and fluctuations of charged AdS black holes*. Phys. Rev., **D60**, 104026. arXiv:hep-th/9904197.
- [263] CMS Collaboration, Chatrchyan, Serguei, et al. 2011a. *Dependence on pseudorapidity and centrality of charged hadron production in PbPb collisions at a nucleon-nucleon centre-of-mass energy of 2.76 TeV*. JHEP, **08**, 141. arXiv:1107.4800 [nucl-ex].
- [264] CMS Collaboration, Chatrchyan, Serguei, et al. 2011b. *Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys. Rev., **C84**, 024906. arXiv:1102.1957 [nucl-ex].
- [265] CMS Collaboration, Chatrchyan, Serguei, et al. 2011c. *Study of Z boson production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys. Rev. Lett., **106**, 212301. arXiv:1102.5435 [nucl-ex].
- [266] CMS Collaboration, Chatrchyan, Serguei, et al. 2012a. *Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys. Lett., **B712**, 176–197. arXiv:1202.5022 [nucl-ex].
- [267] CMS Collaboration, Chatrchyan, Serguei, et al. 2012b. *Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV*. Phys. Lett., **B710**, 256–277. arXiv:1201.3093 [nucl-ex].

- [268] CMS Collaboration, Chatrchyan, Serguei, *et al.* 2012c. *Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$* . JHEP, **1210**, 087. arXiv:1205.5872 [nucl-ex].
- [269] CMS Collaboration, Chatrchyan, Serguei, *et al.* 2012d. *Observation of sequential Upsilon suppression in PbPb collisions*. Phys. Rev. Lett., **109**, 222301. arXiv:1208.2826 [nucl-ex].
- [270] CMS Collaboration, Chatrchyan, Serguei, *et al.* 2012e. *Study of high- p_T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$* . Eur. Phys. J., **C72**, 1945. arXiv:1202.2554 [nucl-ex].
- [271] CMS Collaboration, Chatrchyan, Serguei, *et al.* 2012f. *Study of W boson production in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$* . Phys. Lett., **B715**, 66–87. arXiv:1205.6334 [nucl-ex].
- [272] CMS Collaboration, Chatrchyan, Serguei, *et al.* 2012g. *Suppression of non-prompt J/ψ , prompt J/ψ , and $Y(1S)$ in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$* . JHEP, **1205**, 063. arXiv:1201.5069 [nucl-ex].
- [273] CMS Collaboration, Chatrchyan, Serguei, *et al.* 2013. *Studies of jet quenching using isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$* . Phys. Lett., **B718**, 773–794. arXiv:1205.0206 [nucl-ex].
- [274] Chen, Jiunn-Wei, and Nakano, Eiji. 2007. *Shear viscosity to entropy density ratio of QCD below the deconfinement temperature*. Phys. Lett., **B647**, 371–375. arXiv:hep-ph/0604138 [hep-ph].
- [275] Chen, Jiunn-Wei, Li, Yen-Han, Liu, Yen-Fu, and Nakano, Eiji. 2007. *QCD viscosity to entropy density ratio in the hadronic phase*. Phys. Rev., **D76**, 114011. arXiv:hep-ph/0703230 [hep-ph].
- [276] Chen, Xiao-Fang, Greiner, Carsten, Wang, Enke, Wang, Xin-Nian, and Xu, Zhe. 2010. *Bulk matter evolution and extraction of jet transport parameter in heavy ion collisions at RHIC*. Phys. Rev., **C81**, 064908. arXiv:1002.1165 [nucl-th].
- [277] Cheng, M., Christ, N. H., Datta, S., van der Heide, J., Jung, C., *et al.* 2008. *The QCD equation of state with almost physical quark masses*. Phys. Rev., **D77**, 014511. arXiv:0710.0354 [hep-lat].
- [278] Cherkis, Sergey A., and Hashimoto, Akikazu. 2002. *Supergravity solution of intersecting branes and AdS/CFT with flavor*. JHEP, **11**, 036. arXiv:hep-th/0210105.
- [279] Chernicoff, Mariano, and Guijosa, Alberto. 2007. *Energy Loss of Gluons, Baryons and k-Quarks in an $\mathcal{N}=4$ SYM Plasma*. JHEP, **02**, 084. arXiv:hep-th/0611155.
- [280] Chernicoff, Mariano, and Guijosa, Alberto. 2008. *Acceleration, Energy Loss and Screening in Strongly-Coupled Gauge Theories*. JHEP, **0806**, 005. arXiv:0803.3070 [hep-th].
- [281] Chernicoff, Mariano, Garcia, J. Antonio, and Guijosa, Alberto. 2006. *The energy of a moving quark-antiquark pair in an $\mathcal{N}=4$ SYM plasma*. JHEP, **09**, 068. arXiv:hep-th/0607089.
- [282] Chernicoff, Mariano, Garcia, J. Antonio, and Guijosa, Alberto. 2009a. *A Tail of a Quark in $\mathcal{N} = 4$ SYM*. JHEP, **0909**, 080. arXiv:0906.1592 [hep-th].
- [283] Chernicoff, Mariano, Garcia, J. Antonio, and Guijosa, Alberto. 2009b. *Generalized Lorentz-Dirac Equation for a Strongly-Coupled Gauge Theory*. Phys. Rev. Lett., **102**, 241601. arXiv:0903.2047 [hep-th].
- [284] Chernicoff, Mariano, Guijosa, Alberto, and Pedraza, Juan F. 2011. *The Gluonic Field of a Heavy Quark in Conformal Field Theories at Strong Coupling*. JHEP, **1110**, 041. arXiv:1106.4059 [hep-th].

- [285] Chernicoff, Mariano, Garcia, J. Antonio, Guijosa, Alberto, and Pedraza, Juan F. 2012. *Holographic Lessons for Quark Dynamics*. *J. Phys.*, **G39**, 054002. arXiv:1111.0872 [hep-th].
- [286] Chesler, Paul M., and Teaney, Derek. 2011. *Dynamical Hawking Radiation and Holographic Thermalization*. arXiv:1112.6196 [hep-th].
- [287] Chesler, Paul M., and Teaney, Derek. 2012. *Dilaton emission and absorption from far-from-equilibrium non-abelian plasma*. arXiv:1211.0343 [hep-th].
- [288] Chesler, Paul M., and Yaffe, Laurence G. 2007. *The wake of a quark moving through a strongly-coupled $\mathcal{N} = 4$ supersymmetric Yang–Mills plasma*. *Phys. Rev. Lett.*, **99**, 152001. arXiv:0706.0368 [hep-th].
- [289] Chesler, Paul M., and Yaffe, Laurence G. 2008. *The stress-energy tensor of a quark moving through a strongly-coupled $\mathcal{N} = 4$ supersymmetric Yang–Mills plasma: comparing hydrodynamics and AdS/CFT*. *Phys. Rev.*, **D78**, 045013. arXiv:0712.0050 [hep-th].
- [290] Chesler, Paul M., and Yaffe, Laurence G. 2009. *Horizon formation and far-from-equilibrium isotropization in supersymmetric Yang–Mills plasma*. *Phys. Rev. Lett.*, **102**, 211601. arXiv:0812.2053 [hep-th].
- [291] Chesler, Paul M., and Yaffe, Laurence G. 2010. *Boost invariant flow, black hole formation, and far-from-equilibrium dynamics in $\mathcal{N} = 4$ supersymmetric Yang–Mills theory*. *Phys. Rev.*, **D82**, 026006. arXiv:0906.4426 [hep-th].
- [292] Chesler, Paul M., and Yaffe, Laurence G. 2011. *Holography and colliding gravitational shock waves in asymptotically AdS_5 spacetime*. *Phys. Rev. Lett.*, **106**, 021601. arXiv:1011.3562 [hep-th].
- [293] Chesler, Paul M., Jensen, Kristan, and Karch, Andreas. 2009a. *Jets in strongly-coupled $\mathcal{N} = 4$ super Yang–Mills theory*. *Phys. Rev.*, **D79**, 025021. arXiv:0804.3110 [hep-th].
- [294] Chesler, Paul M., Jensen, Kristan, Karch, Andreas, and Yaffe, Laurence G. 2009b. *Light quark energy loss in strongly-coupled $\mathcal{N} = 4$ supersymmetric Yang–Mills plasma*. *Phys. Rev.*, **D79**, 125015. arXiv:0810.1985 [hep-th].
- [295] Chesler, Paul M., Ho, Ying-Yu, and Rajagopal, Krishna. 2012. *Shining a Gluon Beam Through Quark–Gluon Plasma*. *Phys. Rev.*, **D85**, 126006. arXiv:1111.1691 [hep-th].
- [296] Chu, M. C., and Matsui, T. 1989. *Dynamic Debye Screening for a Heavy Quark Anti-Quark Pair Traversing a Quark–Gluon Plasma*. *Phys. Rev.*, **D39**, 1892.
- [297] Coleman, Sidney. 1985. *Aspects of symmetry*. Cambridge University Press.
- [298] Coleman, Sidney R. 1977. *Classical Lumps and their Quantum Descendents*. *Subnucl. Ser.*, **13**, 297.
- [299] Cooper, Fred, and Frye, Graham. 1974. *Comment on the Single Particle Distribution in the Hydrodynamic and Statistical Thermodynamic Models of Multiparticle Production*. *Phys. Rev.*, **D10**, 186.
- [300] Cornalba, Lorenzo, and Costa, Miguel S. 2008. *Saturation in Deep Inelastic Scattering from AdS/CFT*. *Phys. Rev.*, **D78**, 096010. arXiv:0804.1562 [hep-ph].
- [301] Cotrone, A. L., Martucci, L., and Troost, W. 2006. *String splitting and strong coupling meson decay*. *Phys. Rev. Lett.*, **96**, 141601. arXiv:hep-th/0511045.
- [302] Cvetic, Mirjam, and Gubser, Steven S. 1999a. *Phases of R-charged black holes, spinning branes and strongly coupled gauge theories*. *JHEP*, **04**, 024. arXiv:hep-th/9902195.
- [303] Cvetic, Mirjam, and Gubser, Steven S. 1999b. *Thermodynamic Stability and Phases of General Spinning Branes*. *JHEP*, **07**, 010. arXiv:hep-th/9903132.

- [304] Da Rold, Leandro, and Pomarol, Alex. 2005. *Chiral symmetry breaking from five dimensional spaces*. Nucl. Phys., **B721**, 79–97. arXiv:hep-ph/0501218.
- [305] Dainese, A., Loizides, C., and Paic, G. 2005. *Leading-particle suppression in high energy nucleus nucleus collisions*. Eur. Phys. J., **C38**, 461–474. arXiv:hep-ph/0406201.
- [306] Datta, Saumen, and Gupta, Sourrendu. 2009. *Exploring the gluon_c plasma*. Nucl. Phys., **A830**, 749C–752C. arXiv:0906.3929 [hep-lat].
- [307] Datta, Saumen, and Petreczky, Peter. 2008. *Zero mode contribution in quarkonium correlators and in- medium properties of heavy quarks*. J. Phys., **G35**, 104114. arXiv:0805.1174 [hep-lat].
- [308] Datta, Saumen, Karsch, Frithjof, Petreczky, Peter, and Wetzorke, Ines. 2004. *Behavior of charmonium systems after deconfinement*. Phys. Rev., **D69**, 094507. arXiv:hep-lat/0312037.
- [309] Davis, Joshua L., Gutperle, Michael, Kraus, Per, and Sachs, Ivo. 2007. *Stringy NJL and Gross-Neveu models at finite density and temperature*. JHEP, **10**, 049. arXiv:0708.0589 [hep-th].
- [310] de Boer, Jan, Verlinde, Erik P., and Verlinde, Herman L. 2000. *On the holographic renormalization group*. JHEP, **0008**, 003. arXiv:hep-th/9912012 [hep-th].
- [311] de Boer, Jan, Hubeny, Veronika E., Rangamani, Mukund, and Shigemori, Masaki. 2009. *Brownian motion in AdS/CFT*. JHEP, **07**, 094. arXiv:0812.5112 [hep-th].
- [312] de Forcrand, Philippe, and Philipsen, Owe. 2002. *The QCD phase diagram for small densities from imaginary chemical potential*. Nucl. Phys., **B642**, 290–306. arXiv:hep-lat/0205016 [hep-lat].
- [313] de Forcrand, Philippe, and Philipsen, Owe. 2008. *The Chiral critical point of $N_f=3$ QCD at finite density to the order $(\mu/T)^4$* . JHEP, **0811**, 012. arXiv:0808.1096 [hep-lat].
- [314] de Haro, Sebastian, Solodukhin, Sergey N., and Skenderis, Kostas. 2001. *Holographic reconstruction of spacetime and renormalization in the AdS/CFT correspondence*. Commun. Math. Phys., **217**, 595–622. arXiv:hep-th/0002230.
- [315] D'Elia, Massimo, and Lombardo, Maria-Paola. 2003. *Finite density QCD via imaginary chemical potential*. Phys. Rev., **D67**, 014505. arXiv:hep-lat/0209146 [hep-lat].
- [316] Demir, Nasser, and Bass, Steffen A. 2009. *Shear-Viscosity to Entropy-Density Ratio of a Relativistic Hadron Gas*. Phys. Rev. Lett., **102**, 172302. arXiv:0812.2422 [nucl-th].
- [317] D'Eramo, Francesco, Liu, Hong, and Rajagopal, Krishna. 2011. *Transverse Momentum Broadening and the Jet Quenching Parameter, Redux*. Phys. Rev., **D84**, 065015. arXiv:1006.1367 [hep-ph].
- [318] D'Eramo, Francesco, Lekaveckas, Mindaugas, Liu, Hong, and Rajagopal, Krishna. 2012. *Momentum Broadening in Weakly Coupled Quark–Gluon Plasma (with a view to finding the quasiparticles within liquid quark–gluon plasma)*. arXiv:1211.1922 [hep-ph].
- [319] D'Hoker, Eric, and Freedman, Daniel Z. 2002. *Supersymmetric gauge theories and the AdS/CFT correspondence*. arXiv:hep-th/0201253.
- [320] D'Hoker, Eric, and Guo, Yu. 2010. *Rigidity of $SU(2,2|2)$ -symmetric solutions in Type IIB*. JHEP, **05**, 088. arXiv:1001.4808 [hep-th].
- [321] Dine, M. 2007. *Supersymmetry and string theory: Beyond the standard model*. Cambridge University Press.

- [322] Ding, H.-T., Kaczmarek, O., Karsch, F., Satz, H., and Soldner, W. 2009. *Charmonium correlators and spectral functions at finite temperature*. PoS, **LAT2009**, 169. arXiv:0910.3098 [hep-lat].
- [323] Ding, H.-T., Francis, A., Kaczmarek, O., Karsch, F., Laermann, E., et al. 2011. *Thermal dilepton rate and electrical conductivity: An analysis of vector current correlation functions in quenched lattice QCD*. Phys. Rev., **D83**, 034504. arXiv:1012.4963 [hep-lat].
- [324] Ding, H.-T., Francis, A., Kaczmarek, O., Karsch, F., Laermann, E., et al. 2013. *Thermal dilepton rates from quenched lattice QCD*. arXiv:1301.7436 [hep-lat].
- [325] Ding, H.T., Francis, A., Kaczmarek, O., Karsch, F., Satz, H., et al. 2012. *Charmonium properties in hot quenched lattice QCD*. Phys. Rev., **D86**, 014509. arXiv:1204.4945 [hep-lat].
- [326] Distler, Jacques, and Zamora, Frederic. 1999. *Nonsupersymmetric conformal field theories from stable anti-de Sitter spaces*. Adv. Theor. Math. Phys., **2**, 1405–1439. arXiv:hep-th/9810206 [hep-th].
- [327] Dokshitzer, Yuri L., and Kharzeev, D.E. 2001. *Heavy quark colorimetry of QCD matter*. Phys. Lett., **B519**, 199–206. arXiv:hep-ph/0106202 [hep-ph].
- [328] Dominguez, Fabio, Marquet, C., Mueller, A. H., Wu, Bin, and Xiao, Bo-Wen. 2008. *Comparing energy loss and p_\perp -broadening in perturbative QCD with strong coupling $\mathcal{N} = 4$ SYM theory*. Nucl. Phys., **A811**, 197–222. arXiv:0803.3234 [nucl-th].
- [329] Douglas, Michael R., Mazzucato, Luca, and Razamat, Shlomo S. 2011. *Holographic dual of free field theory*. Phys. Rev., **D83**, 071701. arXiv:1011.4926 [hep-th].
- [330] Drukker, Nadav, Gross, David J., and Ooguri, Hirosi. 1999. *Wilson loops and minimal surfaces*. Phys. Rev., **D60**, 125006. arXiv:hep-th/9904191 [hep-th].
- [331] Drukker, Nadav, Gross, David J., and Tseytlin, Arkady A. 2000. *Green-Schwarz string in $AdS_5 \times S^5$: Semiclassical partition function*. JHEP, **0004**, 021. arXiv:hep-th/0001204 [hep-th].
- [332] Durr, S., et al. 2008. *Ab-Initio Determination of Light Hadron Masses*. Science, **322**, 1224–1227. arXiv:0906.3599 [hep-lat].
- [333] Dusling, K., and Teaney, D. 2008. *Simulating elliptic flow with viscous hydrodynamics*. Phys. Rev., **C77**, 034905. arXiv:0710.5932 [nucl-th].
- [334] Dusling, Kevin, et al. 2008. *Quarkonium transport in thermal AdS/CFT*. JHEP, **10**, 098. arXiv:0808.0957 [hep-th].
- [335] Eichten, E., Gottfried, K., Kinoshita, T., Lane, K. D., and Yan, Tung-Mow. 1980. *Charmonium: Comparison with Experiment*. Phys. Rev., **D21**, 203.
- [336] Ejaz, Qudsia J., Faulkner, Thomas, Liu, Hong, Rajagopal, Krishna, and Wiedemann, Urs Achim. 2008. *A limiting velocity for quarkonium propagation in a strongly coupled plasma via AdS/CFT*. JHEP, **04**, 089. arXiv:0712.0590 [hep-th].
- [337] Emerick, A., Zhao, X., and Rapp, R. 2012. *Bottomonia in the Quark-Gluon Plasma and their Production at RHIC and LHC*. Eur. Phys. J., **A48**, 72. arXiv:1111.6537 [hep-ph].
- [338] Emparan, Roberto, Johnson, Clifford V., and Myers, Robert C. 1999. *Surface terms as counterterms in the AdS/CFT correspondence*. Phys. Rev., **D60**, 104001. arXiv:hep-th/9903238.

- [339] Erdmenger, Johanna, and Kirsch, Ingo. 2004. *Mesons in gauge/gravity dual with large number of fundamental fields*. JHEP, **12**, 025. arXiv:hep-th/0408113.
- [340] Erdmenger, Johanna, Evans, Nick, Kirsch, Ingo, and Threlfall, Ed. 2008. *Mesons in Gauge/Gravity Duals – A Review*. Eur. Phys. J., **A35**, 81–133. arXiv:0711.4467 [hep-th].
- [341] Erdmenger, Johanna, Haack, Michael, Kaminski, Matthias, and Yarom, Amos. 2009. *Fluid dynamics of R-charged black holes*. JHEP, **0901**, 055. arXiv:0809.2488 [hep-th].
- [342] Erickson, J. K., Semenoff, G. W., Szabo, R. J., and Zarembo, K. 2000. *Static potential in $\mathcal{N} = 4$ supersymmetric Yang-Mills theory*. Phys. Rev., **D61**, 105006. arXiv:hep-th/9911088.
- [343] Erlich, Joshua, Katz, Emanuel, Son, Dam T., and Stephanov, Mikhail A. 2005. *QCD and a holographic model of hadrons*. Phys. Rev. Lett., **95**, 261602. arXiv:hep-ph/0501128 [hep-ph].
- [344] Escobedo, Miguel Angel, and Soto, Joan. 2008. *Non-relativistic bound states at finite temperature (I): The Hydrogen atom*. Phys. Rev., **A78**, 032520. arXiv:0804.0691 [hep-ph].
- [345] Evans, Nick, and Threlfall, Ed. 2008. *Mesonic quasinormal modes of the Sakai-Sugimoto model at high temperature*. Phys. Rev., **D77**, 126008. arXiv:0802.0775 [hep-th].
- [346] Fadafan, Kazem Bitaghsir, Liu, Hong, Rajagopal, Krishna, and Wiedemann, Urs Achim. 2009. *Stirring Strongly Coupled Plasma*. Eur. Phys. J., **C61**, 553–567. arXiv:0809.2869 [hep-ph].
- [347] Faulkner, Thomas, and Liu, Hong. 2009. *Meson widths from string worldsheet instantons*. Phys. Lett., **B673**, 161–165. arXiv:0807.0063 [hep-th].
- [348] Faulkner, Thomas, Liu, Hong, and Rangamani, Mukund. 2011. *Integrating out geometry: Holographic Wilsonian RG and the membrane paradigm*. JHEP, **1108**, 051. arXiv:1010.4036 [hep-th].
- [349] Festuccia, Guido, and Liu, Hong. 2009. *A Bohr–Sommerfeld quantization formula for quasinormal frequencies of AdS black holes*. Adv. Sci. Lett., **2**, 221–235. arXiv:0811.1033 [gr-qc].
- [350] Figueras, Pau, Hubeny, Veronika E., Rangamani, Mukund, and Ross, Simon F. 2009. *Dynamical black holes and expanding plasmas*. JHEP, **0904**, 137. arXiv:0902.4696 [hep-th].
- [351] Filev, Veselin G., Johnson, Clifford V., Rashkov, R. C., and Viswanathan, K. S. 2007. *Flavored large- N gauge theory in an external magnetic field*. JHEP, **10**, 019. arXiv:hep-th/0701001.
- [352] Fodor, Z., and Katz, S. D. 2002. *Lattice determination of the critical point of QCD at finite T and μ* . JHEP, **0203**, 014. arXiv:hep-lat/0106002 [hep-lat].
- [353] Fodor, Z., and Katz, S. D. 2004. *Critical point of QCD at finite T and μ , lattice results for physical quark masses*. JHEP, **0404**, 050. arXiv:hep-lat/0402006 [hep-lat].
- [354] Fodor, Zoltan. 2007. *QCD Thermodynamics*. PoS, **LAT2007**, 011. arXiv:0711.0336 [hep-lat].
- [355] Forster, Dieter. 1975. *Hydrodynamic Fluctuations, Broken Symmetry, and Correlation Functions*. W. A. Benjamin, Inc.
- [356] Francesco, Scardina, Di Toro, Massimo, Greco, Vincenzo, Di Toro, Massimo, and Greco, Vincenzo. 2010. *Sensitivity of the Jet Quenching Observables to the Temperature Dependence of the Energy Loss*. arXiv:1009.1261 [nucl-th].

- [357] Francis, A., Kaczmarek, O., Laine, M., and Langelage, J. 2011. *Towards a non-perturbative measurement of the heavy quark momentum diffusion coefficient*. PoS, **LATTICE2011**, 202. arXiv:1109.3941 [hep-lat].
- [358] Freedman, Daniel Z., Mathur, Samir D., Matusis, Alec, and Rastelli, Leonardo. 1999a. *Correlation functions in the CFT(d)/AdS($d+1$) correspondence*. Nucl. Phys., **B546**, 96–118. arXiv:hep-th/9804058.
- [359] Freedman, D. Z., Gubser, S. S., Pilch, K., and Warner, N. P. 1999b. *Renormalization group flows from holography supersymmetry and a c-theorem*. Adv. Theor. Math. Phys., **3**, 363–417. arXiv:hep-th/9904017 [hep-th].
- [360] Frenkel, J., and Taylor, J. C. 1990. *High Temperature Limit of Thermal QCD*. Nucl. Phys., **B334**, 199.
- [361] Friess, Joshua J., Gubser, Steven S., Michalogiorgakis, Georgios, and Pufu, Silviu S. 2007a. *Expanding plasmas and quasinormal modes of anti-de Sitter black holes*. JHEP, **0704**, 080. arXiv:hep-th/0611005 [hep-th].
- [362] Friess, Joshua J., Gubser, Steven S., Michalogiorgakis, Georgios, and Pufu, Silviu S. 2007b. *Stability of strings binding heavy-quark mesons*. JHEP, **04**, 079. arXiv:hep-th/0609137.
- [363] Friess, Joshua J., Gubser, Steven S., Michalogiorgakis, Georgios, and Pufu, Silviu S. 2007c. *The stress tensor of a quark moving through $\mathcal{N} = 4$ thermal plasma*. Phys. Rev., **D75**, 106003. arXiv:hep-th/0607022.
- [364] Fujita, Mitsutoshi. 2008. *Non-equilibrium thermodynamics near the horizon and holography*. JHEP, **10**, 031. arXiv:0712.2289 [hep-th].
- [365] Fukushima, Kenji, Kharzeev, Dmitri E., and Warringa, Harmen J. 2008. *The Chiral Magnetic Effect*. Phys. Rev., **D78**, 074033. arXiv:0808.3382 [hep-ph].
- [366] Gao, Jian-Hua, Liang, Zuo-Tang, Pu, Shi, Wang, Qun, and Wang, Xin-Nian. 2012. *Chiral Anomaly and Local Polarization Effect from Quantum Kinetic Approach*. Phys. Rev. Lett., **109**, 232301. arXiv:1203.0725 [hep-ph].
- [367] Gao, Yi-hong, Xu, Wei-shui, and Zeng, Ding-fang. 2006. *NGN, QCD(2) and chiral phase transition from string theory*. JHEP, **08**, 018. arXiv:hep-th/0605138.
- [368] Garfinkle, David, and Pando Zayas, Leopoldo A. 2011. *Rapid Thermalization in Field Theory from Gravitational Collapse*. Phys. Rev., **D84**, 066006. arXiv:1106.2339 [hep-th].
- [369] Garfinkle, David, Horowitz, Gary T., and Strominger, Andrew. 1991. *Charged black holes in string theory*. Phys. Rev., **D43**, 3140.
- [370] Garfinkle, David, Pando Zayas, Leopoldo A., and Reichmann, Dori. 2012. *On Field Theory Thermalization from Gravitational Collapse*. JHEP, **1202**, 119. arXiv:1110.5823 [hep-th].
- [371] Gavai, R. V., and Gupta, Sourrendu. 2005. *The Critical end point of QCD*. Phys. Rev., **D71**, 114014. arXiv:hep-lat/0412035 [hep-lat].
- [372] Gavai, R. V., and Gupta, Sourrendu. 2008. *QCD at finite chemical potential with six time slices*. Phys. Rev., **D78**, 114503. arXiv:0806.2233 [hep-lat].
- [373] Ge, Xian-Hui, Sin, Sang-Jin, Wu, Shao-Feng, and Yang, Guo-Hong. 2009. *Shear viscosity and instability from third order Lovelock gravity*. Phys. Rev., **D80**, 104019. arXiv:0905.2675 [hep-th].
- [374] Gelis, Francois, Iancu, Edmond, Jalilian-Marian, Jamal, and Venugopalan, Raju. 2010. *The Color Glass Condensate*. Ann. Rev. Nucl. Part. Sci., **60**, 463–489. arXiv:1002.0333 [hep-ph].
- [375] Ghoroku, Kazuo, Ishihara, Masafumi, and Nakamura, Akihiro. 2007. *D3/D7 holographic Gauge theory and Chemical potential*. Phys. Rev., **D76**, 124006. arXiv:0708.3706 [hep-th].

- [376] Gibbons, G. W., and Hawking, S. W. 1977. *Action Integrals and Partition Functions in Quantum Gravity*. Phys. Rev., **D15**, 2752–2756.
- [377] Gibbons, G. W., and Maeda, Kei-ichi. 1988. *Black Holes and Membranes in Higher Dimensional Theories with Dilaton Fields*. Nucl. Phys., **B298**, 741.
- [378] Giecold, G. C., Iancu, E., and Mueller, A. H. 2009. *Stochastic trailing string and Langevin dynamics from AdS/CFT*. JHEP, **07**, 033. arXiv:0903.1840 [hep-th].
- [379] Girardello, L., Petrini, M., Poratti, M., and Zaffaroni, A. 1998. *Novel local CFT and exact results on perturbations of $\mathcal{N} = 4$ super Yang Mills from AdS dynamics*. JHEP, **9812**, 022. arXiv:hep-th/9810126 [hep-th].
- [380] Gliozzi, F., Scherk, Joel, and Olive, David I. 1977. *Supersymmetry, Supergravity Theories and the Dual Spinor Model*. Nucl. Phys., **B122**, 253–290.
- [381] Golkar, Siavash, and Son, Dam T. 2012. *Non-Renormalization of the Chiral Vortical Effect Coefficient*. arXiv:1207.5806 [hep-th].
- [382] Gomez-Reino, Marta, Naculich, Stephen G., and Schnitzer, Howard. 2005. *Thermodynamics of the localized D2-D6 system*. Nucl. Phys., **B713**, 263–277. arXiv:hep-th/0412015.
- [383] Grana, Mariana, and Polchinski, Joseph. 2002. *Gauge/gravity duals with holomorphic dilaton*. Phys. Rev., **D65**, 126005. arXiv:hep-th/0106014.
- [384] Green, Michael B., and Gutperle, Michael. 2000. *D-instanton induced interactions on a D3-brane*. JHEP, **02**, 014. arXiv:hep-th/0002011.
- [385] Green, Michael B., and Schwarz, John H. 1982. *Supersymmetrical String Theories*. Phys. Lett., **B109**, 444–448.
- [386] Green, Michael B., Schwarz, J. H., and Witten, Edward. 1987. *Superstring Theory. Vol. 1 & 2*. Cambridge University Press.
- [387] Grisaru, Marcus T., Rocek, Martin, and Siegel, Warren. 1980. *Zero Three Loop beta Function in $\mathcal{N} = 4$ Superyang-Mills Theory*. Phys. Rev. Lett., **45**, 1063–1066.
- [388] Gross, David J., Pisarski, Robert D., and Yaffe, Laurence G. 1981. *QCD and Instantons at Finite Temperature*. Rev. Mod. Phys., **53**, 43.
- [389] ALICE Collaboration, Grosse-Oetringhaus, Jan Fiete. 2012. *Hadron Correlations Measured with ALICE*. arXiv:1208.1445 [nucl-ex].
- [390] Grumiller, Daniel, and Romatschke, Paul. 2008. *On the collision of two shock waves in AdS_5* . JHEP, **0808**, 027. arXiv:0803.3226 [hep-th].
- [391] Gubser, S. S., Klebanov, Igor R., and Peet, A. W. 1996. *Entropy and Temperature of Black 3-Branes*. Phys. Rev., **D54**, 3915–3919. arXiv:hep-th/9602135.
- [392] Gubser, S. S., Klebanov, Igor R., and Polyakov, Alexander M. 1998a. *Gauge theory correlators from non-critical string theory*. Phys. Lett., **B428**, 105–114. arXiv:hep-th/9802109.
- [393] Gubser, Steven S. 1999. *Thermodynamics of spinning D3-branes*. Nucl. Phys., **B551**, 667–684. arXiv:hep-th/9810225.
- [394] Gubser, Steven S. 2006. *Drag force in AdS/CFT*. Phys. Rev., **D74**, 126005. arXiv:hep-th/0605182.
- [395] Gubser, Steven S. 2007. *Comparing the drag force on heavy quarks in $\mathcal{N}=4$ super-Yang–Mills theory and QCD*. Phys. Rev., **D76**, 126003. arXiv:hep-th/0611272.
- [396] Gubser, Steven S. 2008. *Momentum fluctuations of heavy quarks in the gauge-string duality*. Nucl. Phys., **B790**, 175–199. arXiv:hep-th/0612143.
- [397] Gubser, Steven S. 2010. *Symmetry constraints on generalizations of Bjorken flow*. Phys. Rev., **D82**, 085027. arXiv:1006.0006 [hep-th].

- [398] Gubser, Steven S., and Karch, Andreas. 2009. *From gauge-string duality to strong interactions: a Pedestrian's Guide*. Ann. Rev. Nucl. Part. Sci., **59**, 145–168. arXiv:0901.0935 [hep-th].
- [399] Gubser, Steven S., and Pufu, Silviu S. 2008. *Master field treatment of metric perturbations sourced by the trailing string*. Nucl. Phys., **B790**, 42–71. arXiv:hep-th/0703090.
- [400] Gubser, Steven S., and Yarom, Amos. 2008. *Universality of the diffusion wake in the gauge-string duality*. Phys. Rev., **D77**, 066007. arXiv:0709.1089 [hep-th].
- [401] Gubser, Steven S., and Yarom, Amos. 2009. *Linearized hydrodynamics from probe sources in the gauge-string duality*. Nucl. Phys., **B813**, 188–219. arXiv:0803.0081 [hep-th].
- [402] Gubser, Steven S., Klebanov, Igor R., and Tseytin, Arkady A. 1998b. *Coupling constant dependence in the thermodynamics of $\mathcal{N} = 4$ supersymmetric Yang–Mills theory*. Nucl. Phys., **B534**, 202–222. arXiv:hep-th/9805156.
- [403] Gubser, Steven S., Pufu, Silviu S., and Yarom, Amos. 2007. *Energy disturbances due to a moving quark from gauge–string duality*. JHEP, **09**, 108. arXiv:0706.0213 [hep-th].
- [404] Gubser, Steven S., Pufu, Silviu S., and Rocha, Fabio D. 2008a. *Bulk viscosity of strongly coupled plasmas with holographic duals*. JHEP, **08**, 085. arXiv:0806.0407 [hep-th].
- [405] Gubser, Steven S., Pufu, Silviu S., and Yarom, Amos. 2008b. *Entropy production in collisions of gravitational shock waves and of heavy ions*. Phys. Rev., **D78**, 066014. arXiv:0805.1551 [hep-th].
- [406] Gubser, Steven S., Gulotta, Daniel R., Pufu, Silviu S., and Rocha, Fabio D. 2008c. *Gluon energy loss in the gauge–string duality*. JHEP, **10**, 052. arXiv:0803.1470 [hep-th].
- [407] Gubser, Steven S., Pufu, Silviu S., and Yarom, Amos. 2008d. *Shock waves from heavy-quark mesons in AdS/CFT*. JHEP, **07**, 108. arXiv:0711.1415 [hep-th].
- [408] Gubser, Steven S., Pufu, Silviu S., and Yarom, Amos. 2008e. *Sonic booms and diffusion wakes generated by a heavy quark in thermal AdS/CFT*. Phys. Rev. Lett., **100**, 012301. arXiv:0706.4307 [hep-th].
- [409] Gubser, Steven S., Nellore, Abhinav, Pufu, Silviu S., and Rocha, Fabio D. 2008f. *Thermodynamics and bulk viscosity of approximate black hole duals to finite temperature quantum chromodynamics*. Phys. Rev. Lett., **101**, 131601. arXiv:0804.1950 [hep-th].
- [410] Gubser, Steven S., Pufu, Silviu S., Rocha, Fabio D., and Yarom, Amos. 2009a. *Energy loss in a strongly coupled thermal medium and the gauge–string duality*. arXiv:0902.4041 [hep-th].
- [411] Gubser, Steven S., Pufu, Silviu S., and Yarom, Amos. 2009b. *Off-center collisions in AdS_5 with applications to multiplicity estimates in heavy-ion collisions*. JHEP, **0911**, 050. arXiv:0902.4062 [hep-th].
- [412] Gunji, T., Hamagaki, H., Hatsuda, T., and Hirano, T. 2007. *Onset of J/ψ melting in quark–gluon fluid at RHIC*. Phys. Rev., **C76**, 051901. arXiv:hep-ph/0703061.
- [413] Gunji, T., Hamagaki, H., Hatsuda, T., and Hirano, T. 2008. *Onset of J/ψ melting in quark–gluon fluid at RHIC*. J. Phys. G: Nucl. Part. Phys., **35**, 104137.
- [414] Guo, Xiao-Feng, and Wang, Xin-Nian. 2000. *Multiple Scattering, Parton Energy Loss and Modified Fragmentation Functions in Deeply Inelastic eA Scattering*. Phys. Rev. Lett., **85**, 3591–3594. arXiv:hep-ph/0005044.

- [415] Gursoy, U., and Kiritsis, E. 2008. *Exploring improved holographic theories for QCD: Part I.* JHEP, **0802**, 032. arXiv:0707.1324 [hep-th].
- [416] Gursoy, U., Kiritsis, E., and Nitti, F. 2008a. *Exploring improved holographic theories for QCD: Part II.* JHEP, **0802**, 019. arXiv:0707.1349 [hep-th].
- [417] Gursoy, Umut, Kiritsis, Elias, Mazzanti, Liuba, and Nitti, Francesco. 2008b. *Deconfinement and Gluon Plasma Dynamics in Improved Holographic QCD.* Phys. Rev. Lett., **101**, 181601. arXiv:0804.0899 [hep-th].
- [418] Gursoy, Umut, Kiritsis, Elias, Michalogiorgakis, Georgios, and Nitti, Francesco. 2009. *Thermal Transport and Drag Force in Improved Holographic QCD.* JHEP, **12**, 056. arXiv:0906.1890 [hep-ph].
- [419] Gursoy, Umut, Kiritsis, Elias, Mazzanti, Liuba, and Nitti, Francesco. 2010. *Langevin diffusion of heavy quarks in nonconformal holographic backgrounds.* JHEP, **1012**, 088. arXiv:1006.3261 [hep-th].
- [420] Gyulassy, M., Levai, P., and Vitev, I. 2001. *Reaction operator approach to non-Abelian energy loss.* Nucl. Phys., **B594**, 371–419. arXiv:nucl-th/0006010.
- [421] Gyulassy, Miklos, and Wang, Xin-Nian. 1994. *Multiple collisions and induced gluon Bremsstrahlung in QCD.* Nucl. Phys., **B420**, 583–614. arXiv:nucl-th/9306003.
- [422] Gyulassy, Miklos, Vitev, Ivan, Wang, Xin-Nian, and Zhang, Ben-Wei. 2003. *Jet quenching and radiative energy loss in dense nuclear matter.* arXiv:nucl-th/0302077.
- [423] Gyulassy, Miklos, Noronha, Jorge, and Torrieri, Giorgio. 2008. *Conical Di-jet Correlations from a Chromo-Viscous Neck in AdS/CFT.* arXiv:0807.2235 [hep-ph].
- [424] Hama, Yojiro, et al. 2006. *3D relativistic hydrodynamic computations using lattice-QCD inspired equations of state.* Nucl. Phys., **A774**, 169–178. arXiv:hep-ph/0510096.
- [425] Hart, A., Laine, M., and Philipsen, O. 2000. *Static correlation lengths in QCD at high temperatures and finite densities.* Nucl. Phys., **B586**, 443–474. arXiv:hep-ph/0004060.
- [426] Hartnoll, Sean A. 2009. *Lectures on holographic methods for condensed matter physics.* Class. Quant. Grav., **26**, 224002. arXiv:0903.3246 [hep-th].
- [427] Hartnoll, Sean A., Kovtun, Pavel K., Mueller, Markus, and Sachdev, Subir. 2007. *Theory of Nernst effect near quantum phase transitions in condensed matter physics, and in dyonic black holes.* Phys. Rev., **B76**, 144502. arXiv:0706.3215 [cond-mat.str-el].
- [428] Hassanain, Babiker, and Schvellinger, Martin. 2010a. *Holographic current correlators at finite coupling and scattering off a supersymmetric plasma.* JHEP, **1004**, 012. arXiv:0912.4704 [hep-th].
- [429] Hassanain, Babiker, and Schvellinger, Martin. 2010b. *Towards 't Hooft parameter corrections to charge transport in strongly-coupled plasma.* JHEP, **1010**, 068. arXiv:1006.5480 [hep-th].
- [430] Hatsuda, Tetsuo. 2006. *Hadrons above T_c .* Int. J. Mod. Phys., **A21**, 688–693. arXiv:hep-ph/0509306.
- [431] Hatta, Y., Iancu, E., and Mueller, A. H. 2008a. *Deep inelastic scattering at strong coupling from gauge/string duality: The Saturation line.* JHEP, **0801**, 026. arXiv:0710.2148 [hep-th].
- [432] Hatta, Y., Iancu, E., and Mueller, A. H. 2008b. *Deep inelastic scattering off a $\mathcal{N} = 4$ SYM plasma at strong coupling.* JHEP, **0801**, 063. arXiv:0710.5297 [hep-th].

- [433] Hatta, Y., Iancu, E., and Mueller, A. H. 2008c. *Jet evolution in the $\mathcal{N} = 4$ SYM plasma at strong coupling*. JHEP, **0805**, 037. arXiv:0803.2481 [hep-th].
- [434] Hatta, Y., Iancu, E., Mueller, A. H., and Triantafyllopoulos, D. N. 2011a. *Aspects of the UV/IR correspondence: energy broadening and string fluctuations*. JHEP, **1102**, 065. arXiv:1011.3763 [hep-th].
- [435] Hatta, Y., Iancu, E., Mueller, A. H., and Triantafyllopoulos, D. N. 2011b. *Radiation by a heavy quark in $\mathcal{N} = 4$ SYM at strong coupling*. Nucl. Phys., **B850**, 31–52. arXiv:1102.0232 [hep-th].
- [436] Hawking, S. W., and Ellis, G. F. R. 1973. *The Large scale structure of space-time*. Cambridge University Press.
- [437] Hawking, S. W., and Page, Don N. 1983. *Thermodynamics of Black Holes in anti-De Sitter Space*. Commun. Math. Phys., **87**, 577.
- [438] Heemskerk, Idse, and Polchinski, Joseph. 2011. *Holographic and Wilsonian Renormalization Groups*. JHEP, **1106**, 031. arXiv:1010.1264 [hep-th].
- [439] Heinz, Ulrich W. 1983. *Kinetic Theory for Nonabelian Plasmas*. Phys. Rev. Lett., **51**, 351.
- [440] Heinz, Ulrich W. 2005a. ‘RHIC serves the perfect fluid’: Hydrodynamic flow of the QGP. arXiv:nucl-th/0512051.
- [441] Heinz, Ulrich W. 2005b. *Thermalization at RHIC*. AIP Conf. Proc., **739**, 163–180. arXiv:nucl-th/0407067 [nucl-th].
- [442] Heinz, Ulrich W. 2009. *Early collective expansion: Relativistic hydrodynamics and the transport properties of QCD matter*. arXiv:0901.4355 [nucl-th].
- [443] Heinz, Ulrich W., and Kolb, Peter F. 2002. *Early thermalization at RHIC*. Nucl. Phys., **A702**, 269–280. arXiv:hep-ph/0111075 [hep-ph].
- [444] Heller, Michal P., and Janik, Romuald A. 2007. *Viscous hydrodynamics relaxation time from AdS/CFT*. Phys. Rev., **D76**, 025027. arXiv:hep-th/0703243 [HEP-TH].
- [445] Heller, Michal P., Surowka, Piotr, Loganayagam, R., Spalinski, Michal, and Vazquez, Samuel E. 2009. *Consistent Holographic Description of Boost-Invariant Plasma*. Phys. Rev. Lett., **102**, 041601. arXiv:0805.3774 [hep-th].
- [446] Heller, Michal P., Janik, Romuald A., and Witaszczyk, Przemyslaw. 2012a. *A numerical relativity approach to the initial value problem in asymptotically Anti-de Sitter spacetime for plasma thermalization – an ADM formulation*. Phys. Rev., **D85**, 126002. arXiv:1203.0755 [hep-th].
- [447] Heller, Michal P., Mateos, David, van der Schee, Wilke, and Trancanelli, Diego. 2012b. *Strong Coupling Isotropization of Non-Abelian Plasmas Simplified*. Phys. Rev. Lett., **108**, 191601. arXiv:1202.0981 [hep-th].
- [448] Heller, Michal P., Janik, Romuald A., and Witaszczyk, Przemyslaw. 2012c. *The characteristics of thermalization of boost-invariant plasma from holography*. Phys. Rev. Lett., **108**, 201602. arXiv:1103.3452 [hep-th].
- [449] Heller, Michal P., Mateos, David, van der Schee, Wilke, and Triana, Miquel. 2013. *Holographic isotropization linearized*. arXiv:1304.5172 [hep-th].
- [450] Henningsson, M., and Skenderis, K. 1998. *The Holographic Weyl anomaly*. JHEP, **9807**, 023. arXiv:hep-th/9806087 [hep-th].
- [451] Herzog, C. P., and Son, D. T. 2003. *Schwinger-Keldysh propagators from AdS/CFT correspondence*. JHEP, **03**, 046. arXiv:hep-th/0212072.
- [452] Herzog, C. P., Karch, A., Kovtun, P., Kozcaz, C., and Yaffe, L. G. 2006. *Energy loss of a heavy quark moving through $\mathcal{N} = 4$ supersymmetric Yang–Mills plasma*. JHEP, **07**, 013. arXiv:hep-th/0605158.
- [453] Herzog, Christopher P. 2006. *Energy loss of heavy quarks from asymptotically AdS geometries*. JHEP, **09**, 032. arXiv:hep-th/0605191.

- [454] Hietanen, A., Kajantie, K., Laine, M., Rummukainen, K., and Schroder, Y. 2009. *Three-dimensional physics and the pressure of hot QCD*. Phys. Rev., **D79**, 045018. arXiv:0811.4664 [hep-lat].
- [455] Hirano, Tetsufumi, and Tsuda, Keiichi. 2002. *Collective flow and two pion correlations from a relativistic hydrodynamic model with early chemical freeze out*. Phys. Rev., **C66**, 054905. arXiv:nucl-th/0205043.
- [456] Hirano, Tetsufumi, Heinz, Ulrich W., Kharzeev, Dmitri, Lacey, Roy, and Nara, Yasushi. 2006. *Hadronic dissipative effects on elliptic flow in ultrarelativistic heavy ion collisions*. Phys. Lett., **B636**, 299–304. arXiv:nucl-th/0511046.
- [457] Hofman, Diego M., and Maldacena, Juan. 2008. *Conformal collider physics: Energy and charge correlations*. JHEP, **05**, 012. arXiv:0803.1467 [hep-th].
- [458] Holopainen, Hannu, Niemi, Harri, and Eskola, Kari J. 2011. *Event-by-event hydrodynamics and elliptic flow from fluctuating initial state*. Phys. Rev., **C83**, 034901. arXiv:1007.0368 [hep-ph].
- [459] Hong, Juhee, and Teaney, Derek. 2010. *Spectral densities for hot QCD plasmas in a leading log approximation*. Phys. Rev., **C82**, 044908. arXiv:1003.0699 [nucl-th].
- [460] Hong, Sungho, Yoon, Sukjin, and Strassler, Matthew J. 2004. *Quarkonium from the fifth dimension*. JHEP, **04**, 046. arXiv:hep-th/0312071.
- [461] Horigome, Norio, and Tanii, Yoshiaki. 2007. *Holographic chiral phase transition with chemical potential*. JHEP, **01**, 072. arXiv:hep-th/0608198.
- [462] Horowitz, Gary T., and Strominger, Andrew. 1991. *Black strings and P-branes*. Nucl. Phys., **B360**, 197–209.
- [463] Horowitz, W. A., and Cole, B. A. 2010. *Systematic theoretical uncertainties in jet quenching due to gluon kinematics*. Phys. Rev., **C81**, 024909. arXiv:0910.1823 [hep-ph].
- [464] Horowitz, W. A., and Gyulassy, M. 2008. *Heavy quark jet tomography of Pb + Pb at LHC: AdS/CFT drag or pQCD energy loss?* Phys. Lett., **B666**, 320–323. arXiv:0706.2336 [nucl-th].
- [465] Hovdebo, J. L., Kruczenski, M., Mateos, David, Myers, Robert C., and Winters, D. J. 2005. *Holographic mesons: Adding flavor to the AdS/CFT duality*. Int. J. Mod. Phys., **A20**, 3428–3433.
- [466] Howe, Paul S., Stelle, K. S., and Townsend, P. K. 1984. *Miraculous Ultraviolet Cancellations in Supersymmetry Made Manifest*. Nucl. Phys., **B236**, 125.
- [467] Hoyos, Carlos, Nishioka, Tatsuma, and O'Bannon, Andy. 2011. *A Chiral Magnetic Effect from AdS/CFT with Flavor*. JHEP, **1110**, 084. arXiv:1106.4030 [hep-th].
- [468] Hoyos-Badajoz, Carlos. 2009. *Drag and jet quenching of heavy quarks in a strongly coupled $\mathcal{N} = 2^*$ plasma*. JHEP, **09**, 068. arXiv:0907.5036 [hep-th].
- [469] Hoyos-Badajoz, Carlos, Landsteiner, Karl, and Montero, Sergio. 2007. *Holographic Meson Melting*. JHEP, **04**, 031. arXiv:hep-th/0612169.
- [470] Hubeny, Veronika E. 2010. *Relativistic Beaming in AdS/CFT*. arXiv:1011.1270 [hep-th].
- [471] Hubeny, Veronika E. 2011. *Holographic dual of collimated radiation*. New J. Phys., **13**, 035006. arXiv:1012.3561 [hep-th].
- [472] Hubeny, Veronika E., and Rangamani, Mukund. 2010. *A Holographic view on physics out of equilibrium*. Adv. High Energy Phys., **2010**, 297916. arXiv:1006.3675 [hep-th].
- [473] Hubeny, Veronika E., Minwalla, Shiraz, and Rangamani, Mukund. 2011. *The fluid/gravity correspondence*. arXiv:1107.5780 [hep-th].

- [474] Huot, Simon C., Jeon, Sangyong, and Moore, Guy D. 2007. *Shear viscosity in weakly coupled $\mathcal{N} = 4$ super Yang–Mills theory compared to QCD*. Phys. Rev. Lett., **98**, 172303. arXiv:hep-ph/0608062 [hep-ph].
- [475] Huovinen, Pasi, and Petreczky, Pter. 2010. *QCD Equation of State and Hadron Resonance Gas*. Nucl. Phys., **A837**, 26–53. arXiv:0912.2541 [hep-ph].
- [476] Husain, V., Kunstatter, G., Preston, B., and Birukou, M. 2003. *Anti-de Sitter gravitational collapse*. Class. Quant. Grav., **20**, L23–L30. arXiv:gr-qc/0210011 [gr-qc].
- [477] Husain, Viqar, and Olivier, Michel. 2001. *Scalar field collapse in three-dimensional AdS space-time*. Class. Quant. Grav., **18**, L1–L10. arXiv:gr-qc/0008060 [gr-qc].
- [478] Hwang, Dong-il, Kim, Hong-Bin, and Yeom, Dong-han. 2012. *Dynamical formation and evolution of (2+1)-dimensional charged black holes*. Class. Quant. Grav., **29**, 055003. arXiv:1105.1371 [gr-qc].
- [479] Iancu, E., and Mueller, A. H. 2010. *Light-like mesons and deep inelastic scattering in finite-temperature AdS/CFT with flavor*. JHEP, **02**, 023. arXiv:0912.2238 [hep-th].
- [480] Idilbi, Ahmad, and Majumder, Abhijit. 2009. *Extending Soft-Collinear-Effective-Theory to describe hard jets in dense QCD media*. Phys. Rev., **D80**, 054022. arXiv:0808.1087 [hep-ph].
- [481] Iqbal, Nabil, and Liu, Hong. 2009a. *Real-time response in AdS/CFT with application to spinors*. Fortsch. Phys., **57**, 367–384. arXiv:0903.2596 [hep-th].
- [482] Iqbal, Nabil, and Liu, Hong. 2009b. *Universality of the hydrodynamic limit in AdS/CFT and the membrane paradigm*. Phys. Rev., **D79**, 025023. arXiv:0809.3808 [hep-th].
- [483] Iqbal, Nabil, Liu, Hong, and Mezei, Mark. 2011. *Lectures on holographic non-Fermi liquids and quantum phase transitions*. arXiv:1110.3814 [hep-th].
- [484] PHENIX Collaboration, Isobe, Tadaaki. 2007. *Systematic study of high- p_T direct photon production with the PHENIX experiment at RHIC*. J. Phys., **G34**, S1015–1018. arXiv:nucl-ex/0701040.
- [485] Israel, W. 1976. *Nonstationary irreversible thermodynamics: A Causal relativistic theory*. Ann. Phys., **100**, 310–331.
- [486] Israel, W., and Stewart, J. M. 1979. *Transient relativistic thermodynamics and kinetic theory*. Ann. Phys., **118**, 341–372.
- [487] Itzhaki, Nissan, Maldacena, Juan Martin, Sonnenschein, Jacob, and Yankielowicz, Shimon. 1998. *Supergravity and the large- N limit of theories with sixteen supercharges*. Phys. Rev., **D58**, 046004. arXiv:hep-th/9802042.
- [488] Itzykson, Claude, and Zuber, Jean-Bernard. 1980. *Quantum Field Theory*. McGraw-Hill.
- [489] Jackiw, R. 1977. *Quantum Meaning of Classical Field Theory*. Rev. Mod. Phys., **49**, 681–706.
- [490] Jacobs, Peter, and Wang, Xin-Nian. 2005. *Matter in extremis: Ultrarelativistic nuclear collisions at RHIC*. Prog. Part. Nucl. Phys., **54**, 443–534. arXiv:hep-ph/0405125.
- [491] Jakovac, A., Petreczky, P., Petrov, K., and Velytsky, A. 2007. *Quarkonium correlators and spectral functions at zero and finite temperature*. Phys. Rev., **D75**, 014506. arXiv:hep-lat/0611017.
- [492] Jalmuzna, Joanna, Rostworowski, Andrzej, and Bizon, Piotr. 2011. *A Comment on AdS collapse of a scalar field in higher dimensions*. Phys. Rev., **D84**, 085021. arXiv:1108.4539 [gr-qc].

- [493] Janik, Romuald A. 2007. *Viscous plasma evolution from gravity using AdS/CFT*. Phys. Rev. Lett., **98**, 022302. arXiv:hep-th/0610144 [hep-th].
- [494] Janik, Romuald A. 2011. *The Dynamics of Quark-Gluon Plasma and AdS/CFT*. Lect. Notes Phys., **828**, 147–181. arXiv:1003.3291 [hep-th].
- [495] Janik, Romuald A., and Peschanski, Robert B. 2006a. *Asymptotic perfect fluid dynamics as a consequence of AdS/CFT*. Phys. Rev., **D73**, 045013. arXiv:hep-th/0512162 [hep-th].
- [496] Janik, Romuald A., and Peschanski, Robert B. 2006b. *Gauge/gravity duality and thermalization of a boost-invariant perfect fluid*. Phys. Rev., **D74**, 046007. arXiv:hep-th/0606149 [hep-th].
- [497] Jensen, Kristan, Loganayagam, R., and Yarom, Amos. 2013. *Thermodynamics, gravitational anomalies and cones*. JHEP, **1302**, 088. arXiv:1207.5824 [hep-th].
- [498] Jia, Jiangyong. 2012. *Azimuthal anisotropy in a jet absorption model with fluctuating initial geometry in heavy ion collisions*. arXiv:1203.3265 [nucl-th].
- [499] Jia, Jiangyong, and Wei, Rui. 2010. *Dissecting the role of initial collision geometry for jet quenching observables in relativistic heavy ion collisions*. Phys. Rev., **C82**, 024902. arXiv:1005.0645 [nucl-th].
- [500] Jia, Jiangyong, Horowitz, W.A., and Liao, Jinfeng. 2011. *A study of the correlations between jet quenching observables at RHIC*. Phys. Rev., **C84**, 034904. arXiv:1101.0290 [nucl-th].
- [501] Johnson, C. V. 2003. *D-branes*. Cambridge University Press.
- [502] Kaczmarek, O., Karsch, F., Petreczky, P., and Zantow, F. 2002. *Heavy Quark Anti-Quark Free Energy and the Renormalized Polyakov Loop*. Phys. Lett., **B543**, 41–47. arXiv:hep-lat/0207002.
- [503] Kaczmarek, O., Karsch, F., Petreczky, P., and Zantow, F. 2004a. *Heavy quark free energies, potentials and the renormalized Polyakov loop*. Nucl. Phys. Proc. Suppl., **129**, 560–562. arXiv:hep-lat/0309121.
- [504] Kaczmarek, O., Karsch, F., Zantow, F., and Petreczky, P. 2004b. *Static quark anti-quark free energy and the running coupling at finite temperature*. Phys. Rev., **D70**, 074505. arXiv:hep-lat/0406036.
- [505] Kaczmarek, Olaf. 2007. *Screening at finite temperature and density*. PoS, **CPOD07**, 043. arXiv:0710.0498 [hep-lat].
- [506] Kaczmarek, Olaf, and Zantow, Felix. 2005. *Static quark anti-quark interactions in zero and finite temperature QCD. I: Heavy quark free energies, running coupling and quarkonium binding*. Phys. Rev., **D71**, 114510. arXiv:hep-lat/0503017.
- [507] Kajantie, K., Laine, M., Rummukainen, K., and Schroder, Y. 2003. *The pressure of hot QCD up to $g^6 \ln(1/g)$* . Phys. Rev., **D67**, 105008. arXiv:hep-ph/0211321.
- [508] Kajantie, K., Tahkokallio, T., and Yee, Jung-Tay. 2007. *Thermodynamics of AdS/QCD*. JHEP, **0701**, 019. arXiv:hep-ph/0609254 [hep-ph].
- [509] Kaminski, Matthias, Landsteiner, Karl, Mas, Javier, Shock, Jonathan P., and Tarrio, Javier. 2010. *Holographic Operator Mixing and Quasinormal Modes on the Brane*. JHEP, **02**, 021. arXiv:0911.3610 [hep-th].
- [510] Kaminski, Matthias, et al. 2010. *Quasinormal modes of massive charged flavor branes*. JHEP, **03**, 117. arXiv:0911.3544 [hep-th].
- [511] Kanitscheider, Ingmar, and Skenderis, Kostas. 2009. *Universal hydrodynamics of nonconformal branes*. JHEP, **04**, 062. arXiv:0901.1487 [hep-th].
- [512] Kaplan, David M., and Michelson, Jeremy. 1996. *Zero Modes for the D=11 Membrane and Five-Brane*. Phys. Rev., **D53**, 3474–3476. arXiv:hep-th/9510053.

- [513] Karch, Andreas, and Katz, Emanuel. 2002. *Adding flavor to AdS/CFT*. JHEP, **06**, 043. arXiv:hep-th/0205236.
- [514] Karch, Andreas, and O'Bannon, Andy. 2006. *Chiral transition of $\mathcal{N} = 4$ super Yang-Mills with flavor on a 3-sphere*. Phys. Rev., **D74**, 085033. arXiv:hep-th/0605120.
- [515] Karch, Andreas, and O'Bannon, Andy. 2007a. *Holographic Thermodynamics at Finite Baryon Density: Some Exact Results*. JHEP, **11**, 074. arXiv:0709.0570 [hep-th].
- [516] Karch, Andreas, and O'Bannon, Andy. 2007b. *Metallic AdS/CFT*. JHEP, **09**, 024. arXiv:0705.3870 [hep-th].
- [517] Karch, Andreas, and Randall, Lisa. 2001. *Open and closed string interpretation of SUSY CFT's on branes with boundaries*. JHEP, **06**, 063. arXiv:hep-th/0105132.
- [518] Karch, Andreas, Katz, Emanuel, Son, Dam T., and Stephanov, Mikhail A. 2006. *Linear confinement and AdS/QCD*. Phys. Rev., **D74**, 015005. arXiv:hep-ph/0602229 [hep-ph].
- [519] Karsch, F., and Petronzio, R. 1988. *χ and J/ψ Suppression in Heavy Ion Collisions and a Model for its Momentum Dependence*. Z. Phys., **C37**, 627.
- [520] Karsch, F., Mehr, M. T., and Satz, H. 1988. *Color Screening and Deconfinement for Bound States of Heavy Quarks*. Z. Phys., **C37**, 617.
- [521] Karsch, F., Kharzeev, D., and Satz, H. 2006. *Sequential charmonium dissociation*. Phys. Lett., **B637**, 75–80. arXiv:hep-ph/0512239.
- [522] Karsch, Frithjof. 2007. *Properties of the Quark Gluon Plasma: A lattice perspective*. Nucl. Phys., **A783**, 13–22. arXiv:hep-ph/0610024.
- [523] Kats, Yevgeny, and Petrov, Pavel. 2009. *Effect of curvature squared corrections in AdS on the viscosity of the dual gauge theory*. JHEP, **01**, 044. arXiv:0712.0743 [hep-th].
- [524] Kelly, P. F., Liu, Q., Lucchesi, C., and Manuel, C. 1994. *Classical transport theory and hard thermal loops in the quark-gluon plasma*. Phys. Rev., **D50**, 4209–4218. arXiv:hep-ph/9406285.
- [525] Kharzeev, D., and Satz, H. 1995. *Charmonium interaction in nuclear matter*. Phys. Lett., **B356**, 365–372. arXiv:hep-ph/9504397.
- [526] Kharzeev, D., and Zhitnitsky, A. 2007. *Charge separation induced by P-odd bubbles in QCD matter*. Nucl. Phys., **A797**, 67–79. arXiv:0706.1026 [hep-ph].
- [527] Kharzeev, Dmitri. 2006. *Parity violation in hot QCD: Why it can happen, and how to look for it*. Phys. Lett., **B633**, 260–264. arXiv:hep-ph/0406125 [hep-ph].
- [528] Kharzeev, Dmitri E., McLerran, Larry D., and Warringa, Harmen J. 2008. *The Effects of topological charge change in heavy ion collisions: ‘Event by event P and CP violation’*. Nucl. Phys., **A803**, 227–253. arXiv:0711.0950 [hep-ph].
- [529] Kim, Keun-Young, Sin, Sang-Jin, and Zahed, Ismail. 2006. *Dense hadronic matter in holographic QCD*. arXiv:hep-th/0608046.
- [530] Kinoshita, Shunichiro, Mukohyama, Shinji, Nakamura, Shin, and Oda, Kin-ya. 2009a. *A Holographic Dual of Bjorken Flow*. Prog. Theor. Phys., **121**, 121–164. arXiv:0807.3797 [hep-th].
- [531] Kinoshita, Shunichiro, Mukohyama, Shinji, Nakamura, Shin, and Oda, Kin-ya. 2009b. *Consistent Anti-de Sitter-Space/Conformal-Field-Theory Dual for a Time-Dependent Finite Temperature System*. Phys. Rev. Lett., **102**, 031601. arXiv:0901.4834 [hep-th].
- [532] Kiritsis, Elias. 2007. *String theory in a nutshell*. Princeton University Press.

- [533] Kiritsis, Elias, and Taliotis, Anastasios. 2012. *Multiplicities from black-hole formation in heavy-ion collisions*. JHEP, **1204**, 065. arXiv:1111.1931 [hep-ph].
- [534] Kirsch, Ingo. 2004. *Generalizations of the AdS/CFT correspondence*. Fortsch. Phys., **52**, 727–826. arXiv:hep-th/0406274.
- [535] Kirsch, Ingo, and Vaman, Diana. 2005. *The D3/D7 background and flavor dependence of Regge trajectories*. Phys. Rev., **D72**, 026007. arXiv:hep-th/0505164.
- [536] Kitazawa, Yoshihisa. 1987. *Effective Lagrangian for Open Superstring from Five Point Function*. Nucl. Phys., **B289**, 599.
- [537] Klebanov, Igor R., and Strassler, Matthew J. 2000. *Supergravity and a confining gauge theory: Duality cascades and χ SB-resolution of naked singularities*. JHEP, **08**, 052. arXiv:hep-th/0007191.
- [538] Klebanov, Igor R., and Witten, Edward. 1999. *AdS/CFT correspondence and symmetry breaking*. Nucl. Phys., **B556**, 89–114. arXiv:hep-th/9905104.
- [539] Kobayashi, Shinpei, Mateos, David, Matsuura, Shunji, Myers, Robert C., and Thomson, Rowan M. 2007. *Holographic phase transitions at finite baryon density*. JHEP, **02**, 016. arXiv:hep-th/0611099.
- [540] Koch, V., Majumder, A., and Randrup, J. 2005. *Baryon-strangeness correlations: A diagnostic of strongly interacting matter*. Phys. Rev. Lett., **95**, 182301. arXiv:nucl-th/0505052.
- [541] Kogut, J.B., and Stephanov, M. A. 2004. *The phases of quantum chromodynamics: From confinement to extreme environments*. Camb. Monogr. Part. Phys. Nucl. Phys. Cosmol., **21**, 1–364.
- [542] Kolb, P. F., Heinz, Ulrich W., Huovinen, P., Eskola, K. J., and Tuominen, K. 2001. *Centrality dependence of multiplicity, transverse energy, and elliptic flow from hydrodynamics*. Nucl. Phys., **A696**, 197–215. arXiv:hep-ph/0103234.
- [543] Kolb, Peter F., and Heinz, Ulrich W. 2003. *Hydrodynamic description of ultrarelativistic heavy-ion collisions*. arXiv:nucl-th/0305084.
- [544] Kopeliovich, Boris Z., Tarasov, Alexander V., and Schafer, Andreas. 1999. *Bremsstrahlung of a quark propagating through a nucleus*. Phys. Rev., **C59**, 1609–1619. arXiv:hep-ph/9808378.
- [545] Kovacs, Stefano. 1999. *$\mathcal{N}=4$ supersymmetric Yang-Mills theory and the AdS/SCFT correspondence*. arXiv:hep-th/9908171.
- [546] Kovchegov, Yuri V. 2009. *Early Time Dynamics in Heavy Ion Collisions from CGC and from AdS/CFT*. Nucl. Phys., **A830**, 395C–402C. arXiv:0907.4938 [hep-ph].
- [547] Kovchegov, Yuri V., and Lin, Shu. 2010. *Toward Thermalization in Heavy Ion Collisions at Strong Coupling*. JHEP, **1003**, 057. arXiv:0911.4707 [hep-th].
- [548] Kovchegov, Yuri V., and Mueller, Alfred H. 1998. *Gluon production in current nucleus and nucleon nucleus collisions in a quasi-classical approximation*. Nucl. Phys., **B529**, 451–479. arXiv:hep-ph/9802440.
- [549] Kovchegov, Yuri V., and Taliotis, Anastasios. 2007. *Early Time Dynamics in Heavy Ion Collisions from AdS/CFT Correspondence*. Phys. Rev., **C76**, 014905. arXiv:0705.1234 [hep-ph].
- [550] Kovner, Alex, and Wiedemann, Urs Achim. 2001. *Eikonal evolution and gluon radiation*. Phys. Rev., **D64**, 114002. arXiv:hep-ph/0106240.
- [551] Kovner, Alexander, and Wiedemann, Urs Achim. 2003. *Gluon radiation and parton energy loss*. arXiv:hep-ph/0304151.
- [552] Kovtun, P., Son, D. T., and Starinets, A. O. 2005. *Viscosity in strongly interacting quantum field theories from black hole physics*. Phys. Rev. Lett., **94**, 111601. arXiv:hep-th/0405231 [hep-th].

- [553] Kovtun, Pavel, and Starinets, Andrei. 2006. *Thermal spectral functions of strongly coupled $\mathcal{N} = 4$ supersymmetric Yang–Mills theory*. Phys. Rev. Lett., **96**, 131601. arXiv:hep-th/0602059.
- [554] Kovtun, Pavel, Son, Dam T., and Starinets, Andrei O. 2003. *Holography and hydrodynamics: Diffusion on stretched horizons*. JHEP, **10**, 064. arXiv:hep-th/0309213.
- [555] Kovtun, Pavel K., and Starinets, Andrei O. 2005. *Quasinormal modes and holography*. Phys. Rev., **D72**, 086009. arXiv:hep-th/0506184 [hep-th].
- [556] Kraemmer, Ulrike, and Rebhan, Anton. 2004. *Advances in perturbative thermal field theory*. Rept. Prog. Phys., **67**, 351. arXiv:hep-ph/0310337.
- [557] Kraus, Per, Larsen, Finn, and Trivedi, Sandip P. 1999a. *The Coulomb branch of gauge theory from rotating branes*. JHEP, **03**, 003. arXiv:hep-th/9811120.
- [558] Kraus, Per, Larsen, Finn, and Siebelink, Ruud. 1999b. *The gravitational action in asymptotically AdS and flat spacetimes*. Nucl. Phys., **B563**, 259–278. arXiv:hep-th/9906127.
- [559] Kruczenski, Martin, Mateos, David, Myers, Robert C., and Winters, David J. 2003. *Meson spectroscopy in AdS/CFT with flavor*. JHEP, **07**, 049. arXiv:hep-th/0304032.
- [560] Kruczenski, Martin, Mateos, David, Myers, Robert C., and Winters, David J. 2004. *Towards a holographic dual of large- N_c QCD*. JHEP, **05**, 041. arXiv:hep-th/0311270.
- [561] Kruczenski, Martin, Zayas, Leopoldo A. Pando, Sonnenschein, Jacob, and Vaman, Diana. 2005. *Regge trajectories for mesons in the holographic dual of large- N_c QCD*. JHEP, **06**, 046. arXiv:hep-th/0410035.
- [562] Laine, M. 2009. *How to compute the thermal quarkonium spectral function from first principles?* Nucl. Phys., **A820**, 25C–32C. arXiv:0810.1112 [hep-ph].
- [563] Laine, M., Philipsen, O., Romatschke, P., and Tassler, M. 2007. *Real-time static potential in hot QCD*. JHEP, **03**, 054. arXiv:hep-ph/0611300.
- [564] Laine, Mikko, Moore, Guy D., Philipsen, Owe, and Tassler, Marcus. 2009. *Heavy Quark Thermalization in Classical Lattice Gauge Theory: Lessons for Strongly-Coupled QCD*. JHEP, **0905**, 014. arXiv:0902.2856 [hep-ph].
- [565] Landau, L. D. 1953. *On the multiparticle production in high-energy collisions*. Izv. Akad. Nauk Ser. Fiz., **17**, 51.
- [566] Landau, L. D., and Lifshitz, E. M. 1976. *Course of Theoretical Physics. Vol. 1: Mechanics, 3rd edition*. Butterworth-Heinemann.
- [567] Landau, L. D., and Lifshitz, E. M. 1987. *Course of Theoretical Physics. Vol. 6: Fluid Mechanics, 2nd edition*. Butterworth-Heinemann.
- [568] Landsteiner, Karl, Megias, Eugenio, and Pena-Benitez, Francisco. 2011a. *Gravitational Anomaly and Transport*. Phys. Rev. Lett., **107**, 021601. arXiv:1103.5006 [hep-ph].
- [569] Landsteiner, Karl, Megias, Eugenio, Melgar, Luis, and Pena-Benitez, Francisco. 2011b. *Holographic Gravitational Anomaly and Chiral Vortical Effect*. JHEP, **1109**, 121. arXiv:1107.0368 [hep-th].
- [570] Landsteiner, Karl, Megias, Eugenio, and Pena-Benitez, Francisco. 2012. *Anomalous Transport from Kubo Formulae*. arXiv:1207.5808 [hep-th].
- [571] Le Bellac, M. 1996. *Thermal Field Theory*. Cambridge University Press.
- [572] Lee, Sung-Sik. 2010. *Holographic description of quantum field theory*. Nucl. Phys., **B832**, 567–585. arXiv:0912.5223 [hep-th].
- [573] Lee, Sung-Sik. 2012a. *Background independent holographic description: From matrix field theory to quantum gravity*. JHEP, **1210**, 160. arXiv:1204.1780 [hep-th].

- [574] Lee, Sung-Sik. 2012b. *Holographic Matter: Deconfined String at Criticality*. Nucl. Phys., **B862**, 781–820. arXiv:1108.2253 [hep-th].
- [575] Leigh, R. G. 1989. *Dirac–Born–Infeld Action from Dirichlet Sigma Model*. Mod. Phys. Lett., **A4**, 2767.
- [576] Liang, Zuo-tang, Wang, Xin-Nian, and Zhou, Jian. 2008. *The Transverse-momentum-dependent Parton Distribution Function and Jet Transport in Medium*. Phys. Rev., **D77**, 125010. arXiv:0801.0434 [hep-ph].
- [577] Liao, Jinfeng, and Shuryak, Edward. 2009. *Angular Dependence of Jet Quenching Indicates Its Strong Enhancement Near the QCD Phase Transition*. Phys. Rev. Lett., **102**, 202302. arXiv:0810.4116 [nucl-th].
- [578] Lifshitz, E. M., and Pitaevskii, L. P. 1981. *Physical Kinetics*. Butterworth Heinemann.
- [579] Lin, Feng-Li, and Matsuo, Toshihiro. 2006. *Jet quenching parameter in medium with chemical potential from AdS/CFT*. Phys. Lett., **B641**, 45–49. arXiv:hep-th/0606136.
- [580] Lin, Shu, and Shuryak, Edward. 2009. *Grazing Collisions of Gravitational Shock Waves and Entropy Production in Heavy Ion Collision*. Phys. Rev., **D79**, 124015. arXiv:0902.1508 [hep-th].
- [581] Liu, Hong, and Tseytlin, Arkady A. 1998. *$D = 4$ super Yang–Mills, $D = 5$ gauged supergravity, and $D = 4$ conformal supergravity*. Nucl. Phys., **B533**, 88–108. arXiv:hep-th/9804083.
- [582] Liu, Hong, Rajagopal, Krishna, and Wiedemann, Urs Achim. 2006. *Calculating the jet quenching parameter from AdS/CFT*. Phys. Rev. Lett., **97**, 182301. arXiv:hep-ph/0605178.
- [583] Liu, Hong, Rajagopal, Krishna, and Wiedemann, Urs Achim. 2007a. *An AdS/CFT calculation of screening in a hot wind*. Phys. Rev. Lett., **98**, 182301. arXiv:hep-ph/0607062.
- [584] Liu, Hong, Rajagopal, Krishna, and Wiedemann, Urs Achim. 2007b. *Wilson loops in heavy ion collisions and their calculation in AdS/CFT*. JHEP, **03**, 066. arXiv:hep-ph/0612168.
- [585] Liu, Hong, Rajagopal, Krishna, and Shi, Yeming. 2008. *Robustness and Infrared Sensitivity of Various Observables in the Application of AdS/CFT to Heavy Ion Collisions*. JHEP, **08**, 048. arXiv:0803.3214 [hep-ph].
- [586] Lublinsky, Michael, and Shuryak, Edward. 2007. *How much entropy is produced in strongly coupled Quark-Gluon Plasma (sQGP) by dissipative effects?* Phys. Rev., **C76**, 021901. arXiv:0704.1647 [hep-ph].
- [587] Lust, D., and Theisen, S. 1989. *Lectures on string theory*. Lect. Notes Phys., **346**, 1–346.
- [588] Luzum, Matthew. 2011. *Flow fluctuations and long-range correlations: elliptic flow and beyond*. J. Phys., **G38**, 124026. arXiv:1107.0592 [nucl-th].
- [589] Luzum, Matthew, and Romatschke, Paul. 2008. *Conformal Relativistic Viscous Hydrodynamics: Applications to RHIC results at $\sqrt{s_{NN}} = 200$ GeV*. Phys. Rev., **C78**, 034915. arXiv:0804.4015 [nucl-th].
- [590] Luzum, Matthew, and Romatschke, Paul. 2009. *Viscous Hydrodynamic Predictions for Nuclear Collisions at the LHC*. Phys. Rev. Lett., **103**, 262302. arXiv:0901.4588 [nucl-th].
- [591] Majumder, A., and Van Leeuwen, M. 2011. *The Theory and Phenomenology of Perturbative QCD Based Jet Quenching*. Prog. Part. Nucl. Phys., **A66**, 41–92. arXiv:1002.2206 [hep-ph].

- [592] Majumder, A., Nonaka, C., and Bass, S. A. 2007. *Jet modification in three dimensional fluid dynamics at next-to-leading twist*. Phys. Rev., **C76**, 041902. arXiv:nucl-th/0703019.
- [593] Maldacena, J. M. 2003a. *Eternal black holes in Anti-de-Sitter*. JHEP, **04**, 021. arXiv:hep-th/0106112.
- [594] Maldacena, Juan Martin. 1998a. *The large- N limit of superconformal field theories and supergravity*. Adv. Theor. Math. Phys., **2**, 231–252. arXiv:hep-th/9711200.
- [595] Maldacena, Juan Martin. 1998b. *Wilson loops in large- N field theories*. Phys. Rev. Lett., **80**, 4859–4862. arXiv:hep-th/9803002.
- [596] Maldacena, Juan Martin. 2003b. *Lectures on AdS/CFT*. arXiv:hep-th/0309246.
- [597] Maldacena, Juan Martin, and Nunez, Carlos. 2001. *Towards the large- N limit of pure $\mathcal{N}=1$ super Yang Mills*. Phys. Rev. Lett., **86**, 588–591. arXiv:hep-th/0008001.
- [598] Mandelstam, Stanley. 1983. *Light Cone Superspace and the Ultraviolet Finiteness of the $\mathcal{N}=4$ Model*. Nucl. Phys., **B213**, 149–168.
- [599] Manohar, Aneesh V. 1998. *Large- N QCD*. arXiv:hep-ph/9802419.
- [600] Mas, Javier, and Tarrio, Javier. 2007. *Hydrodynamics from the Dp-brane*. JHEP, **05**, 036. arXiv:hep-th/0703093.
- [601] Mateos, David. 2007. *String Theory and Quantum Chromodynamics*. Class. Quant. Grav., **24**, S713–S740. arXiv:0709.1523 [hep-th].
- [602] Mateos, David. 2010. *Lectures on the gauge/string duality with emphasis on spectroscopy*. AIP Conf. Proc., **1296**, 1–34.
- [603] Mateos, David. 2011. *Gauge/string duality applied to heavy ion collisions: Limitations, insights and prospects*. J. Phys., **G38**, 124030. arXiv:1106.3295 [hep-th].
- [604] Mateos, David, and Patino, Leonardo. 2007. *Bright branes for strongly coupled plasmas*. JHEP, **11**, 025. arXiv:0709.2168 [hep-th].
- [605] Mateos, David, Myers, Robert C., and Thomson, Rowan M. 2006. *Holographic phase transitions with fundamental matter*. Phys. Rev. Lett., **97**, 091601. arXiv:hep-th/0605046.
- [606] Mateos, David, Matsuura, Shunji, Myers, Robert C., and Thomson, Rowan M. 2007a. *Holographic phase transitions at finite chemical potential*. JHEP, **11**, 085. arXiv:0709.1225 [hep-th].
- [607] Mateos, David, Myers, Robert C., and Thomson, Rowan M. 2007b. *Holographic viscosity of fundamental matter*. Phys. Rev. Lett., **98**, 101601. arXiv:hep-th/0610184.
- [608] Mateos, David, Myers, Robert C., and Thomson, Rowan M. 2007c. *Thermodynamics of the brane*. JHEP, **05**, 067. arXiv:hep-th/0701132.
- [609] Matsui, T., and Satz, H. 1986. *J/ψ Suppression by Quark–Gluon Plasma Formation*. Phys. Lett., **B178**, 416.
- [610] Matsuo, Toshihiro, Tomino, Dan, and Wen, Wen-Yu. 2006. *Drag force in SYM plasma with B field from AdS/CFT*. JHEP, **10**, 055. arXiv:hep-th/0607178.
- [611] McLerran, Larry D., and Svetitsky, Benjamin. 1981. *Quark Liberation at High Temperature: A Monte Carlo Study of SU(2) Gauge Theory*. Phys. Rev., **D24**, 450.
- [612] Mehtar-Tani, Yacine, Salgado, Carlos A., and Tywoniuk, Konrad. 2012a. *The Radiation pattern of a QCD antenna in a dense medium*. JHEP, **1210**, 197. arXiv:1205.5739 [hep-ph].

- [613] Mehtar-Tani, Yacine, Salgado, Carlos A., and Tywoniuk, Konrad. 2012b. *The radiation pattern of a QCD antenna in a dilute medium.* JHEP, **1204**, 064. arXiv:1112.5031 [hep-ph].
- [614] Meyer, Harvey B. 2007. *A calculation of the shear viscosity in SU(3) gluodynamics.* Phys. Rev., **D76**, 101701. arXiv:0704.1801 [hep-lat].
- [615] Meyer, Harvey B. 2008. *A calculation of the bulk viscosity in SU(3) gluodynamics.* Phys. Rev. Lett., **100**, 162001. arXiv:0710.3717 [hep-lat].
- [616] Meyer, Harvey B. 2009. *Transport properties of the quark-gluon plasma from lattice QCD.* Nucl. Phys., **A830**, 641c–648c. arXiv:0907.4095 [hep-lat].
- [617] Mezincescu, L., and Townsend, P. K. 1985. *Stability at a Local Maximum in Higher Dimensional Anti-de Sitter Space and Applications to Supergravity.* Ann. Phys., **160**, 406.
- [618] Mikhailov, Andrei. 2003. *Nonlinear waves in AdS/CFT correspondence.* arXiv:hep-th/0305196.
- [619] Misner, C. W., Thorne, K. S., and Wheeler, J. A. 1973. *Gravitation.* Freeman.
- [620] Mocsy, Agnes. 2009. *Potential Models for Quarkonia.* Eur. Phys. J., **C61**, 705–710. arXiv:0811.0337 [hep-ph].
- [621] Mocsy, Agnes, and Petreczky, Peter. 2006. *Quarkonia correlators above deconfinement.* Phys. Rev., **D73**, 074007. arXiv:hep-ph/0512156.
- [622] Mocsy, Agnes, and Petreczky, Peter. 2007. *Color Screening Melts Quarkonium.* Phys. Rev. Lett., **99**, 211602. arXiv:0706.2183 [hep-ph].
- [623] Mocsy, Agnes, and Petreczky, Peter. 2008. *Can quarkonia survive deconfinement?* Phys. Rev., **D77**, 014501. arXiv:0705.2559 [hep-ph].
- [624] Molnar, Denes, and Gyulassy, Miklos. 2002. *Saturation of elliptic flow at RHIC: Results from the covariant elastic parton cascade model MPC.* Nucl. Phys., **A697**, 495–520. arXiv:nucl-th/0104073.
- [625] Molnar, Denes, and Huovinen, Pasi. 2008. *Dissipative effects from transport and viscous hydrodynamics.* J. Phys., **G35**, 104125. arXiv:0806.1367 [nucl-th].
- [626] Molnar, Denes, and Sun, Deke. 2012. *Realistic medium-averaging in radiative energy loss.* arXiv:1209.2430 [nucl-th].
- [627] Moore, Guy D., and Sohrabi, Kiyomars A. 2011. *Kubo Formulae for Second-Order Hydrodynamic Coefficients.* Phys. Rev. Lett., **106**, 122302. arXiv:1007.5333 [hep-ph].
- [628] Moore, Guy D., and Teaney, Derek. 2005. *How much do heavy quarks thermalize in a heavy ion collision?* Phys. Rev., **C71**, 064904. arXiv:hep-ph/0412346.
- [629] ALICE Collaboration, Morsch, Andreas. 2012. *Jet-Like Near-Side Peak Shapes in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV with ALICE.* Nucl. Phys. A. arXiv:1207.7187 [nucl-ex].
- [630] Mueller, A.H., Shoshi, A.I., and Xiao, Bo-Wen. 2009. *Deep inelastic and dipole scattering on finite length hot $\mathcal{N} = 4$ SYM matter.* Nucl. Phys., **A822**, 20–40. arXiv:0812.2897 [hep-th].
- [631] Mueller, I. 1967. *Zum Paradoxon der Waermeleitungstheorie.* Z. Phys., **198**, 329.
- [632] Muronga, Azwinndini. 2002. *Second order dissipative fluid dynamics for ultra-relativistic nuclear collisions.* Phys. Rev. Lett., **88**, 062302. arXiv:nucl-th/0104064.
- [633] Muronga, Azwinndini. 2004. *Causal Theories of Dissipative Relativistic Fluid Dynamics for Nuclear Collisions.* Phys. Rev., **C69**, 034903. arXiv:nucl-th/0309055.

- [634] Muronga, Azwinndini, and Rischke, Dirk H. 2004. *Evolution of hot, dissipative quark matter in relativistic nuclear collisions*. arXiv:nucl-th/0407114.
- [635] Myers, Robert C. 1999. *Stress tensors and Casimir energies in the AdS/CFT correspondence*. Phys. Rev., **D60**, 046002. arXiv:hep-th/9903203.
- [636] Myers, Robert C., and Sinha, Aninda. 2008. *The fast life of holographic mesons*. JHEP, **06**, 052. arXiv:0804.2168 [hep-th].
- [637] Myers, Robert C., and Thomson, Rowan M. 2006. *Holographic mesons in various dimensions*. JHEP, **09**, 066. arXiv:hep-th/0605017.
- [638] Myers, Robert C., Starinets, Andrei O., and Thomson, Rowan M. 2007. *Holographic spectral functions and diffusion constants for fundamental matter*. JHEP, **11**, 091. arXiv:0706.0162 [hep-th].
- [639] Myers, Robert C., Paulos, Miguel F., and Sinha, Aninda. 2009a. *Holographic Hydrodynamics with a Chemical Potential*. JHEP, **0906**, 006. arXiv:0903.2834 [hep-th].
- [640] Myers, Robert C., Paulos, Miguel F., and Sinha, Aninda. 2009b. *Quantum corrections to η/s* . Phys. Rev., **D79**, 041901. arXiv:0806.2156 [hep-th].
- [641] Nadkarni, Sudhir. 1986. *Nonabelian Debye Screening. I. The Color Averaged Potential*. Phys. Rev., **D33**, 3738.
- [642] Nakamura, Shin, and Sin, Sang-Jin. 2006. *A Holographic dual of hydrodynamics*. JHEP, **0609**, 020. arXiv:hep-th/0607123 [hep-th].
- [643] Nakamura, Shin, Seo, Yunseok, Sin, Sang-Jin, and Yogendran, K. P. 2008a. *A new phase at finite quark density from AdS/CFT*. J. Korean Phys. Soc., **52**, 1734–1739. arXiv:hep-th/0611021.
- [644] Nakamura, Shin, Seo, Yunseok, Sin, Sang-Jin, and Yogendran, K. P. 2008b. *Baryon-charge Chemical Potential in AdS/CFT*. Prog. Theor. Phys., **120**, 51–76. arXiv:0708.2818 [hep-th].
- [645] Nakano, Eiji, Teraguchi, Shunsuke, and Wen, Wen-Yu. 2007. *Drag Force, Jet Quenching, and AdS/QCD*. Phys. Rev., **D75**, 085016. arXiv:hep-ph/0608274.
- [646] Natsuume, Makoto, and Okamura, Takashi. 2007. *Screening length and the direction of plasma winds*. JHEP, **09**, 039. arXiv:0706.0086 [hep-th].
- [647] Necco, Silvia, and Sommer, Rainer. 2002. *The $N_f = 0$ heavy quark potential from short to intermediate distances*. Nucl. Phys., **B622**, 328–346. arXiv:hep-lat/0108008.
- [648] Neufeld, R. B. 2008. *Fast Partons as a Source of Energy and Momentum in a Perturbative Quark–Gluon Plasma*. Phys. Rev., **D78**, 085015. arXiv:0805.0385 [hep-ph].
- [649] Neufeld, R. B. 2009. *Mach cones in the quark-gluon plasma: Viscosity, speed of sound, and effects of finite source structure*. Phys. Rev., **C79**, 054909. arXiv:0807.2996 [nucl-th].
- [650] Neufeld, R. B., and Muller, B. 2009. *The sound produced by a fast parton in the quark–gluon plasma is a ‘crescendo’*. Phys. Rev. Lett., **103**, 042301. arXiv:0902.2950 [nucl-th].
- [651] Neufeld, R. B., and Renk, Thorsten. 2010. *The Mach cone signal and energy deposition scenarios in linearized hydrodynamics*. Phys. Rev., **C82**, 044903. arXiv:1001.5068 [nucl-th].
- [652] Neufeld, R. B., Muller, Berndt, and Ruppert, J. 2008. *Sonic Mach Cones Induced by Fast Partons in a Perturbative Quark–Gluon Plasma*. Phys. Rev., **C78**, 041901. arXiv:0802.2254 [hep-ph].
- [653] Nishioka, Tatsuma, and Takayanagi, Tadashi. 2007. *Free Yang–Mills vs. Toric Sasaki–Einstein*. Phys. Rev., **D76**, 044004. arXiv:hep-th/0702194.

- [654] Nonaka, Chiho, and Bass, Steffen A. 2007. *Space-time evolution of bulk QCD matter*. Phys. Rev., **C75**, 014902. arXiv:nucl-th/0607018.
- [655] Noronha, Jorge, Torrieri, Giorgio, and Gyulassy, Miklos. 2008. *Near Zone Navier-Stokes Analysis of Heavy Quark Jet Quenching in an $\mathcal{N}=4$ SYM Plasma*. Phys. Rev., **C78**, 024903. arXiv:0712.1053 [hep-ph].
- [656] Noronha, Jorge, Gyulassy, Miklos, and Torrieri, Giorgio. 2009a. *Constraints on AdS/CFT Gravity Dual Models of Heavy Ion Collisions*. arXiv:0906.4099 [hep-ph].
- [657] Noronha, Jorge, Gyulassy, Miklos, and Torrieri, Giorgio. 2009b. *Dijet Conical Correlations Associated with Heavy Quark Jets in anti-de Sitter Space/Conformal Field Theory Correspondence*. Phys. Rev. Lett., **102**, 102301. arXiv:0807.1038 [hep-ph].
- [658] Noronha, Jorge, Gyulassy, Miklos, and Torrieri, Giorgio. 2010. *Conformal Holography of Bulk Elliptic Flow and Heavy Quark Quenching in Relativistic Heavy Ion Collisions*. Phys. Rev., **C82**, 054903. arXiv:1009.2286 [nucl-th].
- [659] Nunez, Carlos, Paredes, Angel, and Ramallo, Alfonso V. 2010. *Unquenched flavor in the gauge/gravity correspondence*. Adv. High Energy Phys., **2010**, 196714. arXiv:1002.1088 [hep-th].
- [660] STAR Collaboration, Ohlson, Alice. 2011. *Jet-hadron correlations in STAR*. J. Phys., **G38**, 124159. arXiv:1106.6243 [nucl-ex].
- [661] Ollitrault, J. Y. 2006. *Nucleus nucleus collisions at RHIC: A review*. Pramana, **67**, 899–914.
- [662] Pal, Shesansu Sekhar. 2010. *η/s at finite coupling*. Phys. Rev., **D81**, 045005. arXiv:0910.0101 [hep-th].
- [663] Panero, Marco. 2009. *Thermodynamics of the QCD plasma and the large- N limit*. Phys. Rev. Lett., **103**, 232001. arXiv:0907.3719 [hep-lat].
- [664] Papadimitriou, Ioannis, and Skenderis, Kostas. 2004. *AdS/CFT correspondence and geometry*. 73–101. arXiv:hep-th/0404176 [hep-th].
- [665] Papadimitriou, Ioannis, and Skenderis, Kostas. 2005. *Thermodynamics of asymptotically locally AdS spacetimes*. JHEP, **0508**, 004. arXiv:hep-th/0505190 [hep-th].
- [666] Paredes, Angel, and Talavera, Pere. 2005. *Multiflavor excited mesons from the fifth dimension*. Nucl. Phys., **B713**, 438–464. arXiv:hep-th/0412260.
- [667] Paredes, Angel, Peeters, Kasper, and Zamaklar, Marija. 2008. *Mesons versus quasinormal modes: undercooling and overheating*. JHEP, **05**, 027. arXiv:0803.0759 [hep-th].
- [668] Park, Chanyong. 2010. *The dissociation of a heavy meson in the quark medium*. Phys. Rev., **D81**, 045009. arXiv:0907.0064 [hep-ph].
- [669] Parnachev, Andrei, and Sahakyan, David A. 2006. *Chiral phase transition from string theory*. Phys. Rev. Lett., **97**, 111601. arXiv:hep-th/0604173.
- [670] Parnachev, Andrei, and Sahakyan, David A. 2007. *Photoemission with Chemical Potential from QCD Gravity Dual*. Nucl. Phys., **B768**, 177–192. arXiv:hep-th/0610247.
- [671] Peet, Amanda W., and Polchinski, Joseph. 1999. *UV/IR relations in AdS dynamics*. Phys. Rev., **D59**, 065011. arXiv:hep-th/9809022.
- [672] Peeters, Kasper, and Zamaklar, Marija. 2007. *The string/gauge theory correspondence in QCD*. Eur. Phys. J. ST, **152**, 113–138. arXiv:0708.1502 [hep-ph].
- [673] Peeters, Kasper, Sonnenschein, Jacob, and Zamaklar, Marija. 2006a. *Holographic decays of large-spin mesons*. JHEP, **02**, 009. arXiv:hep-th/0511044.

- [674] Peeters, Kasper, Sonnenschein, Jacob, and Zamaklar, Marija. 2006b. *Holographic melting and related properties of mesons in a quark gluon plasma*. Phys. Rev., **D74**, 106008. arXiv:hep-th/0606195.
- [675] Peng, Jun-Jin, and Wu, Shuang-Qing. 2008. *Covariant anomalies and Hawking radiation from charged rotating black strings in anti-de Sitter spacetimes*. Phys. Lett., **B661**, 300–306. arXiv:0801.0185 [hep-th].
- [676] Petreczky, P. 2009. *Lattice QCD at finite temperature: Present status*. Nucl. Phys., **A830**, 11C–18C. arXiv:0908.1917 [hep-ph].
- [677] Petreczky, P., and Petrov, K. 2004. *Free energy of a static quark anti-quark pair and the renormalized Polyakov loop in three flavor QCD*. Phys. Rev., **D70**, 054503. arXiv:hep-lat/0405009.
- [678] Petreczky, Peter. 2010. *Quarkonium in Hot Medium*. J. Phys., **G37**, 094009. arXiv:1001.5284 [hep-ph].
- [679] Petreczky, Peter, Miao, Chuan, and Mocsy, Agnes. 2011. *Quarkonium spectral functions with complex potential*. Nucl. Phys., **A855**, 125–132. arXiv:1012.4433 [hep-ph].
- [680] Philipsen, Owe. 2002. *Non-perturbative formulation of the static color octet potential*. Phys. Lett., **B535**, 138–144. arXiv:hep-lat/0203018.
- [681] Pineda, A., and Soto, J. 1998. *Effective field theory for ultrasoft momenta in NRQCD and NRQED*. Nucl. Phys. Proc. Suppl., **64**, 428–432. arXiv:hep-ph/9707481.
- [682] Podolsky, Jiri. 1998. *Interpretation of the Siklos solutions as exact gravitational waves in the anti-de Sitter universe*. Class. Quant. Grav., **15**, 719–733. arXiv:gr-qc/9801052 [gr-qc].
- [683] Poisson, E. 2004. *A Relativist's Toolkit: The Mathematics of Black-Hole Mechanics*. Cambridge University Press.
- [684] Pokorski, Stefan. 2000. *Gauge Field Theories, 2nd edition*. Cambridge University Press.
- [685] Polchinski, J. 1998. *String theory. Vol. 1 & 2*. Cambridge University Press.
- [686] Polchinski, Joseph. 1995. *Dirichlet-Branes and Ramond–Ramond Charges*. Phys. Rev. Lett., **75**, 4724–4727. arXiv:hep-th/9510017.
- [687] Polchinski, Joseph. 2010. *Introduction to Gauge/Gravity Duality*. arXiv:1010.6134 [hep-th].
- [688] Polchinski, Joseph, and Strassler, Matthew J. 2000. *The string dual of a confining four-dimensional gauge theory*. arXiv:hep-th/0003136.
- [689] Polchinski, Joseph, and Strassler, Matthew J. 2002. *Hard scattering and gauge/string duality*. Phys. Rev. Lett., **88**, 031601. arXiv:hep-th/0109174 [hep-th].
- [690] Policastro, G., Son, D. T., and Starinets, A. O. 2001. *The Shear viscosity of strongly coupled $\mathcal{N} = 4$ supersymmetric Yang–Mills plasma*. Phys. Rev. Lett., **87**, 081601. arXiv:hep-th/0104066 [hep-th].
- [691] Policastro, Giuseppe, Son, Dam T., and Starinets, Andrei O. 2002a. *From AdS/CFT correspondence to hydrodynamics. 2. Sound waves*. JHEP, **0212**, 054. arXiv:hep-th/0210220 [hep-th].
- [692] Policastro, Giuseppe, Son, Dam T., and Starinets, Andrei O. 2002b. *From AdS/CFT correspondence to hydrodynamics*. JHEP, **0209**, 043. arXiv:hep-th/0205052 [hep-th].
- [693] Polyakov, Alexander M. 1987. *Gauge Fields and Strings*. Harwood.
- [694] Polyakov, Alexander M. 1999. *The wall of the cave*. Int. J. Mod. Phys., **A14**, 645–658. arXiv:hep-th/9809057.

- [695] Prakash, Madappa, Prakash, Manju, Venugopalan, R., and Welke, G. 1993. *Nonequilibrium properties of hadronic mixtures*. Phys. Rept., **227**, 321–366.
- [696] Pretorius, Frans, and Choptuik, Matthew W. 2000. *Gravitational collapse in (2+1)-dimensional AdS space-time*. Phys. Rev., **D62**, 124012. arXiv:gr-qc/0007008 [gr-qc].
- [697] Price, Richard H., and Pullin, Jorge. 1994. *Colliding black holes: The Close limit*. Phys. Rev. Lett., **72**, 3297–3300. arXiv:gr-qc/9402039 [gr-qc].
- [698] Qin, Guang-You. 2011. *Jet shower evolution in medium and dijet asymmetry in Pb+Pb collisions at the LHC*. J. Phys., **G38**, 124158. arXiv:1107.0631 [hep-ph].
- [699] Qin, Guang-You, and Muller, Berndt. 2011. *Explanation of Dijet asymmetry in Pb+Pb collisions at the Large Hadron Collider*. Phys. Rev. Lett., **106**, 162302. arXiv:1012.5280 [hep-ph].
- [700] Qin, Guang-You, et al. 2008. *Radiative and Collisional Jet Energy Loss in the Quark-Gluon Plasma at RHIC*. Phys. Rev. Lett., **100**, 072301. arXiv:0710.0605 [hep-ph].
- [701] Qiu, Zhi, Shen, Chun, and Heinz, Ulrich. 2012. *Hydrodynamic elliptic and triangular flow in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ ATeV}$* . Phys. Lett., **B707**, 151–155. arXiv:1110.3033 [nucl-th].
- [702] Rajagopal, Krishna, and Tripathaneni, Nilesh. 2010. *Bulk Viscosity and Cavitation in Boost-Invariant Hydrodynamic Expansion*. JHEP, **1003**, 018. arXiv:0908.1785 [hep-ph].
- [703] Rajaraman, R. 1982. *Solitons and Instantons. An Introduction to Solitons and Instantons in Quantum Field Theory*. North Holland.
- [704] Ramallo, Alfonso V. 2006. *Adding open string modes to the gauge/gravity correspondence*. Mod. Phys. Lett., **A21**, 1481–1494. arXiv:hep-th/0605261.
- [705] Rangamani, Mukund. 2009. *Gravity and Hydrodynamics: Lectures on the fluid-gravity correspondence*. Class. Quant. Grav., **26**, 224003. arXiv:0905.4352 [hep-th].
- [706] Rapp, Ralf, and van Hees, Hendrik. 2009. *Heavy Quarks in the Quark-Gluon Plasma*. arXiv:0903.1096 [hep-ph].
- [707] Ratti, Claudia, Bellwied, Rene, Cristoforetti, Marco, and Barbaro, Maria. 2012. *Are there hadronic bound states above the QCD transition temperature?* Phys. Rev., **D85**, 014004. arXiv:1109.6243 [hep-ph].
- [708] Renk, Thorsten, and Ruppert, Jorg. 2006. *Mach cones in an evolving medium*. Phys. Rev., **C73**, 011901. arXiv:hep-ph/0509036.
- [709] Renk, Thorsten, and Ruppert, Jorg. 2007. *The rapidity structure of Mach cones and other large angle correlations in heavy-ion collisions*. Phys. Lett., **B646**, 19–23. arXiv:hep-ph/0605330.
- [710] Renk, Thorsten, Ruppert, Jorg, Nonaka, Chiho, and Bass, Steffen A. 2007. *Jet-quenching in a 3D hydrodynamic medium*. Phys. Rev., **C75**, 031902. arXiv:nucl-th/0611027.
- [711] Rey, Soo-Jong, and Yee, Jung-Tay. 2001. *Macroscopic strings as heavy quarks in large-N gauge theory and anti-de Sitter supergravity*. Eur. Phys. J., **C22**, 379–394. arXiv:hep-th/9803001.
- [712] Rey, Soo-Jong, Theisen, Stefan, and Yee, Jung-Tay. 1998. *Wilson-Polyakov loop at finite temperature in large-N gauge theory and anti-de Sitter supergravity*. Nucl. Phys., **B527**, 171–186. arXiv:hep-th/9803135.
- [713] Rischke, D. H., Stoecker, Horst, and Greiner, W. 1990. *Flow in Conical Shock Waves: a Signal for the Deconfinement Transition?* Phys. Rev., **D42**, 2283–2292.

- [714] Romatschke, Paul. 2010a. *New Developments in Relativistic Viscous Hydrodynamics*. Int. J. Mod. Phys., **E19**, 1–53. arXiv:0902.3663 [hep-ph].
- [715] Romatschke, Paul. 2010b. *Relativistic Viscous Fluid Dynamics and Non-Equilibrium Entropy*. Class. Quant. Grav., **27**, 025006. arXiv:0906.4787 [hep-th].
- [716] Romatschke, Paul, and Romatschke, Ulrike. 2007. *Viscosity Information from Relativistic Nuclear Collisions: How Perfect is the Fluid Observed at RHIC?* Phys. Rev. Lett., **99**, 172301. arXiv:0706.1522 [nucl-th].
- [717] Rothkopf, Alexander, Hatsuda, Tetsuo, and Sasaki, Shoichi. 2012. *Complex Heavy-Quark Potential at Finite Temperature from Lattice QCD*. Phys. Rev. Lett., **108**, 162001. arXiv:1108.1579 [hep-lat].
- [718] Rozali, Moshe, Shieh, Hsien-Hang, Van Raamsdonk, Mark, and Wu, Jackson. 2008. *Cold Nuclear Matter In Holographic QCD*. JHEP, **01**, 053. arXiv:0708.1322 [hep-th].
- [719] Ruppert, Jorg, and Muller, Berndt. 2005. *Waking the colored plasma*. Phys. Lett., **B618**, 123–130. arXiv:hep-ph/0503158.
- [720] Russo, Jorge G. 1999. *New compactifications of supergravities and large- N QCD*. Nucl. Phys., **B543**, 183–197. arXiv:hep-th/9808117.
- [721] Sakai, Tadakatsu, and Sugimoto, Shigeki. 2005a. *Low energy hadron physics in holographic QCD*. Prog. Theor. Phys., **113**, 843–882. arXiv:hep-th/0412141.
- [722] Sakai, Tadakatsu, and Sugimoto, Shigeki. 2005b. *More on a holographic dual of QCD*. Prog. Theor. Phys., **114**, 1083–1118. arXiv:hep-th/0507073.
- [723] Salgado, Carlos A., and Wiedemann, Urs Achim. 2002. *A dynamical scaling law for jet tomography*. Phys. Rev. Lett., **89**, 092303. arXiv:hep-ph/0204221.
- [724] Salgado, Carlos A., and Wiedemann, Urs Achim. 2003. *Calculating quenching weights*. Phys. Rev., **D68**, 014008. arXiv:hep-ph/0302184.
- [725] Saremi, Omid. 2007. *Shear waves, sound waves on a shimmering horizon*. arXiv:hep-th/0703170.
- [726] Sasaki, C., Friman, B., and Redlich, K. 2007. *Susceptibilities and the Phase Structure of a Chiral Model with Polyakov Loops*. Phys. Rev., **D75**, 074013. arXiv:hep-ph/0611147 [hep-ph].
- [727] Satarov, L. M., Stoecker, Horst, and Mishustin, I. N. 2005. *Mach shocks induced by partonic jets in expanding quark-gluon plasma*. Phys. Lett., **B627**, 64–70. arXiv:hep-ph/0505245.
- [728] Satz, Helmut. 2006. *Color deconfinement and quarkonium binding*. J. Phys., **G32**, R25. arXiv:hep-ph/0512217.
- [729] Satz, Helmut. 2007. *Quarkonium Binding and Dissociation: The Spectral Analysis of the QGP*. Nucl. Phys., **A783**, 249–260. arXiv:hep-ph/0609197.
- [730] Schafer, Thomas, and Teaney, Derek. 2009. *Nearly Perfect Fluidity: From Cold Atomic Gases to Hot Quark Gluon Plasmas*. Rept. Prog. Phys., **72**, 126001. arXiv:0904.3107 [hep-ph].
- [731] Schwarz, John H. 1982. *Superstring Theory*. Phys. Rept., **89**, 223–322.
- [732] Schwarz, John H. 1983. *Covariant Field Equations of Chiral $\mathcal{N} = 2$ D=10 Supergravity*. Nucl. Phys., **B226**, 269.
- [733] Schwarz, John H., and West, Peter C. 1983. *Symmetries and Transformations of Chiral $\mathcal{N} = 2$ D=10 Supergravity*. Phys. Lett., **B126**, 301.
- [734] Shen, Chun, and Heinz, Ulrich. 2012. *Collision Energy Dependence of Viscous Hydrodynamic Flow in Relativistic Heavy-Ion Collisions*. Phys. Rev., **C85**, 054902. arXiv:1202.6620 [nucl-th].

- [735] Shen, Chun, Heinz, Ulrich, Huovinen, Pasi, and Song, Huichao. 2010. *Systematic parameter study of hadron spectra and elliptic flow from viscous hydrodynamic simulations of Au+Au collisions at $\sqrt{s_{NN}} = 200$ GeV*. Phys. Rev., **C82**, 054904. arXiv:1010.1856 [nucl-th].
- [736] Shenker, Stephen H. 1990. *The Strength of nonperturbative effects in string theory*. Presented at the Cargese Workshop on Random Surfaces, Quantum Gravity and Strings, Cargese, France, May 28 – Jun 1, 1990.
- [737] Shu, Fu-Wen. 2010. *The Quantum Viscosity Bound In Lovelock Gravity*. Phys. Lett., **B685**, 325–328. arXiv:0910.0607 [hep-th].
- [738] Shuryak, Edward. 2012. *Toward the AdS/CFT Dual of the 'Little Bang'*. J. Phys., **G39**, 054001. arXiv:1112.2573 [hep-ph].
- [739] Shuryak, Edward V., and Zahed, Ismail. 2004a. *Rethinking the properties of the quark gluon plasma at $T \approx T_c$* . Phys. Rev., **C70**, 021901. arXiv:hep-ph/0307267.
- [740] Shuryak, Edward V., and Zahed, Ismail. 2004b. *Towards a theory of binary bound states in the quark gluon plasma*. Phys. Rev., **D70**, 054507. arXiv:hep-ph/0403127.
- [741] Sinha, Aninda, and Myers, Robert C. 2009. *The Viscosity bound in string theory*. Nucl. Phys., **A830**, 295C–298C. arXiv:0907.4798 [hep-th].
- [742] Skenderis, Kostas. 2002. *Lecture notes on holographic renormalization*. Class. Quant. Grav., **19**, 5849–5876. arXiv:hep-th/0209067.
- [743] Skenderis, Kostas, and van Rees, Balt C. 2008. *Real-time gauge/gravity duality*. Phys. Rev. Lett., **101**, 081601. arXiv:0805.0150 [hep-th].
- [744] Skenderis, Kostas, and van Rees, Balt C. 2009. *Real-time gauge/gravity duality: Prescription, Renormalization and Examples*. JHEP, **05**, 085. arXiv:0812.2909 [hep-th].
- [745] Sohnius, Martin F., and West, Peter C. 1981. *Conformal Invariance in $\mathcal{N} = 4$ Supersymmetric Yang-Mills Theory*. Phys. Lett., **B100**, 245.
- [746] Son, D. T. 2000. *Hydrodynamics of nuclear matter in the chiral limit*. Phys. Rev. Lett., **84**, 3771–3774. hep-ph/9912267.
- [747] Son, Dam T., and Starinets, Andrei O. 2002. *Minkowski-space correlators in AdS/CFT correspondence: Recipe and applications*. JHEP, **09**, 042. arXiv:hep-th/0205051.
- [748] Son, Dam T., and Starinets, Andrei O. 2006. *Hydrodynamics of R-charged black holes*. JHEP, **03**, 052. arXiv:hep-th/0601157.
- [749] Son, Dam T., and Starinets, Andrei O. 2007. *Viscosity, Black Holes, and Quantum Field Theory*. Ann. Rev. Nucl. Part. Sci., **57**, 95–118. arXiv:0704.0240 [hep-th].
- [750] Son, Dam T., and Surowka, Piotr. 2009. *Hydrodynamics with Triangle Anomalies*. Phys. Rev. Lett., **103**, 191601. arXiv:0906.5044 [hep-th].
- [751] Son, Dam T., and Teaney, Derek. 2009. *Thermal Noise and Stochastic Strings in AdS/CFT*. JHEP, **07**, 021. arXiv:0901.2338 [hep-th].
- [752] Song, Huichao, and Heinz, Ulrich W. 2008a. *Causal viscous hydrodynamics in 2+1 dimensions for relativistic heavy-ion collisions*. Phys. Rev., **C77**, 064901. arXiv:0712.3715 [nucl-th].
- [753] Song, Huichao, and Heinz, Ulrich W. 2008b. *Multiplicity scaling in ideal and viscous hydrodynamics*. Phys. Rev., **C78**, 024902. arXiv:0805.1756 [nucl-th].
- [754] Song, Huichao, and Heinz, Ulrich W. 2008c. *Suppression of elliptic flow in a minimally viscous quark-gluon plasma*. Phys. Lett., **B658**, 279–283. arXiv:0709.0742 [nucl-th].

- [755] Song, Huichao, and Heinz, Ulrich W. 2009a. *Extracting the QGP viscosity from RHIC data – A Status report from viscous hydrodynamics*. J. Phys., **G36**, 064033. arXiv:0812.4274 [nucl-th].
- [756] Song, Huichao, and Heinz, Ulrich W. 2009b. *Viscous hydrodynamics with bulk viscosity: Uncertainties from relaxation time and initial conditions*. Nucl. Phys., **A830**, 467C–470C. arXiv:0907.2262 [nucl-th].
- [757] Song, Huichao, and Heinz, Ulrich W. 2010. *Interplay of shear and bulk viscosity in generating flow in heavy-ion collisions*. Phys. Rev., **C81**, 024905. arXiv:0909.1549 [nucl-th].
- [758] Song, Huichao, Bass, Steffen A., Heinz, Ulrich, Hirano, Tetsufumi, and Shen, Chun. 2011. *200 A GeV Au+Au collisions serve a nearly perfect quark-gluon liquid*. Phys. Rev. Lett., **106**, 192301. arXiv:1011.2783 [nucl-th].
- [759] Song, Taesoo, Han, Kyong Chol, and Ko, Che Ming. 2012. *Bottomonia suppression in heavy-ion collisions*. Phys. Rev., **C85**, 014902. arXiv:1109.6691 [nucl-th].
- [760] Sonnenschein, Jacob. 2000. *Stringy confining Wilson loops*. arXiv:hep-th/0009146 [hep-th].
- [761] Starinets, Andrei O. 2009. *Quasinormal spectrum and the black hole membrane paradigm*. Phys. Lett., **B670**, 442–445. arXiv:0806.3797 [hep-th].
- [762] Steinberg, Peter. 2005. *Landau hydrodynamics and RHIC phenomena*. Acta Phys. Hung., **A24**, 51–57. arXiv:nucl-ex/0405022 [nucl-ex].
- [763] Stoecker, Horst. 2005. *Collective Flow signals the Quark Gluon Plasma*. Nucl. Phys., **A750**, 121–147. arXiv:nucl-th/0406018.
- [764] Strassler, Matthew J. 2005. *The duality cascade*. hep-th/0505153. arXiv:hep-th/0505153.
- [765] Strickland, Michael. 2011. *Thermal Υ_{1s} and χ_{b1} suppression in $\sqrt{s_{NN}} = 2.76 \text{ TeV Pb-Pb collisions at the LHC}$* . Phys. Rev. Lett., **107**, 132301. arXiv:1106.2571 [hep-ph].
- [766] Strickland, Michael, and Bazow, Dennis. 2012. *Thermal Bottomonium Suppression at RHIC and LHC*. Nucl. Phys., **A879**, 25–58. arXiv:1112.2761 [nucl-th].
- [767] Susskind, Leonard. 1995. *The World as a hologram*. J. Math. Phys., **36**, 6377–6396. arXiv:hep-th/9409089.
- [768] Susskind, Leonard, and Witten, Edward. 1998. *The holographic bound in anti-de Sitter space*. arXiv:hep-th/9805114.
- [769] Svetitsky, Benjamin, and Yaffe, Laurence G. 1982. *Critical Behavior at Finite Temperature Confinement Transitions*. Nucl. Phys., **B210**, 423.
- [770] 't Hooft, Gerard. 1974. *A Planar Diagram Theory for Strong Interactions*. Nucl. Phys., **B72**, 461.
- [771] 't Hooft, Gerard. 1993. *Dimensional reduction in quantum gravity*. arXiv:gr-qc/9310026.
- [772] Talavera, Pere. 2007. *Drag force in a string model dual to large- N QCD*. JHEP, **01**, 086. arXiv:hep-th/0610179.
- [773] Taliotis, Anastasios. 2010. *Heavy Ion Collisions with Transverse Dynamics from Evolving AdS Geometries*. JHEP, **1009**, 102. arXiv:1004.3500 [hep-th].
- [774] Taylor, J. C., and Wong, S. M. H. 1990. *The Effective Action of Hard Thermal Loops in QCD*. Nucl. Phys., **B346**, 115–128.
- [775] Teaney, D., Lauret, J., and Shuryak, E. V. 2001. *A hydrodynamic description of heavy ion collisions at the SPS and RHIC*. arXiv:nucl-th/0110037.

- [776] Teaney, Derek. 2003. *Effect of shear viscosity on spectra, elliptic flow, and Hanbury-Brown Twiss radii*. Phys. Rev., **C68**, 034913. arXiv:nucl-th/0301099.
- [777] Teaney, Derek. 2006. *Finite temperature spectral densities of momentum and R-charge correlators in $\mathcal{N}=4$ Yang Mills theory*. Phys. Rev., **D74**, 045025. arXiv:hep-ph/0602044.
- [778] Teaney, Derek, and Yan, Li. 2011. *Triangularity and Dipole Asymmetry in Heavy Ion Collisions*. Phys. Rev., **C83**, 064904. arXiv:1010.1876 [nucl-th].
- [779] Teaney, Derek A. 2009. *Viscous Hydrodynamics and the Quark Gluon Plasma*. arXiv:0905.2433 [nucl-th].
- [780] Thews, Robert L., Schroedter, Martin, and Rafelski, Johann. 2001. *Enhanced J/ψ production in deconfined quark matter*. Phys. Rev., **C63**, 054905. arXiv:hep-ph/0007323.
- [781] Tseytlin, Arkady A. 1999. *Born-Infeld action, supersymmetry and string theory*. arXiv:hep-th/9908105.
- [782] Umeda, Takashi. 2007. *A constant contribution in meson correlators at finite temperature*. Phys. Rev., **D75**, 094502. arXiv:hep-lat/0701005.
- [783] van der Schee, Wilke. 2013. *Holographic thermalization with radial flow*. Phys. Rev., **D87**, 061901. arXiv:1211.2218 [hep-th].
- [784] van Hees, H., Mannarelli, M., Greco, V., and Rapp, R. 2008. *Nonperturbative Heavy-Quark Diffusion in the Quark-Gluon Plasma*. Phys. Rev. Lett., **100**, 192301. arXiv:0709.2884 [hep-ph].
- [785] van Hees, Hendrik, Greco, Vincenzo, and Rapp, Ralf. 2006. *Heavy-quark probes of the quark-gluon plasma at RHIC*. Phys. Rev., **C73**, 034913. arXiv:nucl-th/0508055.
- [786] van Rees, Balt C. 2009. *Real-time gauge/gravity duality and ingoing boundary conditions*. Nucl. Phys. Proc. Suppl., **192-193**, 193–196. arXiv:0902.4010 [hep-th].
- [787] Vilenkin, A. 1979. *Macroscopic Parity Violating Effects: Neutrino Fluxes from Rotating Black Holes and in Rotating Thermal Radiation*. Phys. Rev., **D20**, 1807–1812.
- [788] Vilenkin, A. 1980a. *Equilibrium Parity Violating Current in a Magnetic Field*. Phys. Rev., **D22**, 3080–3084.
- [789] Vilenkin, A. 1980b. *Quantum Field Theory at Finite Temperature in a Rotating System*. Phys. Rev., **D21**, 2260–2269.
- [790] Vitev, Ivan, and Zhang, Ben-Wei. 2010. *Jet tomography of high-energy nucleus-nucleus collisions at next-to-leading order*. Phys. Rev. Lett., **104**, 132001. arXiv:0910.1090 [hep-ph].
- [791] Volovik, G. E., and Vilenkin, A. 2000. *Macroscopic parity violating effects and He-3-A*. Phys. Rev., **D62**, 025014. arXiv:hep-ph/9905460 [hep-ph].
- [792] Volovik, Grigory E. 2003. *The Universe in a Helium Droplet*. Oxford University Press.
- [793] Wald, Robert M. 1984. *General Relativity*. University of Chicago Press.
- [794] Wang, Wen-Fu. 2001. *An exact solution with exit in the new inflationary universe model*. Chin. Phys. Lett., **18**, 997–999.
- [795] Wang, Xin-Nian, and Guo, Xiao-Feng. 2001. *Multiple parton scattering in nuclei: Parton energy loss*. Nucl. Phys., **A696**, 788–832. arXiv:hep-ph/0102230.
- [796] Wicks, Simon, Horowitz, William, Djordjevic, Magdalena, and Gyulassy, Miklos. 2007. *Elastic, Inelastic, and Path Length Fluctuations in Jet Tomography*. Nucl. Phys., **A784**, 426–442. arXiv:nucl-th/0512076.

- [797] Wiedemann, Urs Achim. 2000a. *Gluon radiation off hard quarks in a nuclear environment: Opacity expansion*. Nucl. Phys., **B588**, 303–344. arXiv:hep-ph/0005129.
- [798] Wiedemann, Urs Achim. 2000b. *Transverse dynamics of hard partons in nuclear media and the QCD dipole*. Nucl. Phys., **B582**, 409–450. arXiv:hep-ph/0003021.
- [799] Wiedemann, Urs Achim. 2009. *Jet Quenching in Heavy Ion Collisions*. arXiv:0908.2306 [hep-ph].
- [800] Wilson, Kenneth G. 1974. *Confinement of Quarks*. Phys. Rev., **D10**, 2445–2459.
- [801] Witten, Edward. 1979. *Baryons in the 1/N Expansion*. Nucl. Phys., **B160**, 57.
- [802] Witten, Edward. 1996. *Bound states of strings and p-branes*. Nucl. Phys., **B460**, 335–350. arXiv:hep-th/9510135.
- [803] Witten, Edward. 1998a. *Anti-de Sitter space and holography*. Adv. Theor. Math. Phys., **2**, 253–291. arXiv:hep-th/9802150.
- [804] Witten, Edward. 1998b. *Anti-de Sitter space, thermal phase transition, and confinement in gauge theories*. Adv. Theor. Math. Phys., **2**, 505–532. arXiv:hep-th/9803131.
- [805] Witten, Edward. 2001. *Multi-trace operators, boundary conditions, and AdS/CFT correspondence*. arXiv:hep-th/0112258.
- [806] Wong, Cheuk-Yin. 2005. *Heavy quarkonia in quark gluon plasma*. Phys. Rev., **C72**, 034906. arXiv:hep-ph/0408020.
- [807] Wu, Bin, and Romatschke, Paul. 2011. *Shock wave collisions in AdS₅: approximate numerical solutions*. Int. J. Mod. Phys., **C22**, 1317–1342. arXiv:1108.3715 [hep-th].
- [808] Xiao, Bo-Wen. 2008. *On the exact solution of the accelerating string in AdS₅ space*. Phys. Lett., **B665**, 173–177. arXiv:0804.1343 [hep-th].
- [809] Yamada, Daisuke. 2008. *Sakai-Sugimoto Model at High Density*. JHEP, **10**, 020. arXiv:0707.0101 [hep-th].
- [810] Yarom, Amos. 2007a. *On the energy deposited by a quark moving in an $\mathcal{N} = 4$ SYM plasma*. Phys. Rev., **D75**, 105023. arXiv:hep-th/0703095.
- [811] Yarom, Amos. 2007b. *The high momentum behavior of a quark wake*. Phys. Rev., **D75**, 125010. arXiv:hep-th/0702164.
- [812] York, Mark Abraao, and Moore, Guy D. 2009. *Second order hydrodynamic coefficients from kinetic theory*. Phys. Rev., **D79**, 054011. arXiv:0811.0729 [hep-ph].
- [813] Young, Clint, and Dusling, Kevin. 2010. *Quarkonium above deconfinement as an open quantum system*. arXiv:1001.0935 [nucl-th].
- [814] Young, Clint, and Shuryak, Edward. 2009. *Charmonium in strongly coupled quark-gluon plasma*. Phys. Rev., **C79**, 034907. arXiv:0803.2866 [nucl-th].
- [815] Young, Clint, Schenke, Bjorn, Jeon, Sangyong, and Gale, Charles. 2011a. *Dijet asymmetry at the energies available at the CERN Large Hadron Collider*. Phys. Rev., **C84**, 024907. arXiv:1103.5769 [nucl-th].
- [816] Young, Clint, Jeon, Sangyong, Gale, Charles, and Schenke, Bjoern. 2011b. *Monte-Carlo simulation of jets in heavy ion collisions*. arXiv:1109.5992 [hep-ph].
- [817] Zakharov, B. G. 1997. *Radiative energy loss of high energy quarks in finite-size nuclear matter and quark-gluon plasma*. JETP Lett., **65**, 615–620. arXiv:hep-ph/9704255.
- [818] Zapp, Korinna, Ingelman, Gunnar, Rathsman, Johan, Stachel, Johanna, and Wiedemann, Urs Achim. 2009. *A Monte Carlo Model for 'Jet Quenching'*. Eur. Phys. J., **C60**, 617–632. arXiv:0804.3568 [hep-ph].

- [819] Zapp, Korinna C., Krauss, Frank, and Wiedemann, Urs A. 2013. *A perturbative framework for jet quenching*. JHEP, **1303**, 080. arXiv:1212.1599 [hep-ph].
- [820] Zapp, Korinna Christine, Stachel, Johanna, and Wiedemann, Urs Achim. 2011. *A local Monte Carlo framework for coherent QCD parton energy loss*. JHEP, **1107**, 118. arXiv:1103.6252 [hep-ph].
- [821] Zhang, Hanzhong, Owens, J. F., Wang, Enke, and Wang, Xin-Nian. 2007. *Dihadron Tomography of High-Energy Nuclear Collisions in NLO pQCD*. Phys. Rev. Lett., **98**, 212301. arXiv:nucl-th/0701045.
- [822] Zhang, Xilin, and Liao, Jinfeng. 2012. *Event-by-event azimuthal anisotropy of jet quenching in relativistic heavy ion collisions*. arXiv:1210.1245 [nucl-th].
- [823] Zwiebach, Barton. 2004. *A first course in string theory*. Cambridge University Press.