
The Journal of Applied Bacteriology

edited for the Society
for Applied Bacteriology
by F. A. Skinner
and G. Sykes

Subscription
Volume 35, 1972
UK £10.75
overseas £12.25;
including postage

Publication
March, June,
September, December

Contents of Vol. 35, No. 2, include:

Some environmental consequences of the use of antibiotics: or 'what goes up must come down'. Spore formation and germination of *Clostridium perfringens* in the digestive tract of holoxenic and axenic mice. Nucleic acid and protein synthesis in reconstituted lyophilized *Escherichia coli* exposed to air. Effect of glutaraldehyde on the outer layers of *Escherichia coli*. Growth and cellulase formation by *Cellvibrio fulvus*. Electronmicroscopic observations on the degradation of cellulose fibres by *Cellvibrio fulvus* and *Sporocytophaga myxococcoides*. The semi large-scale production, extraction, purification and properties of an antibiotic produced by *Pseudomonas fluorescens* strain 175. The semi large-scale production, extraction, purification and properties of an antibiotic produced by *Bacillus licheniformis* strain 2725. Mathematical-ecological aspects of the examination enterobacteriaceae of foods processed for safety. Some properties of the nonsporing anaerobes from poultry caeca. Bacteriological studies on bulk milk collection: pipeline milking plants and bulk milk tanks as sources of bacterial contamination of milk - a review. Production of flavour-enhancing materials by streptomycetes: strain improvement and fermentation. Biological control of crown gall: field measurements and glasshouse experiments. Effects of plasticizers and plastic coatings on fungal attack of cotton yarn. Separation of colicins by polyacrylamide gel electrophoresis.

Academic Press
London and New York

24-28 Oval Road, London NW1, England
111 Fifth Avenue, New York, NY 10003, USA



JOURNAL OF DAIRY RESEARCH

EDITED BY

H. BURTON, D.Sc., C.Eng., M.I.E.E.
National Institute for Research in Dairying,
Shinfield, Reading, Berkshire

J. A. B. SMITH, C.B.E., Ph.D., D.Sc.
Hannah Dairy Research Institute, Ayr, Scotland

ASSISTED BY

DR A. T. ANDREWS (Reading)
DR T. E. BARMAN (Reading)
DR N. J. BERRIDGE (Reading)
MR B. F. BONE (Reading)
DR G. C. CHEESEMAN (Reading)
DR D. A. CORSE (Reading)
DR D. T. DAVIES (Ayr)
DR F. H. DODD (Reading)
DR E. W. EVANS (Reading)
DR J. E. FORD (Reading)
DR F. H. GRIMBLEBY (Reading)
DR L. I. IRONS (Harrogate)
DR R. L. J. LYSTER (Reading)
DR W. A. MCGILLIVRAY (New Zealand)
DR L. W. PHIPPS (Reading)
DR R. H. SMITH (Reading)
DR W. E. STORRY (Reading)
DR J. D. SUTTON (Reading)
DR C. C. THIEL (Reading)
DR R. WAITE (Ayr)
DR J. V. WHEELLOCK (Bradford)
DR J. C. D. WHITE (Ayr)

VOLUME 39, 1972

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1
American Branch: 32 East 57th Street, New York, N.Y. 10022

Secretary

J. C. F. COLES

Editorial Assistant

MRS DOROTHY SKIDMORE

Printed in Great Britain at the University Printing House, Cambridge

Contents

No. 1 (February 1972)

	PAGE
Bovine milk protease. J. R. DULLEY	1
Nature of ceramide in bovine milk. Y. FUJINO and T. FUJISHIMA	11
Effect of varying enzyme concentration on the action of rennin on whole milk A. V. CASTLE and J. V. WHEELLOCK	15
The role of the primary phase of rennin action in the coagulation of cow's milk. J. V. WHEELLOCK and J. P. PENNEY	23
Seasonal variations in the total nitrogen, non-protein nitrogen and urea nitrogen contents of Friesian and Jersey milk. A. K. R. McDOWELL	27
Volatile compounds in butter oil. II. Flavour and flavour thresholds of lactones, fatty acids, phenols, indole and skatole in deodorized synthetic butter. G. URBACH, W. STARK and D. A. FORSS	35
A procedure for the partial fractionation of the α -casein complex. P. F. FOX and J. GUINEY	49
On the mechanism of milk clotting by rennin. M. L. GREEN	55
Influence of temperature and composition on some physical properties of milk and milk concentrates. I. Heat capacity. F. FERNÁNDEZ-MARTÍN	65
Influence of temperature and composition on some physical properties of milk and milk concentrates. II. Viscosity. F. FERNÁNDEZ-MARTÍN	75
Determination of alkaline phosphatase activity in cheese using phenolphthalein monophosphate as substrate. C. G. RAMMELL and M. M. JOERIN	83
Determination of nitrite in cheese and other dairy products. C. G. RAMMELL and M. M. JOERIN	89
The effect of ageing cooled milk on the composition of the fat globule mem- brane. M. ANDERSON, G. C. CHEESEMAN, D. J. KNIGHT and W. F. SHIPE	95
A note on the influence of stage of lactation on the response in the lactose con- tent of milk to a change of plane of energy nutrition in the cow. R. R. DAWSON and J. A. F. ROOK	107
The susceptibility of milked and un milked udder quarters to intra-mammary infection. C. L. THOMAS, F. K. NEAVE, F. H. DODD and T. M. HIGGS	113
Growth studies on the lactic streptococci. I. A laboratory apparatus suitable for fermentation studies using skim-milk medium. A. R. KEEN	133
Growth studies on the lactic streptococci. II. The effect of agitation on the growth characteristics of <i>Streptococcus lactis</i> ML ₈ in batch culture. A. R. KEEN	141

	PAGE
Growth studies on the lactic streptococci. III. Observations on continuous growth behaviour in reconstituted skim-milk. A. R. KEEN	151
Growth studies on the lactic streptococci. IV. Some observations on redox potential. A. R. KEEN	161
Metabolism of cod-liver oil in relation to milk fat secretion, P. E. BRUMBY, J. E. STORRY and J. D. SUTTON	167

No. 2 (June 1972)

Changes throughout lactation in the amount of deposit formation from milk of individual cows. H. BURTON	183
The alkali-induced elimination of phosphate from β -casein. W. MANSON and T. CAROLAN	189
Measurement of the protein content of milk from mastitic quarters by the Amido Black method. R. WAITE and G. M. SMITH	195
Formaldehyde-treated casein-safflower oil supplement for dairy cows. I. Effect on milk composition. Y. S. PAN, L. J. COOK and T. W. SCOTT	203
Formaldehyde-treated casein-safflower oil supplement for dairy cows. II. Effect on the fatty-acid composition of plasma and milk lipids. L. J. COOK, T. W. SCOTT and Y. S. PAN	211
Changes in proteins of Domiati cheese during pickling. M. H. ABD EL-SALAM and SAFINAZ EL-SHIBINY	219
A note on the growth of some micro-organisms in stored bovine colostrum. G. H. PALMER and A. J. MUDD	227
Flavour defects in edible casein and skim-milk powder. The role of Maillard browning. N. J. WALKER	231
Metabolism of [^{14}C]-L-threonine and [^{14}C]-L-phenylalanine by the isolated perfused udder. R. VERBEKE, E. ROETS, A.-M. MASSART-LEËN and G. PEETERS	239
A comparison of various methods for the estimation of solids-not-fat in milk and whey. A. K. R. McDOWELL	251
Assessment of swine, bovine and chicken pepsins as rennet substitutes for Cheddar cheese-making. M. L. GREEN	261
The temperature coefficient of electrolytic conductivity of milk. J. H. PRENTICE	275
Reviews of the progress of dairy science. Section C. Chemistry of milk proteins. R. L. J. LYSTER	279

No. 3 (October 1972)

	PAGE
Application of differential scanning calorimetry to butter. J. W. SHERBON and R. M. DOLBY	319
The melting properties of milk fat fractions obtained by double fractionation using a commercial process. J. W. SHERBON, R. M. DOLBY and R. W. RUSSELL	325
Cheese-making with a vegetable rennet from Cardo (<i>Cynara cardunculus</i>). F. VIEIRA DE SÁ and M. BARBOSA	335
The status of casein micelles in chilled milk from the buffalo and the cow. PERSHOTAM KUMAR SABARWAL and N. C. GANGULI	345
Variations in the concentrations of free amino acids in the plasma of the dairy cow at parturition. R. VERBEKE, E. ROETS and G. PEETERS	355
Adsorption of casein components by halloysite and kaolinite. O. E. MILLS and L. K. CREAMER	365
Effect of polymorphic composition of calcium caseinate sols on their stability to rennin. A. M. EL-NEGOMY	373
The composition of milk of British Alpine and Anglo-Nubian goats imported into Trinidad. C. DEVENDRA	381
Casein micelle structure: location of κ -casein. P. F. FOX and P. A. MORRISSEY	387
Properties of aseptically packed ultra-high-temperature milk. II. Molecular weight changes of the casein components during storage. A. T. ANDREWS and G. C. CHEESEMAN	395
Location of proteins within the milk fat globule membrane. M. ANDERSON, G. C. CHEESEMAN and D. J. KNIGHT	409
Factors affecting the action of rennin in heated milk. G. A. WILSON and J. V. WHEELLOCK	413
Efficiency of utilization of energy and nitrogen for milk secretion by buffaloes fed various levels of concentrates. K. S. SHUKLA, S. K. RANJHAN and S. P. NETKE	421

Index of Subjects

- Amino acids**, blood plasma, parturition, 355
metabolism, perfused mammary gland, 239
- Blood**, amino acids, parturition, 355
fatty acids, feeding concentrates containing formaldehyde-treated casein-safflower oil, 211
- Buffalo(es)**, milk, chilled, casein micelles, status, 345
nutrient utilization, milk yield, 421
- Butter**, differential scanning calorimetry, 319
flavour, identification of volatile compounds, 35
- Butter oil**, *see* Dry butterfat
- Butterfat**, *see* Milk fat
- Calving**, amino acids, plasma, 355
- Cardo** (*Cynara cardunculus*), milk-clotting enzyme, cheesemaking, 335
- Casein**, adsorption by halloysite, kaolinite, 365
chemistry (review), 279
micelles, chilled milk, physico-, bio-chemical status, 345
structure, κ -casein, location, 387
molecular weight, changes, UHT sterilized milk, stored, 395
polymorphic composition, rennin stability, 373
stored, flavour defects, Maillard browning, 231
- α -Casein, complex, fractionation, milk, 49
- β -Casein, alkaline dephosphorylation, 189
- κ -Casein, location, casein micelle, 387
- Ceramide**, constitution, milk, 11
- Cheddar cheese**, production, rennet substitutes, 261
- Cheese**, *see also* Domiati cheese
alkaline phosphatase activity, 83
nitrite content, 89
- Cheesemaking**, rennet substitutes, 261
vegetable rennet from Cardo, 335
- Cod-liver oil**, supplement, milk fat secretion, 167
- Colostrum**, stored, microflora, changes, 227
- Concentrates**, containing, cod-liver oil, milk fat secretion, 167
formaldehyde-treated casein-safflower oil, fatty-acid composition, plasma, milk fat, 211
milk composition, 203
various levels, fed buffaloes, milk yield, 421
- Conductivity**, electrolytic, milk, temperature coefficient, 275
- Disease**, *see* Mastitis
- Domiati cheese**, pickling, protein changes, 219
- Dried skim-milk**, stored, flavour defects, Maillard browning, 231
- Dry butterfat**, identification of volatile compounds, 35
- Energy intake**, milk yield, buffaloes, 421
- Enzymes**, *see* Cardo, Pepsins, Phosphatase, Protease, Rennet, Rennin
- Fatty acids**, blood, feeding concentrates containing formaldehyde-treated casein-safflower oil, 211
components, ceramide, milk, 11
milk fat, feeding concentrates containing formaldehyde-treated casein-safflower oil, 211
- Flavour**, butter, identification of volatile compounds, 35
defects, casein, skim-milk powder, stored, 231
- Formaldehyde-treated casein-safflower oil**, in concentrates, fatty-acid composition, plasma, milk fat, 211
milk composition, 203
- Goats**, milk, composition, Trinidad, 381
- Halloysite**, kaolinite, casein adsorption, 365
- Heat treatment**, *see also* Sterilization
milk, rennin, action, 413
- Immunoglobulins**, chemistry (review), 279
- α -Lactalbumin, chemistry (review), 279
- Lactation**, stage, lactose content, milk, energy nutrition changes, 107
milk deposits, 183
- Lactoferrin**, chemistry (review), 279
- β -Lactoglobulin, chemistry (review), 279
- Lactose**, content, milk, lactation stage, energy nutrition changes, 107
- Maillard browning**, flavour defects, casein, skim-milk powder, stored, 231
- Mammary gland**, *see also* Udder
perfused, amino-acid metabolism, 239
- Mastitis**, Amido Black protein values, 195
- Micro-organisms**, *see also* Staphylococci, Streptococci
changes, colostrum, stored, 227
- Milk**, action of rennin, concentration dependent, 15
mechanism, 55
primary phase, coagulation time, 23
ageing, milk fat globule membrane, chemical composition, 95
chilled, casein micelles, physico-, bio-chemical status, 345
electrolytic conductivity, temperature coefficient, 275
heat capacity, effect of temperature, composition, 65
UHT sterilization, changes, storage, 395
viscosity, effect of temperature, composition, 75

- Milk composition**, ceramide, constitution, 11
 feeding concentrates containing formaldehyde-treated casein-safflower oil, 203
 heat capacity, milk, 65
 in Trinidad, goats, 381
 lactation stage, energy nutrition changes, 107
 protease, purification, properties, 1
 solids-not-fat, estimation, 251
 total N, non-protein N, urea N, seasonal variations, 27
 UHT sterilized, stored, 395
 viscosity, milk, 75
- Milk deposits**, throughout lactation, 183
- Milk fat**, fatty acids, milk, feeding concentrates containing formaldehyde-treated casein-safflower oil, 211
 fractions, melting properties, 325
 globules, membrane, chemical composition, ageing milk, 95
 proteins, location, 409
 secretion, supplement, cod-liver oil, 167
- Milk proteins**, changes, Domiati cheese, pickling, 219
 chemistry (review), 279
 measurement, Amido Black method, mastitis, 195
 milk fat globule membrane, 409
- Milk solids**, *see* **Solids-not-fat**
- Milk yield**, buffaloes, fed various levels of concentrates, 421
- Milking**, udder infection, 113
- Nitrite**, content, cheese, 89
- Nitrogen**, content, milk, seasonal variations, 27
- Nutrition**, changes, lactation stage, lactose content, milk, 107
- Pepsins**, swine, bovine, chicken, rennet substitutes, cheesemaking, 261
- Phosphatase**, activity, cheese, 83
- Pickled cheese**, protein changes, 219
- Protease**, milk, purification, properties, 1
- Rennet**, substitutes, from Cardo, 335
 swine, bovine, chicken pepsins, 261
- Rennin**, action, calcium caseinate, polymorphic composition, 373
 milk, concentration dependent, 15
 heated, 413
 mechanism, 55
 primary phase, coagulation time, 23
- Season**, nitrogen content, milk, 27
- Skim-milk powder**, *see* **Dried skim milk**
- Solids-not-fat**, estimation, milk, whey, 251
- Staphylococci**, infection, udder, milked, un-milked, 113
- Sterilization**, UHT, milk, changes after storage, 395
- Storage**, casein, skim-milk powder, flavour defects, 231
 colostrum, microflora, changes, 227
 milk, UHT sterilized, changes, 395
- Streptococci**, infection, udder, milked, un-milked, 113
 lactic, growth studies, apparatus, 133
 continuous growth, 151
 medium, effect of agitation, 141
 redox potential, 161
- Temperature**, electrolytic conductivity, milk, 275
 heat capacity, milk, 65
 viscosity, milk, 75
- Transferrin**, chemistry (review), 279
- Trinidad**, goats milk, composition, 381
- Udder**, *see also* **Mammary gland**
 infection, effect of milking, 113
- Whey**, solids-not-fat, estimation, 251

Index of Authors

- ANDERSON, M., 95, 409
 ANDREWS, A. T., 395
- BARBOSA, MANUELA, 335
 BRUMBY, P. E., 167
 BURTON, H., 183
- CAROLAN, T., 189
 CASTLE, A. V., 15
 CHEESEMAN, G. C., 95, 395, 409
 COOK, L. J., 203, 211
 CREAMER, L. K., 365
- DAWSON, R. R., 107
 DEVENDRA, C., 381
 DODD, F. H., 113
 DOLBY, R. M., 319, 325
 DULLEY, J. R., 1
- EL-NEGOUY, A. M., 373
 EL-SALAM, M. H. ABD, 219
 EL-SHIBINY, SAFINAZ, 219
- FERNÁNDEZ-MARTÍN, F., 65, 75
 FORSS, D. A., 35
 FOX, P. F., 49, 387
 FUJINO, Y., 11
 FUJISHIMA, T., 11
- GANGULI, N. C., 345
 GREEN, MARGARET L., 55, 261
 GUINEY, J., 49
- HIGGS, T. M., 113
- JOERIN, M. M., 83, 89
- KEEN, A. R., 133, 141, 151, 161
 KNIGHT, DOROTHY J., 95, 409
- LYSTER, R. L. J., 279
- McDOWELL, A. K. R., 27, 251
 MANSON, W., 189
 MASSART-LEËN, ANNE-MARIE, 239
 MILLS, O. E., 365
 MORRISSEY, P. A., 387
 MUDD, A. J., 227
- NEAVE, F. K., 113
 NETKE, S. P., 421
- PALMER, G. H., 227
 PAN, Y. S., 203, 211
 PEETERS, G., 239, 355
 PENNEY, J. P., 23
 PRENTICE, J. H., 275
- RAMMELL, C. G., 83, 89
 RANJHAN, S. K., 421
 ROETS, E., 239, 355
 ROOK, J. A. F., 107
 RUSSELL, R. W., 325
- SABARWAL, P. K., 345
 SCOTT, T. W., 203, 211
 SHERBON, J. W., 319, 325
 SHIPE, W. F., 95
 SHUKLA, K. S., 421
 SMITH, G. M., 195
 STARK, W., 35
 STORRY, J. E., 167
 SUTTON, J. D., 167
- THOMAS, CAROL L., 113
- URBACH, GERDA, 35
- VERBEKE, R., 239, 355
 VIEIRA DE SÁ, F., 335
- WAITE, R., 195
 WALKER, N. J., 231
 WHEELLOCK, J. V., 15, 23, 413
 WILSON, G. A., 413

DIRECTIONS TO CONTRIBUTORS

GENERAL

Papers submitted for publication should be sent to Dr H. Burton (*The Journal of Dairy Research*), National Institute for Research in Dairying, Shinfield, Reading, RG2 9AT, England. Submission of a paper will be held to imply that it reports unpublished original work, that it is not under consideration for publication elsewhere, and that if accepted for the *Journal* it will not be published elsewhere in English or in any other language, without the consent of the Editors.

FORM OF PAPERS

The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author who, in his own interests, should follow these directions carefully, and consult a current issue of the *Journal* for guidance on details of typographical and other conventions.

Every paper should be headed with its title, the names and initials of the authors (women supplying one given name) and the name and address of the laboratory where the work was done.

Papers should be in English, the spelling being that of the *Shorter Oxford English Dictionary*. They should be typed with double spacing, on one side only of the sheets, and with ample margins for editorial annotations.

Papers should in general be divided into the following parts in the order indicated: (a) Summary, brief and self-contained; (b) Introductory paragraphs, briefly explaining the object of the work but without giving an extensive account of the literature; (c) Experimental or Methods; (d) Results; (e) Discussion and Conclusions; (f) Acknowledgements without a heading; (g) References. Only with some exceptional types of material will headings different from (c), (d) and (e) be necessary.

The use of footnotes should be avoided if possible. Underlining should be used only to indicate italics. Proper nouns, including trade names, should be given a capital initial letter. Wherever possible numerals should be used unless this leads to ambiguity. The typescript should carry the name and address of the person to whom the proofs are to be sent, and give a shortened version of the paper's title, not exceeding 45 letters and spaces, suitable for a running title in the *Journal*.

TABLES

Tables should be numbered and should carry headings describing their content. They should be comprehensible without reference to the text. They should be typed on separate sheets and their approximate positions in the text indicated.

ILLUSTRATIONS

Line drawings, which must be originals, should be numbered as Figures and photographs as Plates, in Arabic numerals. Drawings should be in Indian ink, on Bristol board or cartridge paper. However, a technique which may be more convenient to authors is to use a double-sized piece of tracing paper, or translucent graph paper faintly lined in blue or grey, folded down the centre with the drawing on one half and the other half acting as a flyleaf.

Attached to every figure and plate there should be a translucent flyleaf cover on the outside of which should

be written legibly: (a) title of paper and name of author; (b) figure or plate number and explanatory legend; (c) the figures and lettering, which are intended to appear on the finished block, in the correct positions relative to the drawing underneath. For each paper there should be also a separate typed sheet listing figure and plate numbers with their legends, and the approximate positions of illustrations should be indicated in the text.

As a rule the photographs and diagrams should be about twice the size of the finished block and not larger over-all than the sheets on which the paper itself is typed. For general guidance in preparing diagrams, it is suggested that for a figure measuring 250 mm × 150 mm all lines, axes and curves should have a thickness of 0.4 mm, thus . Graph symbols in order of preference are ○ ●, △ ▲, □ ■, × +, and for a 250 mm × 150 mm graph the circles should be 3 mm in diam. The triangles should be equilateral of 3 mm side, and the squares also of 3 mm side. The crosses should have lines 3 mm long at right angles. Scale marks on the axes should be on the inner side of each axis and should be 3 mm long.

REFERENCES

In the text, references should be quoted by whichever of the following ways is appropriate: Arnold & Barnard (1900); Arnold & Barnard (1900a); Arnold & Barnard (1900a, b); (Arnold & Barnard, 1900). Give all the surnames of 3 authors at the first mention, but in subsequent citations and in all cases where there are more than 3 authors give only the first surname (e.g. Brown *et al.*) provided that there is no possible ambiguity. Reference to anonymous sources is not acceptable.

References should be listed alphabetically at the end of the paper, titles of journals being abbreviated as in the *World List of Scientific Periodicals*, 4th ed. Authors' initials should be included, and each reference should be punctuated in the typescript thus: Arnold, T. B., Barnard, R. N. & Compound, P. J. (1900). *J. Dairy Res.* 18, 158. References to books should include names of authors, names of editors, year of publication, title, town of publication and name of publisher in that order, thus: Arnold, T. B. (1900). *Dairying*. London: Brown and Chester.

It is the duty of the author to check all references and to ensure that the correct abbreviations are used.

SYMBOLS AND ABBREVIATIONS

The symbols and abbreviations used are those of British Standard 1991: Part 1: 1967. *Letter Symbols, Signs and Abbreviations*.

DESCRIPTIONS OF SOLUTIONS

Normality and molarity should be indicated thus: N-HCl, 0.1 M-NaH₂PO₄. The term '%' means g/100 g solution. For ml/100 ml solution the term '% (v/v)' should be used and for g/100 ml solution the correct abbreviation is '% (w/v)'.

REPRINTS

Order forms giving quotations for reprints are sent to authors with their proofs.

CONTENTS

Application of differential scanning calorimetry to butter J. W. SHERBON and R. M. DOLBY	pages 319–324
The melting properties of milk fat fractions obtained by double fractionation using a commercial process J. W. SHERBON, R. M. DOLBY and R. W. RUSSELL	325–333
Cheese-making with a vegetable rennet from Cardo (<i>Cynara cardunculus</i>) F. VIEIRA DE SÁ and M. BARBOSA	335–343
The status of casein micelles in chilled milk from the buffalo and the cow PERSHOTAM KUMAR SABARWAL and N. C. GANGULI	345–354
Variations in the concentrations of free amino acids in the plasma of the dairy cow at parturition R. VERBEKE, E. ROETS and G. PEETERS	355–364
Adsorption of casein components by halloysite and kaolinite O. E. MILLS and L. K. CREAMER	365–372
Effect of polymorphic composition of calcium caseinate sols on their stability to rennin A. M. EL-NEGOUMY	373–379
The composition of milk of British Alpine and Anglo-Nubian goats imported into Trinidad C. DEVENDRA	381–385
Casein micelle structure: location of κ -casein P. F. FOX and P. A. MORRISSEY	387–394
Properties of aseptically packed ultra-high-temperature milk. II. Molecular weight changes of the casein components during storage A. T. ANDREWS and G. C. CHEESEMAN	395–408
Location of proteins within the milk fat globule membrane M. ANDERSON, G. C. CHEESEMAN and D. J. KNIGHT	409–411
Factors affecting the action of rennin in heated milk G. A. WILSON and J. V. WHEELOCK	413–419
Efficiency of utilization of energy and nitrogen for milk secretion by buffaloes fed various levels of concentrates K. S. SHUKLA, S. K. RANJHAN and S. P. NETKE	421–428

© Proprietors of *The Journal of Dairy Research*. 1972

Printed in Great Britain at the University Printing House, Cambridge