

Ergodic theory and dynamical systems


EDITORS

John Franks Hillel Furstenberg Anthony Manning William Parry

EDITORIAL BOARD

- | | |
|---|--|
| R L Adler (Thomas J Watson
Research Center, Yorktown
Heights) | M Misiurewicz (Warsaw University) |
| L A Bunimovich (P P Shirshov
Inst of Oceanology, Moscow) | J Moser (ETH, Zurich) |
| A Connes (IHES) | S E Newhouse (University of North
Carolina) |
| M Gromov (IHES) | Ya B Pesin (Pennsylvania State
University) |
| M R Herman (Ecole Polytechnique,
Palaiseau) | S M Rees (University of
Liverpool) |
| A B Katok (Pennsylvania State
University) | D J Rudolph (University of
Maryland) |
| M Keane (Technische Hogeschool
Delft) | D Ruelle (IHES) |
| U Krengel (University of Gottingen) | K Schmidt (University of Warwick) |
| R Mañé (IMPA) | J P Thouvenot (University of Paris 6) |
| G A Margulis (USSR Acad of
Sciences) | W A Veech (Rice University) |
| J N Mather (Princeton University) | P Walters (University of Warwick) |
| | R F Williams (University of Texas,
Austin) |

VOLUME 10
1990



CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011-4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1990

Printed in Great Britain by J W Arrowsmith Ltd, Bristol

Contents

PART 1 MARCH 1990

Trees and amenable equivalence relations <i>S Adams</i>	1
Monotone recurrence relations, their Birkhoff orbits and topological entropy <i>S B Angenent</i>	15
Convergence for moving averages <i>A Bellow, R Jones and J Rosenblatt</i>	43
Quasi-transversal saddle-node bifurcation on surfaces <i>J Beloqui and M J Pacifico</i>	63
Regular isomorphism of Markov chains is almost topological <i>M Boyle and S Tuncel</i>	89
Suspensions of topological transformation groups <i>D B Ellis</i>	101
Stability of m -equivalence to the weak Pinsker property <i>A Fieldsteel and D J Rudolph</i>	119
Attractors in cellular automata <i>M Hurley</i>	131
On the almost everywhere convergence of the ergodic averages <i>F J Martín-Reyes and A De La Torre</i>	141
The growth rate of trajectories of a quadratic differential <i>H Masur</i>	151
An explosion point for the set of endpoints of the Julia set of $\lambda \exp(z)$ <i>J C Mayer</i>	177
Generic bifurcations of the twist coefficient <i>R Moeckel</i>	185
On the topological stable rank of certain transformation group C^* -algebras <i>I F Putnam</i>	197

PART 2 JUNE 1990

Invariant curves around a parabolic fixed point at infinity <i>D Aharonov and U Elias</i>	209
Parabolic fixed points, invariant curves and action-angle variables <i>D Aharonov and U Elias</i>	231
Marker automorphisms of the one-sided d -shift <i>J Ashley</i>	247
Minimal geodesics <i>V Bangert</i>	263
Homotopical stability of pseudo-Anosov diffeomorphisms <i>A Fathi</i>	287
The splitting of separatrices for analytic diffeomorphisms <i>E Fontich and C Simó</i>	295
Invariant manifolds for near identity differentiable maps and splitting of separatrices <i>E Fontich and C Simó</i>	319
Meromorphic extension of the zeta function for AXIOM A flows <i>N T A Haydn</i>	347
Approximations of continuous functions by squares <i>P D Humke and M Laczkovich</i>	361

Approximate solutions of cohomological equations associated with some Anosov flows <i>S Katok</i>	367
An algorithm for sofic shift equivalence <i>K H Kim and F W Roush</i>	381
$\times 2$ and $\times 3$ invariant measures and entropy <i>D J Rudolph</i>	395
Book Review	407

PART 3 SEPTEMBER 1990

Minimal convergence on L^p spaces <i>I Assani</i>	411
Automorphisms of one-sided subshifts of finite type <i>M Boyle, J Franks and B Kitchens</i>	421
Connecting ergodicity and dimension in dynamical systems <i>C D Cutler</i>	451
A topological version of a theorem of Veech and almost simple flows <i>E Glasner</i>	463
Produits de matrices aléatoires et applications aux propriétés géométriques des sous-groupes du group linéaire <i>Y Guivarc'h</i>	483
Un théorème de disjonction de systèmes dynamiques et une généralisation du théorème ergodique de Wiener-Wintner <i>E Lesigne</i>	513
The number of limit cycles of polynomial deformations of a Hamiltonian vector field <i>P Mardešić</i>	523
On Cherry flows <i>M. Martens, S Van Strien, W De Melo and P Mendes</i>	531
Open index pairs, the fixed point index and rationality of zeta functions <i>M Mrozek</i>	555
The C^* -algebras of Morse-Smale flows on two-manifolds <i>X Wang</i>	565
Differentiability with respect to parameters of average values in probabilistic contracting dynamical systems <i>W D Withers</i>	599
Book Review	611

PART 4 DECEMBER 1990

Bounded-to-1 factors of an almost aperiodic shift of finite type are 1-to-1 almost everywhere factors also <i>J Ashley</i>	615
The box and Hausdorff dimension of self-affine sets <i>T Bedford and M Urbanski</i>	627
Maximal absolutely continuous invariant measures for piecewise linear Markov transformations <i>W Byers, P Gora and A Boyarsky</i>	645
Anosov flows with smooth foliations and rigidity of geodesic flows on three-dimensional manifolds of negative curvature <i>R Feres and A Katok</i>	657

Ergodic aspects of cellular automata	<i>M Hurley</i>	671
Bernoulli shifts of the same entropy are finitarily and unilaterally isomorphic	<i>A del Junco</i>	687
Exponents, attractors and Hopf decompositions for interval maps	<i>G Keller</i>	717
A map with topological minimal self-joinings in the sense of del Junco	<i>J L King</i>	745
Compact subgroups in the centralizer of natural factors of an ergodic group extension of a rotation determine all factors	<i>M Lemanczyk and M K Mentzen</i>	763
KAM theory for particles in periodic potentials	<i>M Levi</i>	777
Correction to 'Equivariant spectral composition for flows with a \mathbb{Z} -action'	<i>L Mosher</i>	787
Lorenz attractors through Sil'nikov-type bifurcation. Part I	<i>M R. Rychlik</i>	793
The entropy of polynomial diffeomorphisms of C^2	<i>J Smillie</i>	823
Index to Volume 10		829
Index to Volumes 1-10		831

INSTRUCTIONS TO AUTHORS

1 *Submission of typescripts*

Two copies of the manuscript should be submitted to one of the four Executive Editors (addresses on outside front cover). The editor will acknowledge receipt of the manuscripts. **It is important that authors inform the editor of any changes of address** whilst their paper is under consideration.

2 *Typescript*

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. *A new proof of the ergodic theorem*, whereas *Some applications of a theorem of Birkhoff* would be useless).

3 *Notation*

It is important that mathematical expressions are clear to a printer (who is not a mathematician). For instance, n_k (n sub k) is common usage, but avoid if possible using c sub n sub k . Fractions are generally best expressed by a solidus. Complicated exponentials like

$$\exp \{z^2 \sin \theta / (1 + y^2)\}$$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as a , O , o , O , 0 , x , X , \times , ϕ , Φ , \emptyset , l , 1 , ε , ϵ , κ , k .

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \square may be used.

Footnotes should be avoided.

4 *Diagrams*

Figures and drawings should be on separate sheets in black ink. Photocopies are acceptable only if

they are as clear as the originals. *Symbols, legends and captions should be given on a transparent overlay*. Each text figure must be numbered as Figure 1, Figure 2, and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

A figure is expensive to reproduce and should be included only when the subject matter demands it, or when it greatly clarifies the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

5 *Tables*

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

6 *References*

References should be collected at the end of the paper numbered in alphabetical order of the authors' names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication,

[4] N Dunford & J T Schwartz *Linear Operators* Part I Wiley New York, 1958

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*.

[6] J E Littlewood The 'pits effect' for functions in the unit circle *J Analyse Math* 23 (1970), 236-268

7 *Proofs*

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. **It is important that proofs are corrected and returned promptly**.

8 *Reprints*

There are 100 reprints, free of charge, for each paper. For papers with several authors these reprints are divided between the authors. There are no page charges.

Ergodic theory and dynamical systems

VOLUME 10 PART 4 DECEMBER 1990

CONTENTS

<i>Ashley, J.</i> Bounded-to-1 factors of an almost aperiodic shift of finite type are 1-to-1 almost everywhere factors also	615
<i>Bedford, T. and Urbanski, M.</i> The box and Hausdorff dimension of self-affine sets	627
<i>Byers, W., Gora, P. and Boyarsky, A.</i> Maximal absolutely continuous invariant measures for piecewise linear Markov transformations	645
<i>Feres, R. and Katok, A.</i> Anosov flows with smooth foliations and rigidity of geodesic flows on three-dimensional manifolds of negative curvature	657
<i>Hurley, M.</i> Ergodic aspects of cellular automata	671
<i>del Junco, A.</i> Bernoulli shifts of the same entropy are finitarily and unilaterally isomorphic	687
<i>Keller, G.</i> Exponents, attractors and Hopf decompositions for interval maps	717
<i>King, J. L.</i> A map with topological minimal self-joinings in the sense of del Junco	745
<i>Lemanczyk, M. and Mentzen, M. K.</i> Compact subgroups in the centralizer of natural factors of an ergodic group extension of a rotation determine all factors	763
<i>Levi, M.</i> KAM theory for particles in periodic potentials	777
<i>Mosher, L.</i> Correction to 'Equivariant spectral composition for flows with a \mathbb{Z} -action'	787
<i>Rychlik, M. R.</i> Lorenz attractors through Sil'nikov-type bifurcation. Part I	793
<i>Smillie, J.</i> The entropy of polynomial diffeomorphisms of \mathbb{C}^2	823
Index to Volume 10	829
Index to Volumes 1-10	831

© Cambridge University Press 1990

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP

40 West 20th Street, New York, NY 10011, USA

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by J. W. Arrowsmith Ltd, Bristol