

Index

Page numbers in sloping type denote items treated in an insert.

- $\hat{\mathcal{A}}$ -genus, 215–218, 220
- A–D–E classification
 - of ALE spaces, 187, 289
 - of discrete $SU(2)$ subgroups, 289
 - of simply laced Lie algebras, 112
 - of singularities of K3, 386–390
- action
 - Born–Infeld, 134
 - Dirac–Born–Infeld, 135, 205
 - Einstein frame, bosonic, 61
 - Einstein–Hilbert, 5, 69, 234, 272, 410
 - Einstein–Hilbert–Maxwell, 224
 - Euclidean, for gravity, 410
 - for particle motion, 24
 - from boundary counterterms in AdS, 449–452
 - low energy effective, bosonic, 59
 - low energy effective, heterotic, 175–176
 - low energy effective, superstrings, 174–175
 - Maxwell, 7
 - Nambu–Goto, 27
 - of D-brane world-volume, 131–140, 198, 220
 - of Euclidean Reissner–Nordström, 416–417
 - of Euclidean Schwarzschild, 414–416
 - Polyakov, 29
 - string frame, bosonic, 59
 - σ -model, 58
- adjoint representation, 109
- affine connection
 - computed for Reissner–Nordström, 226
 - from derivatives of metric, 3
- affine coordinates, 379–390
 - for torus T^2 , 379–383
 - S^2 or \mathbb{CP}^1 example, 380
- amplitude
 - D-brane exchange of graviton and dilaton, 146–147
 - vacuum, cylinder, 142–144, 197–200, 324–333
 - vacuum, Klein bottle, 324–333
 - vacuum, Möbius strip, 148–150, 324–333
- annihilation operators
 - coherent states and, 152
 - in description of fermionic states, 159, 231
 - string modes as, 40
- anomalous dimensions, 481
- anomaly
 - conformal, 45, 170
 - conformal, and Virasoro central term, 45, 79
 - for K3 orientifolds, 341–344

- anomaly (*cont.*)
- gauge and gravitational, 160, 161, 341–344
 - Green–Schwarz mechanism, 165–169, 206, 220, 344
 - inflow mechanism, 219
 - miraculous cancellation, 164, 183–184, 342
 - polynomials, 161, 162
 - world-volume curvature couplings and, 206–220
- anti-de Sitter (AdS)
- AdS/CFT correspondence, 22, 243, 441–466
 - AdS/CFT correspondence and holography, 464–466
 - AdS/CFT correspondence dictionary, *see* dictionary
 - as a hyperbolic slice, 236
 - as solution of gauged supergravity, 445, 467–471
 - black holes in, 452–466
 - charged black hole and, 455–459
 - domain wall in, 469–471
 - extremal black branes and, 442
 - extremal black hole and, 233
 - Freund–Rubin ansatz and, 237–238, 445
 - holographic renormalisation group flow and, 467–471
 - in various coordinate systems, 235
 - local vs global coordinates, 235–237
 - antisymmetric tensor fields
 - as generalisations of photon, 12
 - coupling to branes, *see under p-form*
 - p-form*
 - in world-volume dynamics of M5-branes, 277–278
 - in world-volume dynamics of NS5-branes, 268–270
 - R–R sector, 163
 - asymptotic freedom, 84
 - asymptotically locally Euclidean (ALE) space, 187–191
 - A–D–E classification of, 187, 289
 - as Higgs branch, 285–289
 - D-brane probes of, 282–291
 - Eguchi–Hanson as, 187, 287
 - Euler characteristic, 189
 - Gibbons–Hawking metric and, 187, 287
 - hyper-Kähler property, 289
 - hyper-Kähler quotient and, 289–291
 - T-duality of, 295–296
 - topology of, 292–294
- Atiyah–Hitchin manifold
- as two-monopole moduli space, 364–366
 - hyper-Kähler property, 351, 365
 - O6-plane and, 351–352
 - relation to Taub–NUT, 364–366
- Atiyah–Hitchin–Drinfeld–Manin (ADHM) construction, 304, 307
- attractor mechanism, 429
- β -function
- of $\mathcal{N} = 1$, $D = 4$ Yang–Mills, 481
 - of $\mathcal{N} = 2$, $D = 4$ Yang–Mills, 393
 - of $\mathcal{N} = 4$, $D = 4$ Yang–Mills, 373, 441
 - of string world-sheet σ -model, 59
 - RG flow and, 84
 - Yang–Mills and asymptotic freedom, 84
- background fields
- D-branes in R–R, 315–318
 - dielectric effect and R–R, 315–318
 - in D-brane tension computation, 145–147
 - string propagation in, 12, 56–61
- basis
- coordinate vs orthonormal, 65–67
- Bañados–Teitelboim–Zanelli (BTZ) black hole, *see under* black hole
- Bekenstein–Hawking entropy, *see under* entropy
- Bernoulli numbers, 216
- Bertotti–Robinson solution, 233
- bifundamental matter, 284, 288

- Bions
 as BPS states, 138–140
 stretched D-branes and, 308
 stretched fundamental strings and, 139–140
- black brane
 D-branes vs, 241–245
 extremal, *see* extremal black brane
 non-extremal, 238–240
- black hole
 Bañados–Teitelboim–Zanelli (BTZ), 431
 BTZ and CFT dual, 431
 BTZ as near horizon geometry, 429–430
 Bekenstein–Hawking entropy, 21
 charged, *see also* Reissner–Nordström
 charged in AdS, from spinning branes, 455–459
 constructing extremal Reissner–Nordström, 418–425
 constructing non-extremal Reissner–Nordström, 427–428
 construction from branes and momentum, 420–425
 D1/D5 bound states and, 425–427, 433–439
 entropy, microscopic description, 425–428, 433–434
 flat, in AdS, 452, 458, 459
 holographic principle and, 465
 large vs small in AdS, 454, 461
 multicentre solutions, 232
 non-extremal Reissner–Nordström, *see* non-extremal Reissner–Nordström
 Reissner–Nordström, 225, 226, 228–233, 412–414
 Reissner–Nordström and supersymmetry, 231
 Reissner–Nordström–AdS, 459
 Schwarzschild, 225–228, 412–414
 Schwarzschild–AdS, 452
 temperature of, 412, 413, 452, 454, 460
 thermodynamics, 409–414
 thermodynamics in AdS, 459
- Bogomol’nyi condition, 312
- Bogomol’nyi–Prasad–Summerfield (BPS) states
 AdS domain wall as, 469–471
 Bions as, 138–140
 BPS monopole limit, 312
 D-branes as, 195–197
 extremal branes as, 240, 245
 extremal Reissner–Nordström as, 228–232, 413
 monopoles as, 311–314
 no-force condition and, 232, 240, 245
 O-planes as, 200
- bolt singularity
 of Atiyah–Hitchin manifold, 364–365
 of Eguchi–Hanson space, 188
 of Euclidean black hole, 412
- bosonisation, 113–116, 163
- bound states
 of D-branes; mass formulae, 253
 of D-branes; various, 258–260
 of D1- and D5-branes, and black holes, 425–427, 433–439
 of F-strings and D-strings, 254–255, 369–371
 dyons and, 314, 374–375
 of F-strings and D-strings, tension, 253, 254, 370, 371, 397
 of NS5-branes and D5-branes, 375–376, 398
 $SL(2, \mathbb{Z})$ and five-branes, 375–376
 $SL(2, \mathbb{Z})$ and strings, 257, 263, 369–371
 tension formula and Pythagoras, 397
- boundary conditions
 closed string, 30
 fermions, R vs NS, 115, 156
 open string mixed Dirichlet and Neumann, 250
 open string Neumann, 30
- boundary counterterm prescription, 450–452

- boundary state, 150–154
 - as coherent state, 151, 152
- brane distributions
 - from spinning branes, 457
- branes ending on branes, *see* stretched branes
- Breitenlohner–Freedman bound, 448
- bundle
 - instanton, 211, 212
 - monopole, 209, 210
 - normal, 220
 - tangent, 215, 216, 220
 - toroidal or elliptic fibration of K3, 383–392
- Cartan subalgebra, 110
- Casimir energy
 - from boundary counterterm prescription, 452–453
 - world-sheet zero point energy and, 45–46
- central charge or extension
 - as charge of gauge field, 232
 - of supersymmetry algebra, 230–231
 - of Virasoro algebra, 41, 79
- Chan–Paton factors, 51–54, 159
 - for oriented strings, 52
 - for unoriented strings, 53–54
 - orbifold action on, 283–284, 323
- characteristic classes, 210–216
 - Chern, *see* Chern, class
 - Euler, 215, 216
 - Pontryagin, 214–215, 216
- chemical potential
 - AdS/CFT correspondence and, 455–464
- Chern
 - character, 208, 219
 - class, first, 208, 211
 - class, first: of Dirac monopole, 209, 210
 - class, second, 211
 - class, second: of instanton, 211, 212
- Chern–Simons three-form, 167, 168, 211
- circle
 - closed strings on, 96–116
 - fields on, *see* Kaluza–Klein self-dual radius of, 100–103
- Clifford algebra, 68, 116, 158
- coherent state
 - boundary state and, 151, 152
- cohomology, 64, 210–216
- Coleman–Weinberg formula, 143, 144
- complex
 - affine coordinates, 379
 - coordinate transverse to seven-brane, 376
 - coordinates on world-sheet, 48
 - coupling of $D = 4$ Yang–Mills theory, 393, 502
 - coupling of type IIB, 368, 393, 395
- confining/deconfining phase transition
 - large N Yang–Mills and, 462–464
- conformal anomaly, 83
- conformal dimension, *see* conformal weight
- conformal factor
 - world-sheet geometry and, 47–48
- conformal gauge
 - fixing by reparams and Weyl, 36
 - fixing with Faddeev–Popov ghosts, 85–87
- conformal ghosts, 85, 87, 157
 - and critical dimension, 86–87
- conformal group, 72–73
 - anti-de Sitter isometries and, 236, 443
 - four dimensions, 373, 441
 - two dimensions, 73
- conformal invariance, 70–80
 - as residual symmetry, 37
 - at fixed point, 84
 - of $\mathcal{N} = 1$, $D = 4$ Yang–Mills, 480–482
 - of $\mathcal{N} = 2$, $D = 4$ Yang–Mills, 393
 - of $\mathcal{N} = 4$, $D = 4$ Yang–Mills, 373, 441

- conformal weight, 79, 93
- constraints
Virasoro, 39, 41
- coset
as target space of scalars, 279, 369, 443
- cosmic string
seven-brane as, 377
- cosmological constant
Einstein's equations and, 233
negative, *see* anti-de Sitter
positive, *see* de Sitter
- Coulomb branch, 285, 346, 349, 426
Atiyah–Hitchin as, 351–352, 364–366
enhancement and, 362–366, 502
fractional D-branes and, 291–292
lifting by tilting D-branes, 298
lifting by unwrapping D-branes, 292–294
of large N Yang–Mills, from
holographic RG flow, 472–480
Seiberg–Witten theory and, 393–394, 502
singularities on, 351–352
stretched D-branes and, 297
Taub–NUT as, 349–352
touching Higgs branch, 351–352
- covariantly constant spinor, *see* Killing spinor
- creation operators
coherent states and, 152
in description of fermionic states, 159, 231
string modes as, 40
- critical dimension
bosonic string, 43–44
heterotic string, 170
supersymmetric string, 157
- critical string theory, *see* critical dimension
- current algebra, *see* Lie algebras, affine curvature
couplings in DBI action, 222–223
extrinsic, *see* extrinsic curvature
two-form, 66, 67–69
world-volume couplings, *see also* world-volume
- cylinder
amplitude, *see* amplitude, vacuum
fundamental region, 148
- D-flatness condition, 285, 303–304, 307
- D-manifolds, 191
- D-term, 285, 303–304, 307
- de Sitter
and the sphere, 234
- decoupling limit, 349, 363, 441
AdS/CFT and, *see under* anti-de Sitter
of non-extremal D3-brane solution, 452
of spinning branes, 456
on D3-brane supergravity solution, 441–442
- Dedekind's η -function, 91, 378
- deficit angle, 90
of \mathbb{Z}_N orbifold, 388
of bolt, 188
of Euclidean black hole's bolt, 412, 460
of nut, 350, 351
of seven-branes, 378–379, 388–390
- dictionary, AdS/CFT
action and energy-momentum tensor, 449–452
AdS₃ and $D = 2$ CFT, 431
boundary metric, 446–447
Breitenlohner–Freedman bound, 448
BTZ black holes and $D = 2$ CFT sectors, 431
chemical potential, 455–464
fields and operators, 447–449
finite temperature and black holes, 452–453
Kaluza–Klein reduction, 449

- dictionary, AdS/CFT (*cont.*)
 partition function, 447, 449
 semi-classical action, 449
 spherical harmonics, 448
 symmetries and isometries, 443
 ultraviolet and infrared, 446
- dielectric effect, 314–321
 background R–R fields and,
 315–318
 non-Abelian Dirac–Born–Infeld
 and, 314–316
 non-Abelian R–R couplings and,
 314–316
- differential forms, *see* p -forms
- dilatations, 72, 441
- dilaton
 as massless closed string mode,
 12
 propagator, 146
 string coupling and, 12, 60
- dilute gas limit
 non-extremal black holes and,
 427–428
- dimension
 critical, *see* critical dimension
 eleventh, and Kaluza–Klein, 271–
 273, 274, 346–348, 400–404
 eleventh, from brane world-volume,
 269, 277–278, 346–348
 eleventh, from strong coupling,
 271–273, 275, 400–404
 of spacetime, and conformal ghosts,
 86–87, 170
 of spacetime, for bosonic string,
 43–44, 86–87
 of spacetime, for heterotic strings,
 170
 of spacetime, for strings, 14
 of spacetime, for supersymmetric
 strings, 157, 170
- Dirac genus, *see* \hat{A} -genus
- Dirac monopole, *see* bundle, monopole
- Dirac string, 201–202, 210
- Dirac–Born–Infeld, *see* action, Dirac–
 Born–Infeld
- Dirac–Nepomechie–Teitelbiom charge
 quantisation, 201–202
 for D-branes, 202
 for M-branes, 277
- discrete light cone quantisation
 (DLCQ)
 matrix string theory and, 407
 matrix theory and, 403
- discriminant of cubic, 380–383,
 387–390
- dissolving $D(p-2)$ into Dp , 206, 294
- domain wall
 in AdS, *see* holographic
 renormalisation group
- duality
 Hodge, *see* Hodge duality
 S-, or strong/weak coupling; for
 field theory, *see* field theory duality
 S-, or strong/weak coupling; for
 string theory, *see* string duality
 strong/weak coupling, *see* strong/
 weak coupling duality
 T-, or target space, *see* T-duality
 U-, *see* U-duality
- Dynkin diagram, 111
 extended, for simply laced Lie
 algebras, 288
 for simply laced Lie algebras, 112
 U-duality groups and, 280
- dyons
 D/F-string bound states and, 314,
 374–375
- Eguchi–Hanson space, 187, 188
 Euler characteristic of, 188
 Gibbons–Hawking metric and,
 287
- eleven dimensional supergravity, *see*
also dimension, eleventh, 261
 bosonic form of, 272
 string duality and, 271–273
- eleventh dimension, *see* dimension,
 eleventh
- elliptic fibration, 383–392
- energy-momentum tensor

- and Einstein's equations, 3
- as generator of conformal transformations, 76–78
- fermionic part, 156
- for electromagnetism, 7, 225
- from boundary counterterms in AdS, 449–452
- in two dimensions, 35–36, 38–42, 76–82
- of excision, 360–362
- perfect fluid form, 234, 451
- string world-sheet, 35–36, 38–42
- Virasoro algebra and, *see* Virasoro
- Virasoro
 - enhancement
 - as a filter, 439
 - black hole and, 433–439
 - black hole horizon and, 439
 - BPS monopole and, 356–359
 - Coulomb branch moduli space and, 362–366, 502
 - mechanism, 358–362
 - positivity of coupling and, 502
 - positivity of tension and, 362, 502
 - second law of thermodynamics and, 437–439
 - enhanced gauge symmetry
 - affine Lie algebras and, 113
 - F-theory and, 386–390
 - from D4-branes wrapped on K3, 358–359
 - from D5-branes wrapped on K3, 359
 - from M-theory on K3, 352
 - from type IIA on K3, 298, 400
 - heterotic string and, 171, 386–390
 - of coincident NS5-branes, 268–270, 299
 - of string on circle, 100–103, 358
 - small instantons and, 305–306
 - entropy
 - from Euclidean path integral, 411
 - of black hole, Higgs branch and, 426, 434
 - of Reissner–Nordström, 417, 424
 - of Schwarzschild, 416
- Euclidean, *see also* signature
 - path integral, 410, 411
 - path integral and temperature, 410
 - quantum gravity, 410
- Euler angles, 180
- Euler characteristic
 - of ALE space, 189
 - of graphs, 444
 - of K3, 187–189
 - of sphere S^2 , 216
 - of torus T^2 , 380
- Euler class, 215
- excision techniques, 360–362
 - energy-momentum tensor, 360–362
- exponential corrections
 - Atiyah–Hitchin manifold and, 365
 - of Taub–NUT, as instanton corrections, 363
- exponential map, 47
- exterior derivative, 64
- extremal black brane, 240–246
 - distributions of, 248
 - extremal black hole vs, 240
 - multicentre solutions and, 240
 - near horizon geometry, 241
 - no-force condition and, 240, 245
- extremal black hole, *see also* extremal Reissner–Nordström
- extremal Reissner–Nordström
 - as BPS state, 228–232, 413
 - as interpolating solution, 233
 - construction from branes and momentum, 418–425
 - in AdS, 460
- extrinsic curvature, 229
 - from wrapping branes, 360
 - of Reissner–Nordström, 416
 - of Schwarzschild, 414

- F-theory, 263, 367
 enhanced gauge symmetry and, 386–390
 from M-theory, 394–396
 orientifold limit of, 390–392
 torus and, 394–396
 twelve dimensions and, 394
- Faddeev–Popov ghosts, 85–87,
see conformal ghosts
- Fayet–Iliopoulos term, 286
- fermionisation, 113–116
- fermions
 in curved spacetime, 68
 R vs NS boundary conditions, 115, 156
- Feynman graphs
 of large N gauge theory, 444
- fibre bundle, *see* bundle
- field equations
 Einstein’s gravitational, 3
 from vanishing of world-sheet
 β -function, 59
- field theory duality
 Montonen–Olive, 374–375
 $SL(2, \mathbb{Z})$ and, 373–375
- fixed points
 $SL(2, \mathbb{Z})$; fundamental domain and, 371
 of $SL(2, \mathbb{Z})$; fundamental domain and, 90
 of orbifold, 117–119, 126, 388–390
 of RG flows, 84
 orientifolds as, 126
- flat direction, 83
- fractional D-branes, 291–292
 from wrapped D-branes, 292–294
 T-duality to stretched D-branes, 296–300
- frame
 dual tangent, 67, 220
 inertial, 6
 string vs Einstein, 60
 tangent, 61–69, 220
- Freund–Rubin ansatz, 237–238
- fundamental domain, 89, 379
 j -function and, 382, 387–390
 $SL(2, \mathbb{Z})$ fixed points, 90
 $SL(2, \mathbb{Z})$ fixed points, 371
 special orbifold points, 90, 371
- fuzzy sphere, 317–318
- gauge fields
 as massless open string modes, 12
- gauge theory/geometry
 correspondence, 243
 AdS/CFT, *see* anti-de Sitter
- geodesic
 analysis of repulson, 354–356
 equation, 2
- gerbes, 270
- ghosts
 Faddeev–Popov, *see* conformal ghosts
 negative norm states, 43
- Gibbons–Hawking boundary term, 410, 450, 462
- Gibbons–Hawking metric, 187
 as moduli space metric, 287
 Eguchi–Hanson space and, 187, 287
 from D-brane probe, 287
 hyper-Kähler property, 287
- Gibbs
 thermodynamic potential, 416, 462
- Gliozzi–Scherk–Olive (GSO)
 projection
 D-string and, 262, 302
 heterotic string and, 172, 265
 superstring and, 158–159
 tachyon and, 158
- graviton
 as massless closed string mode, 12
 linearised gravity and, 7–11, 145–147
 propagator, 146
- Green–Schwarz form, 262, 405
- Green–Schwarz mechanism, *see* *under* anomaly

- Hamiltonian
- Euclidean path integral and, 410
 - of matrix string theory, 405
 - of matrix theory, 402
 - on world-sheet, 39
- Hanany–Witten, 300
- Hawking temperature, *see* black hole, temperature of
- heterotic strings, *see* supersymmetric strings
- Higgs branch, 346, 349
- ALE space as, 285
 - black hole entropy and, 426, 434
 - touching Coulomb branch, 351–352
- Hirzebruch $\hat{\mathcal{L}}$ -polynomial, 215–220
- Hodge duality, 65
- D-branes and, 196, 198, 201, 348
 - fundamental string and
 - NS5-brane, 198
 - M-branes and, 276
 - on D2-brane world-volume, 278, 347
 - on K3 wrapped D6-brane world-volume, 362–363
- holographic principle, 467
- a rough statement of, 22, 464–466
 - AdS/CFT correspondence and, 464–466
 - black holes and, 464–466
 - remarks, 508
- holographic renormalisation group, 467–471
- brane distributions and flow geometries, 478–480
 - domain wall and, 469–471
 - fixed points and, 467–471
 - from gravity, 467–471
 - Kähler potential of
 - supersymmetric Yang–Mills, 489–493
- Hopf fibration
- $S^3 : S^1 \hookrightarrow S^2$; and Taub–NUT, 349
 - $S^3 : S^1 \hookrightarrow S^2$, 209, 210
 - $S^7 : S^3 \hookrightarrow S^4$, 211, 212
- horizon
- as null surface, 228
 - enhançon and, 439
 - flat vs round, 452, 458
 - geometry near, 233, 241, 429–430, 441–442
 - of black branes, 239, 240
 - of BTZ black hole, 431
 - of Reissner–Nordström, 228, 412, 419–420, 424, 439
 - of Reissner–Nordström–AdS, 460
 - of Schwarzschild, 227–228, 412
 - of Schwarzschild–AdS, 452
- hyper-Kähler property
- of \mathbb{R}^4 , 289
 - of ALE spaces, 289
 - of Atiyah–Hitchin manifold, 351, 365
 - of Gibbons–Hawking metric, 287
 - of K3 manifold, 289
 - of Taub–NUT metric, 349
- hyper-Kähler quotient, 289–291
- ADHM construction as, 304
 - ALE spaces and, 289–291
- hypersurface technology, 229
- induced metric
- on World-sheet, 27
 - on World-volume, 131–132
- inertial frame, 6
- infinite momentum frame (IMF)
- matrix theory and, 402–404, 407
- inner product, 65
- instanton
- contributions to moduli space, 363, 365
 - core size, 212, 267, 305
 - corrections of Taub–NUT, 363, 365
 - D($p+4$)-D p system and, 208, 300–301
 - D-brane as, 208, 300–306

- instanton (*cont.*)
 from D-brane probe, 301–305
 in large N gauge theory, *see*
under large N gauge theory
 moduli space, and black hole
 entropy, 426, 434
 NS5-brane as, 267
 number, 212
 positivity of Coulomb branch
 metric and, 363, 365, 393, 394, 502
 positivity of gauge coupling and,
 363, 365, 393, 394, 502
 world-volume coupling, 208
 zero core size, *see* small
 instantons
- intercept
 critical dimensions and, 42–44
 numerical value, 43–44, 157,
 170
- interpolating solution
 extremal black branes as,
 442
 extremal black hole as, 233
 kink as, 18
- invariant polynomials, 210–216
- isotropic coordinates, 226–227
- j -function
 fundamental domain and, 382,
 387–390
 modular invariance and, 382,
 387–390
- Jacobi
 identity for Lie algebras, 108
 ϑ -function identities, 328
 ϑ -functions, 327
 ϑ -function identities and super-
 symmetry, 198
- K-theory
 cohomology vs, 221
 other remarks, 507
 tachyon condensation and, 220–
 221
 world-volume couplings and, 220–
 221
- K3 manifold, 322–344
 compactification and black hole,
 432–439
 elliptic, moduli space of, 383
 enhanced gauge symmetry from
 wrapped branes, 298, 352, 399–400
 Euler characteristic of, 187–191
 heterotic string on, 343
 hyper-Kähler property, 289
 Kodaira classification of
 singularities, 390
 string duality and, 186, 343
 topology of, 184–185, 187–191
 torus or elliptic fibration, 383–392
 type IIA superstring on, 184–185
 various orbifold limits of, 189–191,
 388–390
- K3 orientifolds, 191, 322–344
 anomalies of, 341–344
- Kähler potential
 of $\mathcal{N} = 1$ $D = 4$ Yang–Mills, 489–
 493
- Kac–Moody algebra, *see* Lie algebras,
 affine
- Kaluza–Klein, 94–96
 charged black holes and, 455–459
 D0-branes and string duality, 271,
 400–404
 in construction of $D = 5$ black
 hole, 421–425
 monopole, 357
 monopole; six-brane as, 348–352
 reduction formulae, 95–96, 274
 sphere reduction and gauged
 supergravity, 443–445
 type IIA from eleven dimensions,
 271–273, 274, 400–404
- Killing
 spinor, 232, 233
 vectors, 225–228
- kink solution, 18
- Klein bottle
 amplitude, *see* amplitude,
 vacuum
 fundamental region, 148

- Kodaira
 classification of singularities of elliptic K3 manifold, 390
- $\hat{\mathcal{L}}$ -polynomial, *see* Hirzebruch
- large N gauge theory
 as a string theory, 444
 confining/deconfining phase transition, 462–464
 Feynman graphs, 444
 instantons in, 365–366
 RG flow from gravity, 467–471
 't Hooft coupling, 363, 365, 442, 444
- lattice
 Euclidean signature, 171–172
 even, self-dual, 104, 106, 171–172, 176–177
 Lorentzian signature, 103, 106, 176–177
 modular invariance and even, self-dual, 103, 106
- Laurent expansion
 of open and closed strings, 48
- left-invariant one-forms, 180
- level matching
 from translational invariance, 42, 91
 modular invariance and, 91
 of closed string modes, 42
- Lie algebras
 adjoint representation of, 109
 affine, 102
 Cartan subalgebra, 110
 classical, 111
 Lie groups and, 108–111
 simple, 109
 simply laced, 112
 Yang–Mills and, 66
- linearised gravity
 graviton from, 7–11, 145–147
- Lorentz group, 68
 as a gauge group, 67–68
 inertial frames and, 6
 representation using gamma matrices, 68, 159
 tangent frame and, 62, 67–68
- M-branes
 descending to D- and NS5-branes, 277–278
 descending to odd D-branes and NS5-branes, 396–399
 Dirac–Nepomechie–Teitelbiom charge quantisation, 277
 supergravity solutions, 276–277
 tensions, 277
- M-theory, 367, 400–408
 and strongly coupled strings, *see* string duality
 string duality
 eleven dimensional supergravity and, 271–273
 F-theory and, 394–396
 matrix theory formulation of, 20, 400–408
- Möbius strip
 amplitude, *see* amplitude, vacuum
 fundamental region, 148
- magnetic monopole, *see* monopole
- Majumdar–Papapetrou solutions, 232
- matrix string theory, 404–408
 Hamiltonian of, 405
 interactions from irrelevant operator, 407
 long strings from twisted sector, 406
 orbifold of $(\mathbb{R}^8)^N$ by \mathcal{S}_N , 405–407
- matrix theory, 367, 400–408
 and non-commutativity of spacetime, 20, 403
 Hamiltonian of, 402
 toroidal compactification of, 404–408
- Maurer–Cartan one-forms, 180
- McKay correspondence, 187, 289
- Melvin solution, 320

- mode expansion
 - of open and closed strings, 37, 48
 - various open string boundary conditions, 250
- modular invariance, 91, 103–104, 116, 158
 - even self-dual lattices and, 103, 106
 - j -function and, 382, 387–390
 - level matching and, 91
 - seven-brane metric and, 378–379
- modular transformations, 88–89, 145, 379
 - as generators of $SL(2, \mathbb{Z})$, 88
 - fundamental domain and, 89, 379
- moduli space
 - Coulomb branch, *see* Coulomb branch
 - branch
 - Higgs branch, *see* Higgs branch
 - of BPS monopoles, 363–366
 - of elliptic K3 manifolds, 383
 - of instantons, and black hole entropy, 426, 434
- moduli space metric, *see also* moduli space
 - from Dp -brane probe of p -brane, 245–246
 - from D-brane probe of RG flow geometry, 476, 487, 488, 493, 500, 502
 - from D1-brane probe of ALE space, 286–289
 - instanton contributions to, 363, 365
 - of $D = 2 + 1$ susy gauge theory, 348–352
- monodromy
 - $SL(2, \mathbb{Z})$ and, 376–382, 384–396
- monopole
 - BPS saturated, 311, 312, 313, 314, 363–366
 - BPS, *enhançon* and, 356–359
 - D-brane as, 306–314
 - Dirac, *see* bundle, monopole
 - H-, as wrapped N5-brane, 357
 - Kaluza–Klein, 357
 - Kaluza–Klein; six-brane as, 348–352
 - moduli space of, 363–366
 - 't Hooft–Polyakov, 310
- Montonen–Olive duality, 374–375
- multiple D-branes
 - boundary conditions, 249–252
 - unbroken supersymmetry, 252–254
- Myers effect, 314–321
- Nahm
 - monopole data, 311
 - monopole equations, 307
- naked singularity
 - as limit of charged black hole in AdS, 460
 - enhançon* and, *see* *enhançon*
 - mechanism
 - from holographic RG flows, 495
 - repulson as, 354
- near-horizon, *see* horizon, geometry near
- Neveu–Schwarz fermions, 115, 156
- Newton's constant
 - from low energy effective action, 61, 175
 - relation to central charge of 2D CFT, 431
 - relation to large N gauge theory quantities, 443
- no-force condition, *see* Bogomol'nyi–Prasad–Summerfield states
- non-Abelian
 - Dirac–Born–Infeld, 136–137
 - Dirac–Born–Infeld, and dielectric effect, 314–316
 - gauge theory, *see also* Yang–Mills
 - R–R couplings, 221–222
 - R–R couplings, and dielectric effect, 314–316
 - Taylor expansion, 316
 - tensor multiplet on coincident NS5-branes, 270
 - vector multiplet on coincident NS5-branes, 268

- non-commutative geometry
 - fuzzy sphere and, 317–318
 - matrix theory and, 20, 403
 - remarks, 508
- non-compact Lie groups
 - by continuation, 111
 - T-duality and, 108
 - U-duality and, 279, 280
- non-extremal Reissner–Nordström
 - construction from branes and momentum, 427–428
 - dilute gas and, 427–428
- non-perturbative strings, *see under* duality
 - and extended objects, 17
- normal ordering, 40
 - time ordering vs, 76
- NS–NS sector, 160
- NS5-brane, 241
 - as dual of fundamental string, 198
 - as instanton, 267
 - branes ending on, 268–270, 297
 - coincident, 268–270
 - from D5-brane, 266
 - heterotic, 267–268
 - T-duality of, 267–268
 - type II, 268–270
 - world-volume dynamics, 268–270
- nut singularity, 350
 - of Taub–NUT metric, 350–352
- operator
 - irrelevant, and matrix string theory, 407
 - marginal, 83, 84
 - relevant and irrelevant, 84
 - string state correspondence, 48–51
 - vertex, *see* vertex operator
- operator product expansion (OPE), 75–76
- operators
 - spherical harmonics and, 448, 478
 - states and, 74–75
- orbifold, 117
 - action on Chan–Paton factors, 283–284, 323
 - blow-up to smooth manifold, 185
 - fixed point, 117–119, 126, 388–390
 - from T-duality of Type I, 193
 - K3 limit for superstring, 179–191
 - of $(\mathbb{R}^8)^N$ by \mathcal{S}_N , and matrix string theory, 405–407
 - of circle (bosonic), 117
 - of superstring on T^4 , 179–191
 - points of fundamental domain, 90, 371
 - superstring on $\mathbb{R}^4/\mathbb{Z}_2$, 282
 - T^4/\mathbb{Z}_2 spectrum, 180–184, 336–339
- orientifold
 - as orbifold fixed point, 126, 193–194
 - at strong coupling; O6, 352
 - at strong coupling; O7, 392, 394
 - at strong coupling; O8, 275, 277
 - from T-duality, 125–126, 193–194
 - group, 126, 166, 194, 324
 - limit of F-theory, 390–392
 - making type I from type IIB, 165–166, 201
 - parity and, 125
 - tension of O-plane, *see* tension
 - world-volume curvature couplings, 217, 220
- oxidation
 - of RG flow geometries to ten dimensions, 475, 486–487, 499
 - reduction as, in compactified matrix theory, 405, 408
 - reduction vs, 405, 408
- (p, q) -five-branes, *see* bound states of NS5-branes and D5-branes
- (p, q) -seven-branes, 384–386
- (p, q) -strings, *see* bound states of F-strings and D-strings
- p -branes, *see* black branes

- p -forms, 63–65
 - Dp -branes charge of, 197–200
 - NS-NS coupling to F-string and NS5-brane, 198
 - Op -planes charge of, 200
 - R-R coupling to p -branes, 196, 198
 - R-R coupling to p -branes, non-Abelian, 221–222
 - Yang–Mills theory and, 66
- parity
 - right-handed, and T-duality, 100
 - world-sheet combined with spacetime, 125
 - world-sheet, closed strings, 54, 165
 - world-sheet, open strings, 52–54
- partition function, 87–93
 - at bosonisation radius, 113–115
 - black hole entropy and, 427
 - of closed string on circle, 103–104
 - of open string, 142–144, 326–330
 - of orbifolded circle, 118
 - simple computation, 92
- Pauli matrices, 283
- perfect fluid, 234, 451
- periodic time
 - temperature and, 410
- phase transitions
 - AdS/CFT correspondence and, 462–464
 - confining/deconfining, 462–464
- physical state conditions, *see* Virasoro constraints
- Poincaré
 - form of AdS, 235, 237
 - group, 72, 236, 441
- Poisson brackets
 - of classical strings, 38
 - replaced by commutators, 40
- Poisson resummation formula, 106, 107
- Poisson’s equation
 - seven-branes and, 378
- Pontryagin class, 214–215
- positivity of coupling
 - enhancement and, 502
 - instantons and, 363, 365, 393, 394, 502
- positivity of metric
 - instantons and, 363, 365, 393, 394, 502
- positivity of tension
 - enhancement and, 362, 502
 - instantons and, 502
- pp-wave, 423
 - and gauge/string duals, 503
 - in construction of $D = 5$ black hole, 422
- primary field, 74, 79
- probing
 - black hole with D-branes, 434–436
 - extremal p -branes with $D(p - 4)$ -branes, 345–348
 - extremal six-branes with $D2$ -branes, 346–348
 - extremal black p -branes with Dp -branes, 243–246
 - holographic RG flows with D -brane, 475–478, 487–493, 500–502
 - of ALE space by D-branes, 282–291
 - of Dp - $D(p+4)$ system by D-brane, 301–305
 - wrapped six-branes with wrapped $D6$ -brane, 356–359
- propagator
 - closed string, 153
 - dilaton, 146
 - graviton, 146
- Pythagoras
 - D -brane bound state tension formula and, 397–399
- quasi-primary field, 74
- quiver diagram, 284, 288
- Ramond fermions, 115, 156
- Reissner–Nordström, *see also under* black hole

- embedded in string theory, 424
 - extremal, *see* extremal Reissner–Nordström
- renormalisation group flow, 84
 - AdS/CFT and, 467–471
- reparametrisation invariance
 - of classical string action, 29, 31, 36
- repulson geometry
 - excision of, 360–362
 - geodesic analysis, 354–356
 - naked singularity and, 354
 - wrapped D-branes and, 354–356
- Revolution
 - First Superstring, 15, 169–170
 - Second Superstring, 15, 17, 170, 261, 508
- right-invariant one-forms, 180
- Romans’ massive supergravity, 275
- roots
 - of cubic, torus and, 380–383, 387–390
 - simple, 110
- R–R sector, 163
- R–R charge
 - D-branes and, 197–199, 201
 - p -branes and, 238–240
 - orientifolds and, 200
- $SL(2, \mathbb{C})$ invariance, 73
 - fixing with 3 points, 74, 383
- $SL(2, \mathbb{R})$ invariance, 73
 - fixing with 3 points, 74
- $SL(2, \mathbb{R})$
 - vs $SL(2, \mathbb{Z})$, 368
 - supergravity action and, 368–369
- $SL(2, \mathbb{Z})$
 - and bound states of F-strings and D-strings, 257, 263, 369–371
 - bound states of NS5-branes and D5-branes and, 375–376
 - field theory duality and, 373–375
 - fundamental domain and, 89, 379
 - generators, *see* modular transformations
 - monodromy or jump, seven-branes and, 376–382, 384–396
 - string duality and, 263, 367–400
 - torus and, 88–89
 - U-duality and, 278
- scaling dimension, 79
- Schrödinger picture
 - Euclidean path integral and, 410
- Schwarzian derivative, 80
- Schwarzschild, *see under* black hole
 - mass from Euclidean action, 415
- Seiberg–Witten theory
 - $\mathcal{N} = 2$ $D = 4$ Yang–Mills, 353, 393, 394, 502
 - Coulomb branch and, 393–394, 502
 - enhancement and, 502
 - from F-theory, 393–394
 - torus and, 393–394
- semiclassical quantum gravity, 411–412
- signature
 - Euclidean, 410, 412
 - Euclidean de Sitter as sphere, 234
 - Euclidean world-sheet, 47
 - mostly plus convention, 2
 - of lattice, Euclidean, 171–172
 - of lattice, Lorentzian, 103, 106, 176–177
- singularity
 - conical, *see* deficit angle
 - of black branes, 239, 240
 - of Reissner–Nordström, 228
 - of Schwarzschild, 228
- small instantons
 - $E_8 \times E_8$, 305–306
 - enhanced tensor gauge symmetry, 305
 - enhanced vector gauge symmetry, 305
 - $SO(32)$, 305
- smearred brane, 206, 248, 295
- special conformal transformations, 72, 441

- spherical harmonics
 - operators and, 448, 478
- spin connection, 67–69
 - fermions and, 68
 - Killing spinor and, 231
- spin field, 163
- spinning branes
 - brane distributions from, 457
 - charged black holes from, 455–459
- states
 - operators and, 74–75
 - spurious; spacetime gauge invariance and, 43–44
 - vertex operator correspondence, 48–51
- static gauge, 134, 136
- static solutions, 227
- Stefan–Boltzmann law
 - AdS/CFT correspondence and, 453
- stress tensor, *see* energy-momentum tensor
- stretched D-branes, 294–300, 375
 - as monopoles, 306–314
 - BIONS and, 308
 - T-duality to fractional D-branes, 296–300
 - wrapped D-branes and, 294–300
- stretched fundamental strings, 314, 375
- string coupling
 - dilaton and, 12, 60
 - from eleven dimensions, 273, 395
 - large N gauge theory and, 443, 444
 - world-sheet topology and, 34
- string duality
 - $D = 10$ supergravity and, 175–176
 - $D = 6$ supergravity and, 186
 - $E_8 \times E_8$ heterotic \leftrightarrow M, 273–276
 - $SO(32)$ heterotic \leftrightarrow type I, 264–265
 - dual branes and, 265–270, 277–278
 - eleven dimensional supergravity and, 271–273
 - F-string \leftrightarrow D-string, 262–263
 - heterotic \leftrightarrow heterotic in $D = 6$, 343
 - heterotic \leftrightarrow type IIA in $D = 6$, 186, 298, 357, 358
 - heterotic \leftrightarrow F in $D = 8$, 383–384, 390–392, 399
 - heterotic \leftrightarrow M in $D = 7$, 399–400
 - heterotic \leftrightarrow type IIA in $D = 6$, 400
 - K3 manifold and, 186, 343, 383–384, 399, 400
 - M-theory and, 17
 - $SL(2, \mathbb{Z})$ and, 263, 367–400
 - type IIA \leftrightarrow M, 271–273
 - type IIB \leftrightarrow type IIB, 261–263, 367–400
- string field theory
 - and background independence, 15
 - and non-perturbative issues, 15
 - matrix string theory as, 407
 - tachyon condensation and, 507
- string network, 371–372
 - three-string junction and, 371
- string spectrum
 - infinite tower of excitations, 11
 - massless sector, 12
 - NS–NS sector, 160
 - NS–R and R–NS sectors, 163
 - of heterotic string, 172
 - of type II strings, 160–164
 - on circle, 98
 - perturbative, 11
 - R–R sector, 163
- stringy cosmic string, 377
- strong coupling
 - and gauge theory, 21
 - fate of strings, 17, *see also* string duality
- strong/weak coupling duality
 - for field theory, *see* field theory duality
 - for string theory, *see* string duality
- structure constants, 108

- supergravity
 - gauged, and anti-de Sitter, 443–445, 467–471
 - gauged, and sphere reductions, 443–445
 - $SL(2, \mathbb{R})$ and, 278
 - $SL(2, \mathbb{R})$ invariant form, 368–369
 - ten dimensional, 174–176
- superpotential
 - of supergravity, for AdS domain walls, 471
- supersymmetric strings
 - heterotic, construction, 169–174
 - type I and type II, construction, 155–169, 201
- supersymmetry multiplets
 - long, 231
 - $\mathcal{N} = 1$ in $D = 10$, 159
 - $\mathcal{N} = 1$ in $D = 6$, 341
 - $\mathcal{N} = 2$ in $D = 10$, 163
 - $\mathcal{N} = 2$ in $D = 4$, 230
 - $\mathcal{N} = 2$ in $D = 6$, 183
 - short, 231, 255
- surface gravity
 - black hole temperature and, 413
- symmetric polynomials, 213
- θ -angle
 - in $\mathcal{N} = 2$, $D = 4$ Yang–Mills, 373, 393, 494
- 't Hooft coupling, *see under* large N gauge theory
- T-duality, 19, 94–128
 - action on dilaton, 129
 - action on Dirac–Born–Infeld, 136
 - action on R–R fields, 193
 - as $O(d, d + 16, \mathbb{Z})$, 177
 - as $O(d, d, \mathbb{Z})$, 108
 - as right-handed parity, 100, 105, 125, 192
 - boundary conditions and, 120, 125
 - discovering D-branes, 119–121, 193
 - discovering orientifolds, 125–126, 193
 - in background fields, 129–131, 193
 - minimum distance and, 19
 - of ALE spaces, 295–296
 - of black brane solutions, 246–248
 - of closed strings, 99–108
 - of fractional D-branes, 296–300
 - of heterotic strings, 177, 194–195, 273
 - of NS5-brane, 267–268
 - of NS5-branes, 295–296
 - of open strings, 119–125
 - of stretched D-branes, 296–300
 - of tilted brane, 133–135, 205–206, 294
 - of type I superstrings, 193–194
 - of type II superstrings, 192–193
 - type IA vs type IB, 193, 273
- tachyon
 - condensation, 220–221
 - of bosonic string, 42
 - removal by GSO projection, 158
- tadpole cancellation, 201, 324, 330–336
- tangent space, *see* frame, tangent
- Taub–NUT metric
 - as moduli space metric, 348–352
 - hyper-Kähler property, 349
 - instanton corrections, 363, 365
 - K3 wrapped six-brane and, 363–366
 - negative mass parameter, 363
 - relation to Atiyah–Hitchin manifold, 364–366
 - six-brane and, 348–352
- temperature
 - from Euclidean path integral, 410
 - of black holes in AdS, 454
 - of BTZ black hole, 431
 - of Reissner–Nordström, 412
 - of Reissner–Nordström–AdS, 460
 - of Schwarzschild, 413
 - of Schwarzschild–AdS, 452, 454
 - periodic time and, 410
 - surface gravity and, 413

- tension
- of bound states of NS5-branes and D5-branes, 376
 - of D-brane; recursion relation, 132
 - of D-branes in bosonic string theory, 142–147
 - of D-branes in superstring theory, 197–200
 - of F/D-string bound state, 253, 254, 370, 371
 - of fundamental strings, 11, 32
 - of O-planes in superstring theory, 200
 - of orientifold or O-plane, 148–150
- tensionless
- branes, 358–359, 362
 - strings, 270, 359
- thermodynamics
- entropy from Euclidean path integral, 411
 - first law, for black holes, 417
 - free energy, 462
 - Gibbs potential, 416, 462
 - Hawking–Page phase transition, 462, 465
 - of black holes, 409–414
 - phase transitions in AdS/CFT, 462–464
 - potential, 411
 - second law, and *enhançon*, 437–439
 - second law, for black holes, 417
 - third law, for black holes, 417
- three-string junction, 255–258
- string network and, 371
- throat, *see* horizon, geometry near
- tilted brane
- and Born–Infeld action, 133–135
 - dissolved brane and, 205–206, 294
 - \mathcal{F} -flux coupling and, 205–206, 294
- toroidal compactification
- heterotic string and, 171, 383–390, 399–400
 - moduli space of, for bosonic string, 108
 - moduli space of, for heterotic string, 177
 - of bosonic strings, 104–108
 - of heterotic string, 176–177
 - of matrix theory, 404–408
 - of superstrings, 178–179
 - U-duality and, 279, 280
- torsion, 67
- torus
- compactification, *see* toroidal compactification
 - F-theory and, 394–396
 - fibration of K3 manifold, 383–392
 - in affine coordinates, 379
 - maximal, of Lie algebra, 110
 - moduli space of, 88–89
 - roots of cubic and, 380–383, 387–390
 - Seiberg–Witten theory and, 393–394
 - special shapes, 90
 - Weierstrass form, 379–383
- transition functions, 208, 209, 211
- twisted sector
- Fayet–Iliopoulos terms and, 286
 - long matrix strings and, 406
 - of $(\mathbb{R}^8)^N/\mathcal{S}_N$ orbifold, 406
 - of S^1/\mathbb{Z}_2 orbifold, 118–119
 - of T^4/\mathbb{Z}_2 orbifold, 181–183
- U-duality, 278–281
- bound states and, 279–281
 - near horizon geometry and, 429
 - non-compact Lie groups, 279, 280
 - $SL(2, \mathbb{Z})$ and, 278
 - toroidal compactification and, 279, 280
 - type II on T^5 , 278–279
- unorientable
- closed strings, 54
 - open strings, 52–54
 - orientifolds, *see* orientifolds
 - world-sheet diagrams, 55–56, 57
- UV/IR connection, 143, 446, 450

- vacuum energy, *see* zero point energy
- vacuum interpolation, *see*
interpolating solution
- vertex operator, 48–51
correspondence to string states,
48
enhanced gauge symmetry and,
101, 102
for R–R states, 163
of $G_{\mu\nu}$, $B_{\mu\nu}$, Φ , 50, 58
of gravitino, 158, 163
of tachyon, 50
of vector gauge field, 51, 52
- vielbein, *see* frame, tangent
- Virasoro
algebra, and stress tensor, 39, 79
algebra, supersymmetric, 157
central charge or extension, 41,
44, 45, 79
constraints, 39, 41, 157, 163
zero mode and mass spectrum,
40–42, 157
- volume element, 69
- volume form, 64
- wedge product, 63
- Weierstrass
form of torus T^2 , 379–383
- weight vector, 110
- Wess–Zumino coupling, *see* p -forms,
R–R coupling
- Weyl invariance
of classical string action, 30, 36
of world-sheet σ -model action, 59
- Wick
contraction, 76, 81–82
rotation, 410
- Wilson lines
Chan–Paton factors and, 121–123
D-brane positions and, 121
fractional momentum and, 121,
122
on a circle, 122
 $SO(16) \times SO(16)$, for heterotic
T-duality, 194–195, 273
- world-line
of particle, 2, 24
- world-sheet
of string, 13, 27
various possible topologies, 57
- world-volume
clues to eleventh dimension, 269,
277–278, 348
curvature couplings, 205–223
curvature couplings for D-branes,
217, 220
curvature couplings for O-planes,
217, 220
dynamics of D-branes, *see* Yang–
Mills and action, Dirac–Born–
Infeld
dynamics of M2-brane, 277–278,
466
dynamics of M5-brane, 277–278,
466
dynamics of type II NS5-branes,
268–270, 297
Hodge duality in $D = 2 + 1$, 278,
347, 362–363
instantons on, 208
of D-brane, 131
- wrapped D-branes, 292–294
D6-brane on K3, 353–366
dual strings from, 390–392
enhanced gauge symmetries from
D4-branes on K3, 358–359
enhanced gauge symmetries from
two-branes on K3, 298, 352
extrinsic curvature of, 360
fractional D-brane as, 292–294
K3-induced charge, 222–223,
352
K3-induced tension shift, 222–223,
352
on K3 manifold, 352–353
repulson geometry and, 354–356
six-brane as BPS monopole,
357–359
spacetime metric, 352–353

- Yang–Mills
- $\mathcal{N} = 1$ $D = 4$, fixed point theory, 480–493
 - $\mathcal{N} = 2$ $D = 4$, 392–394, 494–502
 - $\mathcal{N} = 4$ $D = 3$, 348–352, 363–366
 - $\mathcal{N} = 4$ $D = 4$, 373, 441, 472
 - at finite temperature via AdS/CFT, 459–464
 - at large N , *see* large N gauge theory
 - β -function and asymptotic freedom, 84
 - β -function of $\mathcal{N} = 2$, $D = 4$, 393
 - β -function of $\mathcal{N} = 4$, $D = 4$, 373, 441
 - complex coupling in $D = 4$, 393, 502
 - coupled to Higgs, 309
 - coupling, and D-brane tension, 138
 - D-brane collective coordinates as, 123–125
 - from compactified matrix theory, 408
 - from D-brane world-volume action, 138
 - Montonen–Olive duality, 374–375
 - open strings and, 60, 123–125
 - θ -angle in $\mathcal{N} = 2$, $D = 4$, 373, 393
 - zero point energy, 45–46, 116, 157, 181, 250, 262, 264
 - as Casimir energy, 45
 - BTZ black holes and, 431
 - exponential map and, 46
 - from AdS/CFT, 431, 452–453
 - general formula in $D = 2$, 46
 - of twisted sector, 118
 - ζ -function regularisation and, 46
 - ζ -function regularisation, *see* zero point energy