September 1995

The Journal of Laryngology and Otology





Founded in 1887 by Morell Mackenzie & Norris Wolfenden

Edited by NEIL WEIR

Assistant Editors CAROL WENGRAF, RICHARD RAMSDEN, PETER RHŶS EVANS, DAVID PROOPS, VALERIE LUND, HENRY GRANT, ANDREW JONES, GUY KENYON & MICHAEL ROTHERA

Emeritus Advisor in Pathology IMRICH FRIEDMANN

Advisors in Pathology BRIAN MANNERS, CHRISTOPHER MILROY & LESLEY SMALLMAN

Advisor in Audiology LINDA LUXON

Advisors in Radiology GLYN LLOYD & PETER PHELPS

Advisors in Statistics ANTHONY HUGHES & PETER KELLY

Production Editors GILLIAN GOLDFARB & INGA McKENZIE

Vol 109 No 9

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

Edited by NEIL WEIR

Assistant Editors CAROL WENGRAF, RICHARD RAMSDEN, PETER RHYS EVANS, DAVID PROOPS, VALERIE LUND, HENRY GRANT, ANDREW JONES, GUY KENYON & MICHAEL ROTHERA

Production Editors GILLIAN GOLDFARB & INGA McKENZIE

INSTRUCTIONS FOR AUTHORS

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. Normally an original main article should not exceed 7500 words.

Longer articles or theses will be considered for publication as Supplements, at the expense of the authors or their employing authorities.

2. Manuscripts should be typewritten in duplicate on one side of the paper only (A4 297 imes 210 mm) and double spaced,

Begin each component on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends.

- (a) Abstract—This should contain not more than 150 words and include a statement of the problem, the method of study, results and conclusions; a 'summary' section should not be included in the main manuscript.
- (b) Key Words—Only those appearing as Medical Subject Headings (MeSH) in the supplement to the Index Medicus may be used; where no appropriate word(s) are listed those dictated by common sense/usage should be supplied.

 (c) Text—Suggested outline—(1) introduction, (2) materials and methods, (3) results, (4) discussion, (5) conclusion.

 - Tables are adjuncts to the text and should not repeat material already presented.
- (e) Illustrations—Two sets of illustrations, one with each copy of the manuscript, must be submitted and all authors should remember that the single column width is 80mm. One set of illustrations should, therefore, not exceed this width and they should ensure that the essential features are illustrated within this dimension.

Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

Written permission from the publisher must be provided to the Journal in order to republish material with copyright elsewhere and also from the senior author where necessary.

(f) Measurements must be in metric units, with Système Internationale (SI) equivalents given in parentheses.
(g) References—For Journal articles, The Harvard system of recording references should be used, e.g. Green, C. and Brown,

D. (1951) The tonsil problem. Journal of Laryngology and Otology 65: 33-38. A paper written by more than two authors should be abbreviated in the text, e.g. Green et al. (1951), but all the authors should be given in the list of references. The titles of all Journals should be given without abbreviation. References should be listed in alphabetical order, use of the Vancouver system will not be accepted.

For single-author books, the following style should be used: Green, C. (1951) The tonsil problem, 2nd Edition, vol. 1, Headley Brothers Ltd., Ashford, Kent, pp 33-38.

For papers in multi-books with one or more editors, the reference should include the title of the chapter and the names of the editors, together with the number of the edition as e.g. Brown, D. (1951) Examination of the ear. In *Diseases of the Ear, Nose and Throat*. 2nd Edition. (White, A., Black, B., eds.), Headley Brothers Ltd., Ashford, Kent, pp 33–38.

It is most important that authors should verify personally the accuracy of every reference before submitting a

paper for publication. The names of authors cited in the References should be given in alphabetical order.

- (h) Drugs—The proper names of drugs must be used. One reference can be made to the brand name if it is felt to be important to the study.
- (i) Meetings—If the manuscript was presented at a meeting, the place where it was held, and the date on which it was read must be included and should appear at the foot of the title page.
- (j) Financial disclosures—In the submission letter to the Editor, the authors must list all affiliations with or financial involvement in, organizations or entities with a direct financial interest in the subject matter or material of the research discussed in the manuscript.
- (k) Declaration. Each manuscript must be accompanied by a letter of declaration to be signed by each author to confirm that they have seen, read and approve the contribution bearing their name.
- (I) Rejections—All manuscripts which are rejected will no longer be returned to the authors. Those submitting papers should, therefore, ensure that they retain at least one copy and the reference numbers, if any, of the illustrations. The only exception to this will be those manuscripts with colour illustrations which will be returned automatically by Surface Mail.
- (m) Facsimile (FAX). All authors should send a Facsimile number whenever possible to speed communication; this particularly applies to those outside the United Kingdom. Manuscripts with no visual illustrations (X-rays/pathology) may be sent by facsimile.
- 3. Page proofs are sent to authors for corrections, which should be kept to a minimum; they must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Orders for reprints must be sent when returning page proofs, and for this purpose special forms are supplied.
- 5. Editorial communications may be addressed to The Editor, Journal of Laryngology and Otology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent TN24 8HH, or sent by FAX (01483 451874).
- 6. The annual subscription is £95.00 Institutions & Libraries US\$190.00; £85.00 Individuals US\$170,00; £45.00 Registrars, Residents and Interns. (Those in training should submit a certificate from The Head of the Department giving details of their appointment; those who qualify must supply their home address for mailing direct). Claims to be made for missing issues within 6 months of each publication date.
 - 7. Single copies of current or back numbers (when available) will be on sale at £12.00 each (including postage).
 - 8. SUPPLEMENTS published at 'irregular' intervals with subscription, available separately on request.
 - 9. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

THE INVICTA PRESS, ASHFORD, KENT.

© Journal of Laryngology and Otology Ltd., 1995 ISSN 0022-2151

Second class postage paid Rahway, N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury Airfreight International Ltd. Inc., 2323 Randolph Avenue, Avenel, N.J. 07001. Frequency of Publication: Monthly.

The AD 25 DIAGNOSTIC AUDIOMETER

from Kamplex®



The latest addition to the Kamplex range incorporates many of the more popular features found on the best selling AD27 in a lightweight low cost package.

The attractive low profile design and easy-to-read back-lit display makes this a perfect desktop audiometer. Air Conduction, Bone Conduction and Narrow-band masking in 5dB steps are available together with an extremely useful talk-through facility.

Superbly engineered for reliability and portability (with the optional case), the AD25 also offers an automatic test facility.* A patient's audiometric results whether recorded manually or automatically may be stored and later recalled.

*Auto Threshold complies with ISO 8253, Audiometric Test Methods

- Robust and Portable (with optional carrying case)
 - AC/BC/Narrow-Band Masking
 - Pure, Warble and Pulsed Tones

- Clear, easy to read Back-lit Display
 - Automatic Test Facility (Conforms to ISO 8253)
 - Results Storage and Recall Capability
 - Insert Masking

P.C.WERTH LTD

Audiology House, 45 Nightingale Lane, London SW12 8SP Telephone: 081-675 5151 Fax: 081-675 7577 https://doi.org/ilnstrument/Division/Direct/Line: 081-675 5157/dge University Press



Centre Clínic Unidad de Láser Quirúrgico en O.R.L. Dr. Juan Coma

4th INTERNATION



AMBULATORY E.N.T. SURGI

LIVE SURGERY - PRACTICAL DEMONSTRATIONS



FACULTY

Dr. J. Coma (Spain), Dr. S. Jovanovic (Germany), Dr. Y. Kamami (France), Dr. Y. Krespi (USA), Dr. S. Lillo (Chile), Prof. J. Poch Broto (Spain), Prof. M. Remacle (Belgium), Prof. J. Traserra (Spain), Dr. M. Trelles (Spain), Dr. P. Vilar Puig (Mexico)




Languages: English-Spanish

Thursday, Friday & Saturday October 12th-13th-14th 1995

For further information or to register please contact Centre Clinic: Avda. Catalunya, 17, 43870 - Amposta Tel xx-34-77-701408 Fax xx-34-77-702726 C./. Ramón y Cajal, 4, 43001 - Tarragona Fax xx-34-77-242156 Tel xx-34-77-240026

US



 MONTHLY ISSUES
 SUPPLEMENTS PEER REVIEWED • CLINICAL AND RESEARCH IMAGING CASE STUDIES • PATHOLOGY CONSULTATIONS LETTERS TO THE EDITOR • BOOK REVIEWS

INVEST IN YOURSELF

OFFICIAL JOURNAL OF THE AMERICAN LARYNGOLOGICAL ASSOCIATION AMERICAN BRONCHO-ESOPHAGOLOGICAL ASSOCIATION

1995 ANNUAL SUBSCRIPTION RATES

RESIDENT* INDIVIDUAL* INSTITUTIONAL ☐ \$54.00 ☐ \$105.00 FOREIGN ☐ \$67.00 **\$125.00 \$175.00**

*Individual, resident, and student subscriptions must be in the individual's name and must be billed to and paid for by the individual.

> **NEW SUBSCRIBERS RECEIVE 2 ISSUES** FREE WITH PAID SUBSCRIPTION



Mail to or call: ANNALS PUBLISHING CO 4507 LACLEDE AVENUE ST LOUIS, MISSOURI 63108 (314) 367-4987 FAX (314) 367-4988





Endoscopic Nasal Surgery Workshop Practical Problems & Solutions

9 & 10 November 1995

Lewisham Hospital NHS Trust, London

Course Director:

Mr Nabil Salama, Consultant ENT Surgeon, Lewisham Hospital NHS Trust

Faculty:

Mr Nick Jones (University Hospital, Nottingham), Mrs Glennis Scadding (Royal TNE Hospital, London), Mr Norman Haacke (University of Southampton), Dr Duncan McIver (Lewisham Hospital NHS Trust, London),

Mr Roger Parker (Lewisham Hospital NHS Trust & United Medical & Dental School, London).

Aimed at:

Consultants and Senior Registrars.

Course Objectives:

A two day course designed to introduce delegates to the skills required for endoscopic

diagnosis & surgery of the nose and sinuses.

Course Content:

Surgical Anatomy & Physiology, Radiology for the Sinuses,

Preoperative Assessment & Patient Selection, Complications & How to Manage Them,

Instrumentation and Live Surgery Demonstration

Teaching Style:

'Hands-on' cadaver dissection & demonstrations supported by tutorials, lectures and videos

Course Fee:

£480 including VAT, accommodation, course materials, course dinner, lunch & refreshments

Apply to:

Mrs Alison Westney, Course Co-ordination Manager

KeyMed, KeyMed House Stock Road, Southend-on-Sea

Essex SS2 5QH

Telephone: (01702) 616333

Facsimile: (01702) 465677

For Advertisement Rates and Space in this Journal apply to

The Advertisement Manager

THE JOURNAL OF LARYNGOLOGY AND OTOLOGY

Headley Brothers Limited The Invicta Press Ashford Kent TN24 8HH Tel: (01233) 623131

Fax: (01233) 612345, 641471, 622704

VERTIGO CONTROL



NON-SEDATIVE CONTROL

"Aantaa E. Acta Otolaryngol (Stockh) 1991; Suppl.479: 44-47. *Antaa E. Acia Otolaryngol (Stockr) 1991; Suppl.4/9, 44-47.

Presentation A white, flat round tablet imprinted '267' on one face,
DUPHAR' on the reverse, each tablet containing 16mg betahistine
dihydrochloride, Available in packs of 84 tablets. Basic NHS price
£18.03. PL0512/0088. Indications Vertigo, tinnitus and hearing
loss associated with Ménière's syndrome. Dosage and
Administration Adults (including the elderly): Initially one Maintenance dose: 24-48mg daily. Children: No dosage recommendations are made for children. Contra-indications, Warnings, etc. Contra-indications: Phaeochromocytoma. Precautions: Caution is advised in the treatment of patients with a history of peptic ulcer. Clinical intolerance to Serc in bronchial asthma patients has been shown in a relatively few patients and therefore caution should be exercised when administering

Serc-16

VERTIG due to Ménière's syndron

should be observed when administering Serc to patients in pregrict Side-effects: Relatively few side-effects have been reported include gastro-intestinal upset, (including dyspepsia), headache rash and pruritus. Legal Category POM. Further information is able from the Product Licence Holder: Duphar Laboratories Lis Gaters Hill, West End, Southampton SO18 3JD. Tel: 01703 47 A member of the Solvay Group. DUPHAR LABORATOR

S160H:0/APRJ95/10.1017/Bibbel22/IEEEOotimes8xially taken preferably with meals. betablistise to patients with bronchial asthma. The usual precautions Date of preparation: April 1995.