# The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

### Contents

COMMENTS ON THE LACK OF STANDARDIZATION IN CALIBRATION OF THE AUDIOMETER EAR-PHONES MOST COMMONLY USED IN GREAT

THE R.N.I.D. AUDIOMETER CALIBRATION SCHEME AN ATTEMPT TO CLASSIFY THE PRIMARY VERTIGOS CHANGES IN AUDITORY EVOKED RESPONSE WITH INTENSITY

SUBJECTIVE MAGNITUDE OF INDUCED VERTIGO AS AN INDEX OF CALORIC RESPONSE . Some Aspects of Electronystagmography ACTIVITY OF OTOSCLEROSIS ASSESSED HISTOLOGICALLY M. BALSLEV JØRGENSEN

FURTHER OBSERVATIONS ON SALICYLATE OTOTOXICITY

C. G. RICE and R. R. A. Coles M. C. MARTIN R. HINCHCLIFFE

> H. A. BEAGLEY and J. J. KNIGHT

R. HINCHCLIFFE A. J. PHILIPSZOON and H. K. KRISTENSEN JOEL M. BERNSTEIN and ALFRED D. WEISS

### CLINICAL RECORDS-

A NOTE ON THE ACOUSTIC OUTPUT OF SEVERAL DEVICES USED IN TESTS OF HEARING. THE ARTIFICIAL LARYNX . . . PAROTID CYSTS . ANGIOFIBROMA OF THE ETHMOIDAL SINUS IN A

M. E. DELANY JOYCE MITCHELL P. M. STELL

L. H. HIRANANDANI, R. D. MELGIRI and R. V. JUVEKER

Mycosis Fungoides Associated with Sarcoma OF THE MAXILLA . HAROLD HOLDEN

Societies' Proceedings

GENERAL NOTES

London

## Headley Brothers

100 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

## The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

### EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

 Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- Galley proofs and engraver's proofs of illustrations are sent to the author.
   Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.
- 7. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.
- 8. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.
- 9. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

### United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

© Journal of Laryngology and Otology, 1967

### CONTENTS

	PAGE
Comments on the Lack of Standardization in Calibration of the	
AUDIOMETER EARPHONES MOST COMMONLY USED IN GREAT	
Britain. C. G. Rice and R. R. A. Coles (Southampton)	829
THE R.N.I.D. AUDIOMETER CALIBRATION SCHEME. M. C. Martin (London)	833
AN ATTEMPT TO CLASSIFY THE PRIMARY VERTIGOS. R. Hinchcliffe (London)	849
CHANGES IN AUDITORY EVOKED RESPONSE WITH INTENSITY. H. A. Beagley	
and J. J. Knight (London)	861
Subjective Magnitude of Induced Vertigo as an Index of Caloric	
Response. R. Hinchcliffe (London)	875
Some Aspects of Electronystagmography. A. J. Philipszoon (the	
Hague, the Netherlands)	887
ACTIVITY OF OTOSCLEROSIS ASSESSED HISTOLOGICALLY, M. Balslev	
Jørgensen and H. K. Kristensen (Copenhagen, Denmark)	911
FURTHER OBSERVATIONS ON SALICYLATE OTOTOXICITY. Joel M. Bernstein	
and Alfred D. Weiss (Boston, Mass.)	915
CLINICAL RECORDS—	
A Note on the Acoustic Output of Several Devices Used in	
70 H M 10 10 1 (70 11)	0.27
THE ARTIFICIAL LARYNX. Joyce Mitchell (Sunderland)	927
PAROTID CYSTS. P. M. Stell (Liverpool)	929
Angiofibroma of the Ethmoidal Sinus in a Female, L. H.	931
Hiranandani, R. D. Melgiri and R. V. Juveker (Bombay) .	025
Mycosis Fungoides Associated with Sarcoma of the Maxilla.	935
TT13 TT 13 (F 3 )	0.4.1
Harold Holden (London)	941
Societies' Proceedings	949
CENEDAL NOTES	OFT



### Instrumentation for Audiology and **Psychoacoustics**

U.K. Distributors of the World's leading makes



Our Range includes:

Portable Audiometers Clinical Audiometers **Pekesy Audiometers** Speech Audiometers Acoustic Impedance Meters Sound Level Meters Zwislocki Bridge Psychogalvanometer **Auditory Trainers Group Hearing Aids** Individual Hearing Aids for

School use



Silicon Based Aural Impression Materials Audiometric Examination Rooms and many other items



Please let us know your needs

G. C. Johnson, Leyton Instrument Company Limited, 54 Albert Road, Caversham, Reading, Berks Reading 72293

### THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR


517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.





# AMPLIVOX AUDIOMETER SERVICE

**Only Amplivox** provides complete calibration and service facilities for Amplivox audiometers

### Specify Amplivox Service because it guarantees:








**Only** by specifying Amplivox will you ensure servicing and calibration by trained operatives and the use of standard parts

Only Amplivox Service is your guarantee of accuracy and reliability

Amplivox Hearing Advisory Service 80 New Bond Street · London · W.1

Tel: 01-493 9888






DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada
410 Dundas Street West, Toronto, 2B, Canada

### FOR CLINICAL AUDIOMETRY



### **Audiometer Booths**

prefabricated to ensure correct acoustic environment for threshold audiometry. research, etc. Available in standard and special sizes.

### **Manual Audiometers**

with narrow band masking for highest accuracy and extended resolution. Battery-operated transistor models also available.



### **Automatic Audiometers**

As exclusive U.K. distributors, we are able to offer Rudmose Self-Recording Audiometers from the most simple to the most comprehensive Diagnostic

Békésv




### Calibration Service, Screening, **Speech & Industrial Audiometers**

Please write for technical literature to meet your needs

HEARING ADVISORY SERVICE LTD

80 New Bond St, London, W1 Tel: 01-493 9888



Please mention The Journal of Laryngology and Otology when replying to advertisements

# WHEN A HEARING AID IS RECOMMENDED

# ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice. 14 branch offices with while-you-wait service.

FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX

## **AMPLIVOX**

World's most experienced and complete hearing service

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1 TEL: 01-493 9888

## WHEN RECOMMENDING A HEARING AID WHY MULTITONE?

Because as well as a complete range of hearing aids, to suit all types of deafness, Multitone cater for the specialised needs of those patients who suffer from physical handicaps which preclude them from using normal hearing aids.

spastic and thalidomide children, special fitting devices have been developed in conjunction with ENT Specialists.

For the very elderly, Electronic Ear Trumpets and Communicators considerably ease the problem of communication.

If you would like to know more about these devices or if you have any fitting problems - please write or telephone us.




A 5 year old boy wearing a Multitone spastic fitting device.

## MULTITONE Underwood St., Tel. 01-253 8022

Underwood St., London, N.1.

Members of the newly formed Hearing Aid Industry Association

Just one of the reasons why Ceporin has an important place in the ENT unit



Please mention The Journal of Laryngology and Otology when replying to advertisements

# Ceporin (cephaloridine)

### **Broad spectrum**


Ceporin is highly active against many gram-positive organisms—including penicillin-resistant staphylococci—and many gram-negative organisms.

### Bactericidal

Ceporin rapidly kills susceptible organisms at or near the minimum inhibitory concentration.


#### Safe

Ceporin has very low toxicity and can usually be given safely to penicillin-hypersensitive patients. The injection is remarkably painless.



#### Clinical success

In the ENT unit, Ceporin has proved valuable for use in place of more toxic drugs or combinations of antibiotics. In particular, it is an excellent alternative where penicillin might have proved ineffective or dangerous. While Ceporin is effective in the simple staphylococcal or streptococcal infections, its activity among the gram-negative organisms is also very useful in the mixed infections often encountered in the ear, nose and throat.



Please mention The Journal of Laryngology and Otology when replying to advertisements

# Ceporin (cephaloridine)

### Presentation

Ceporin is issued in vials containing 250 mg, 500 mg and 1 gram of cephaloridine, packed singly and in boxes of five.

Ceporin is a Glaxo trade mark

Detailed literature is available from Glaxo Laboratories Ltd Greenford, Middlesex



Why is Penbritin the safer antibiotic in paediatrics?
Skin and Soft Tissue Infections

and Otitis Media

I am glad you called again. I want to discuss Skin and Soft Tissue Infections. How effective is Penbritin in these conditions?

Very effective. In fact a trial of Penbritin in General Practice pointed out that: 'There was a particularly good response to Penbritin in acute otitis media, cellulitis and impetigo."

### What sort of tissue concentrations does Penbritin achieve?

Good ones - flexible too. Penbritin is well absorbed orally, giving effective concentrations in both blood and tissues. Doubling the dose virtually doubles blood levels and increases the tissue concentrations.

That could be very useful. You mentioned acute otitis media just now. Sometimes these cases take quite a while to clear up and are very painful for the children.

Of course, these may well be mixed infections. Recent work has shown that quite frequently H. influenzae can be isolated from children with otitis media.2 Penbritin's bactericidal activity against a wide range of bacteria makes it particularly valuable in this sort of case.

### But is Penbritin clinically more effective than other antibiotics?

A General Practitioner recently wrote that oral Penbritin is 'highly effective (even in otitis media when I had found oral penicillins fairly ineffective.)'3 Also in a trial comparing Penbritin and tetracycline syrups, all the children with otitis media given Penbritin responded within a week, whereas only 60% of those given tetracycline syrup responded in that time.4



Well doctor, a dose of Penbritin syrup now costs only 10d.

10d. a dose; it costs less than I thought. I hope this discussion has been useful in highlighting Penbritin's value in treating these infections in children.

It certainly has, in fact all these discussions have been very useful. I have been using Penbritin in certain conditions but had not until now fully realised its wide applications especially in children's infections . . .

Published trials† in this country and throughout the world endorse the effectiveness of Penbritin in a wide range or indications, including:-

Acute tonsillitis · Laryngitis Bronchitis · Pneumonia · Wound Infections · Carbuncles · Furunculosis Impetigo · Cellulitis · Erysipelas Recurrent Cystitis Pyelonephritis

### Children's Dosage:

Under 2 years: 62.5 - 125 mg. four times daily, before meals. 2-10 years: 125 - 250 mg. four times daily, before meals.

Availability: Penbritin (ampicillin B.P.)

Paediatric Tablets containing 125 mg. Capsules 250 mg. and 500 mg. Syrup 125 mg./5 ml. teaspoonful. Syrup Forte 250 mg./5 ml. teaspoonful. IM. injection 100 mg., 250 mg. and 500 mg.

Contra-Indication: Penicillin Allergy

- Practitioner (1963), 191, 356.
   Lancet, (1967), 1 243.
   Practitioner (1967). 198, 19.

- 4. Brit. J. Clin. Pract., (1966), 20, 361.
- †A full list of references is available on request.



Penbritin\* is a product of British research at


Beecham Research Laboratories Brentford, England originators of the new penicillins.





### NEW FOR OTITIS EXTERNA AND CHRONIC OTITIS MEDIA

# FOR INFLAMMATION AND INFECTION IN THE EAR

### ANTI-INFLAMMATORY ANTI-BACTERIAL ANTIFUNGAL







٥

۵

LOCORTEN-VIOFORM EARDROPS

flumethasone pivalate 0.02% iodochlorhydroxyquinolina 1%

LOCORTEN-VIOFORM EARDROPS

7.5 ml, in controlled-drop dispenser

LOCORTEN-VIOFORM EARDROPS

CIBA

Basic NHS price 9s. 8d

L.LD(t

Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.




Steel Polish cleans and preserves with superior results —ends fingerprints, watermarks and surface stains.

22 Oz. economy


size . . . . \$2.25

### SURGICAL MECHANICAL RESEARCH INC.

P.O. Box 1185, Newport Beach, Calif. 92663 FACTORY DIRECT SALES



Please send for our new catalog Direct factory sales, F.O.B. Newport Beach, Calif.



### THE DROP

### THAT SOOTHES THE INFECTED EAR

'Otosporin' rapidly destroys virtually *all* bacteria commonly found in ear infections, reduces irritation, inflammation and pain. 'Otosporin' brand Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Issued in bottles of 5 ml.

## **'OTOSPORIN'**

