PROGRAMME OF SESSIONS

Monday 12 August 1996 0845–1740 h

CHAIR: Bjørn Wold

CHAIR: Gregory Flato

CHAIR: John Walsh

OPENING OF SYMPOSIUM: Bjørn Wold, President, International Glaciological Society David Strong, President, University of Victoria Barry Goodison, Chief, Climate Research Branch, Atmospheric Environment Service

SESSION 1: REPRESENTATION OF THE CRYOSPHERE IN MODELS

W. F. Budd, X. Wu and P. A. Reid: Physical characteristics of the Antarctic sea ice zone derived from modelling and observations

M. Kreyscher, M. Harder and P. Lemke: First results of the Sea Ice Model Intercomparison Project (SIMIP)

S. J. Vavrus: The effect of sea ice parameterizations on the simulation of the Arctic ice pack

L. Nazarenko, T. Sou, M. Eby and G. Holloway: The Arctic Ocean/ice system studied by contaminant modelling

SESSION 2: REPRESENTATION OF THE CRYOSPHERE IN MODELS

B. Tremblay and L. A. Mysak: A drag law parameterization for sea ice involving the effect of surface roughness W. D. Hibler, III and E. M. Schulson: Modeling sea-ice fracture and flow in numerical investigations of climate J. R. Key and Y. Liu: Evaluation and development of surface shortwave flux parameterizations for use in sea ice models S. Marshall, A.W. Nolin, R. J. Oglesby and G.T. Bates: Improving climate model representations of snow hydrology

SESSION 3: REPRESENTATION OF THE CRYOSPHERE IN MODELS

- R. Essery: Modelling fluxes over heterogeneous snow cover
- E. Martin, E. Brun and Y. Durand: Snow cover simulations in mountainous regions based on general circulation model outputs
- J. S. Tilley, A. H. Lynch and W. L. Chapman: Implementation and tests of the Canadian Land Surface Scheme (CLASS) within the Arctic Region Climate System Model (ARCSyM)
- H. Escher-Vetter: Modelling of mass balance and discharge of Vernagtferner, Austria
- A.W. Nolin and J. Stroeve: The changing albedo of the Greenland ice sheet: implications for climate change
- G. Krinner and C. Genthon: A study of the Antarctic surface mass balance in a regionally fine general circulation model

Session 4: Representation of the Cryosphere in Models

L. Tarasov and W. R. Peltier: A high-resolution model of the 100 kyr ice-age cycle

- R. Bindschadler, M. Fahnestock, A. Sigmund and I. Joughin: Improved ice-sheet surface elevation fields combining satellite radar altimetry and SAR interferometry data
- I. Marsiat and J. L. Bamber: Improving the topography of the climate of Antarctica in the UGAMP CGM
- G. E. Flowers, G. K. C. Clarke and S. J. Marshall: Sensitivity of ice sheet hydrological systems to basal water pressure forcing
- S. J. Marshall, G. K. C. Clarke and G. E. Flowers: Internal dynamical controls on flow instabilities in an ice sheet
- G. K. C. Clarke, G. E. Flowers and S. J. Marshall: Single- and dual-pressure hydrologies for ice sheet modelling
- R. C. A. Hindmarsh: Use of ice-sheet normal modes for initialisation and modelling small changes

Tuesday 13 August 1996 0845–1745 h

SESSION 5: REPRESENTATION OF THE CRYOSPHERE IN MODELS

CHAIR: Garry Clarke

G. M. Flato and D. Ramsden: Sensitivity of an atmospheric general circulation model to the parameterization of leads in sea-ice

J. Maslanik and J. Dunn: On the role of sea ice transport in modifying Arctic responses to global climate change J.W. Weatherly, T.W. Bettge and B. P. Briegleb: Simulation of sea ice in the NCAR climate system model

Programme of Sessions

SESSION 6: COUPLING OF CRYOSPHERIC PROCESSES

A. Stössel: On the impact of sea ice in a global ocean circulation model

S. Legutke, E. Maier-Reimer, A. Stössel and A. Hellbach: Ocean-sea ice coupling in a global ocean general circulation model

SESSION 7: COUPLING OF CRYOSPHERIC PROCESSES

- J. R. Miller and G. L. Russell: The effect of river flow on sea ice
- B. P. Briegleb: Sea ice simulations forced by output from the NCAR CCM3
- E. Brun, E. Martin and V. Spiridonov: The coupling of a multi-layered snow model with a GCM
- A. H. Lynch, D. L. McGinnis, W. L. Chapman and J. Tilley: A multivariate comparison of two land surface models integrated into an Arctic regional climate system model

SESSION 8: COUPLING OF CRYOSPHERIC PROCESSES

- P. Marsh, J. W. Pomeroy and N. Neumann: Sensible heat flux and local advection over a heterogeneous landscape at an Arctic tundra site during snowmelt
- R. S.W. van de Wal and J. Oerlemans: Short-term response of the Greenland ice sheet to global warming: experiments with a two dimensional vertically averaged ice flow model coupled to an energy balance model and a visco-isostatic bedrock model
- S. P. O'Farrell, J. L. McGregor, L. D. Rotstayn, W. F. Budd and C. M. Zweck: Impact of transient increases in CO₂ on the accumulation and mass balance of the Antarctic ice sheet
- W. Abdalati and K. Steffen: Post-Pinatubo Greenland ice sheet melt
- G. Ramstein, A. Fabre, S. Pinot, C. Ritz and S. Joussaume: Ice sheet mass balance during the Last Glacial Maximum
- M. B. Giovinetto and H. J. Zwally: Areal distribution of the oxygen-isotope ratio in Antarctica: an assessment based on multivariate models

SESSION 9: APPLICATIONS OF MODELS

R. S. Steen and T. S. Ledley: Asynchronously coupling the cryosphere and atmosphere in an energy balance-climate model M. Huddleston: Improving the climatic response of sea ice models in the Greenland Sea

SESSION 10: POSTERS

Representation of the Cryosphere in Models and Coupling of Cryspheric Processes

- R. Garduño and J. Adem: The cryosphere in the Adem thermodynamic model: representation and results
- H. Douville, E. Brun and E. Martin: Stand-alone tests of the snow parametrization in use in the Météo-France GCM
- H. Dang, C. Genthon and E. Martin: Numerical modelling of snow-cover over polar ice sheets
- H. Stern and K. C. Partington: The RADARSAT Geophysical Processor System (RGPS): weekly gridded Arctic sea ice data products
- J. A. Richter-Menge: Establishing a physical basis for ice dynamics models
- P. Lemke, W. D. Hibler, III, G. Flato, M. Harder and M. Kreyscher: On the improvement of sea ice models for climate simulations: the Sea Ice Model Intercomparison Project
- W. D. Hibler, III, C. A. Geiger and S. F. Ackley: On modeling sea-ice inertial motions in numerical investigations of climate I. A. Podgorny: Calculation of solar energy inputs into melt ponds
- T. E. Arbetter, J. A. Curry, M. M. Holland and J. A. Maslanik: Response of sea ice models to perturbations in surface heat flux
- G. Ramstein, F. Fluteau and V. Masson: Existence of ice cap during the mid-Cretaceous period (120-90 Myr)
- W. D. Hibler, III and J. Zhang: The effect of interactive sea-ice on seasonally varying thermohaline circulation
- D. A. Bailey, A. H. Lynch and K. S. Hedström: The impact of ocean circulation in a Regional Climate System Model
- S. Kakuta, Y. Sasaki and A. Mukaida: Diffusive coefficients of Arctic sea-ice motion estimated through SAR
- H.J. Zwally and M.B. Giovinetto: Areal distribution of the oxygen-isotope ratio in Greenland

CHAIR: Elizabeth Hunke

CHAIR: Barry Goodison

CHAIR: Jay Zwally

M. B. Giovinetto, G. Holdsworth, D. A. Fisher, N. M. Waters and H. J. Zwally: An assessment of the regional distribution of the oxygen- isotope ratio in northeastern Canada
N. Ishikawa, Y. Takeuchi, Y. Ishii and Y. Kodama: Characteristics of the hydrologic cycle of an experimental watershed

SESSION 11: APPLICATIONS OF MODELS

- B. Rana, M. Nakawo, Y. Fukushima and Y. Ageta: Application of a conceptual precipitation-runoff (HYCYMODEL) in the debris-covered glacierized basin of Langtang Valley, Nepal Himalaya
- A. Rango: The response of areal snow cover to climate change in a snowmelt runoff model
- M. Harder: Roughness, age, and drift trajectories of sea ice in large-scale simulations and their use in model verifications
- D. A. Robinson: Hemispheric snow cover and surface albedo for model validation
- C. S. Jackson: Sensitivity of a two-layer model atmosphere to changes in ice sheet topography

SESSION 12: APPLICATIONS OF MODELS

- S. L. Thompson and D. Pollard: Ice-sheet mass balance at the Last Glacial Maximum from the GENESIS version 2 global climate model
- B. Chen, D. H. Bromwich and R. I. Cullather: Sensitivity of global atmospheric circulation to Antarctic surface heat flux anomalies
- K. M. Hines, D. H. Bromwich and R. I. Cullather: Evaluating moist physics for Antarctic mesoscale simulations
- C. A. Geiger, S. F. Ackley and W. D. Hibler, III: Year-round pack ice in the western Weddell Sea: sensitivity to atmospheric and oceanic forcing

SESSION 13: APPLICATIONS OF MODELS

- S. P. O'Farrell and H. B. Gordon: Interdecadal variability of sea ice in a coupled climate model
- H. Goosse, J. M. Campin, T. Fichefet and E. Deleersnijder: The impact of sea-ice formation on the properties of Antarctic bottom water
- M. Verbitsky and B. Saltzman: Modeling the Antarctic ice sheet
- J. L. Schramm, M. M. Holland and J. A. Curry: Applications of a single-column ice/ocean model to understanding the mass balance of sea ice and snow in the central Arctic
- M. M. Holland, J. L. Schramm and J. A. Curry: Thermodynamic feedback processes in a single-column sea ice/ocean model

SESSION 14: POSTERS

APPLICATIONS OF MODELS AND VALIDATION OF CRYOSPHERIC COMPONENTS IN MODELS

- D. Pollard and S. L. Thompson: Driving a high-resolution dynamical ice-sheet model with GCM climate: applications to icesheet initiation at 116,000 B.P.
- P. Huybrechts and S. T'siobbel: A three-dimensional climate/ice-sheet model applied to the Last Glacial Maximum
- R. J. Oglesby and S. Marshall: Modeling polar glaciation
- E. M. Grace: Glacier reconstruction through iterative refinement in a finite-element glacier model
- T. Fichefet, M. A. Morales Maqueda and H. Goosse: On the importance of snow-ice formation in large-scale sea-ice simulations
- J. R. Marko, D. B. Fissel and D. Haller: Box model analyses of interannual variability in sea ice off the Canadian East Coast
- D. L. McGinnis and M. D. Cross: The ARCSS Data Coordination Center at NSIDC: a catalyst for integration
- R. L. S. Weaver and W. B. Tucker, III: Variability of Arctic sea ice thickness data
- T. A. Agnew and H. Le: Estimation of large scale sea-ice motion from SSM/I 85.5 GHz imagery
- R. D. Brown: Historical variability in Northern Hemisphere snow-covered areas
- C. Derksen, K. Misurak, E. LeDrew, J. Piwowar and B. Goodison: The relationship between snow cover and upper atmospheric circulation, central North America, winter 1988
- D. de Sève, M. Bernier, J. -P. Fortin and A. Walker: Preliminary analysis of the snow microwave radiometry using SSM/I passive microwave data: the case of the La Grande River watershed (Quebec)
- I. G. Rubinstein: Passive microwave observations of the temporal and spatial variability of the snow cover

CHAIR: Roger Barry

CHAIR: David McGinnis

CHAIR: Peter Lemke

CHAIR: Mark Serreze

R. Essery: Seasonal snow cover in the Hadley Centre GCM

- R. Kattelmann: Rapid changes in snow cover at low elevations in the Sierra Nevada, California, U.S.A. C. A. Shuman, M. A. Fahnestock, R. A. Bindschadler and R. B. Alley: Hoar event detection on the Greenland ice sheet with enhanced SSM/I time series data
- T. A. Scambos and M. A. Fahnestock: Improving digital elevation models over ice sheets using AVHRR-based photoclinometry
- Y. Ujihasi, M. Nakawo and J. Liu: Roles of glacier melt in the hydrological cycle of rivers in arid regions

Thursday 15 August 1996 0845–1700 h

SESSION 15: VALIDATION OF CRYOSPHERIC COMPONENTS IN MODELS

- R. G. Barry: Cryospheric data for model validations: requirements and status
- R. Kwok and J. C. Comiso: The perennial ice cover of the Beaufort Sea from active and passive microwave observations
- K. Steffen and J. Box: Cloud cover parameterization and climatology: NW Greenland ice sheet
- M. R. Anderson: Determination of a melt onset date climatology for Arctic sea ice regions using passive microwave data
- J. Maslanik, C. Fowler, J. Key, T. Scambos, T. Hutchinson and W. Emery: AVHRR-based Polar Pathfinder products for modeling applications
- R.W. Lindsay, J. A. Francis, P. O. G. Persson, D. A. Rothrock and A. J. Schweiger: Surface turbulent fluxes over pack ice inferred from TOVS observations

SESSION 16: VALIDATION OF CRYOSPHERIC COMPONENTS IN MODELS

- M. Beniston, W. Haeberli, M. Hoelzle and A. Taylor: On the potential use of glacier and permafrost observations for verification of climate models
- A. Boudreaux and C. Raymond: Effect of spatial pattern of mass balance on geometry and climate response of glaciers
- M. Higham, M. Craven, A. Ruddell and I. Allison: Snow accumulation distribution in the interior of the Lambert Glacier basin, Antarctica
- C. Fierz, C. Plüss and E. Martin: Modelling the snow cover in a complex Alpine topography
- D. H. Bromwich and R. I. Cullather: Validation of ECMWF and NMC numerical analyses in Antarctic latitudes
- E. J. Steig: Close interval remote sensing of the ascent of the transient snowline in large glacierised basins in the Karakoram Mountains for a conceptually-based glacier runoff model

SESSION 16: VALIDATION OF CRYOSPHERIC COMPONENTS IN MODELS

D. M. Smith, C. Cooper and S.W. Laxon: Evaluation of the representation of sea ice in the UK Hadley Centre GCM

- M. C. Serreze and J. A. Maslanik: Arctic precipitation as represented in the NCEP/NCAR reanalysis
- M. A. Tschudi, J. A. Curry and J. M. Maslanik: Determination of areal surface feature coverage in the Beaufort Sea using aircraft video data
- W. H. Knap, B.W. Brock and J. Oerlemans: Satellite-derived albedo of snow and ice
- J. L. Bamber and R. A. Bindschadler: An improved elevation data set for climate and paleo-climate modelling: validation with satellite imagery

CHAIR: Stephen Ackley

CHAIR: Albert Rango

CHAIR: Lawrence Mysak

454

https://doi.org/10.3189/S0022143000190045 Published online by Cambridge University Press

Annals of Glaciology 25 1997 © International Glaciological Society

INDEX OF AUTHORS

ACKLEY, SF	Year-round pack ice in the Weddell Sea: response and sensitivity to atmospheric and oceanic forcing	269
AGETA, Y	Application of a conceptual precipitation–runoff model (HYCYMODEL) in a debris-covered glacierized basin in the Langtang Valley, Nepal Himalaya	226
AGNEW, TA	Estimation of large-scale sea-ice motion from SSM/I 85.5 GHz imagery	305
ALLISON, I	Snow-accumulation distribution in the interior of the Lambert Glacier basin, Antarctica	412
ANDERSON, M R	Determination of a melt-onset date for Arctic sea-ice regions using passive-micro- wave data	382
ARBETTER, TE	Response of sea-ice models to perturbations in surface heat flux	193
BAILEY, DA	Impact of ocean circulation on regional polar climate simulations using the Arctic Region Climate System Model	203
BAMBER, J L	The climate of Antarctica in the UGAMP CGM: sensitivity to topography	79
BAMBER, J L	An improved elevation dataset for climate and ice-sheet modelling: validation with satellite imagery	439
BARRY, RG	Cryospheric data for model validations: requirements and status	371
BENISTON, M	On the potential use of glacier and permafrost observations for verification of climate models	400
BERNIER, M	Preliminary analysis of the snow microwave radiometry using the SSM/I passive microwave data: the case of the La Grande River watershed (Quebec)	353
BETTGE, T W	Simulation of sea ice in the NCAR Climate System Model	107
BINDSCHADLER, R A	An improved elevation dataset for climate and ice-sheet modelling: validation with satellite imagery	439
BOUDREAUX, A	Geometry response of glaciers to changes in spatial pattern of mass balance	407
BRIEGLEB, BP	Simulation of sea ice in the NCAR Climate System Model	107
BROMWICH, DH	Evaluating moist physics for Antarctic mesoscale simulations	282
BROWN, R D	Historical variability in Northern Hemisphere spring snow-covered area	340

BRUN, E	Coupling a multi-layered snow model with a GCM	66
BRUN, E	Snow-cover simulations in mountainous regions based on general circulation model outputs	42
BUDD, W F	Impact of transient increases in atmospheric CO_2 on the accumulation and mass balance of the Antarctic ice sheet	137
BUDD, W F	Physical characteristics of the Antarctic sea-ice zone derived from modelling and observations	1