
JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

JMBA

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 70

1990

CAMBRIDGE UNIVERSITY PRESS CAMBRIDGE LONDON NEW YORK PORT CHESTER MELBOURNE SYDNEY

PUBLISHED BY

THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge, CB2 1RP 40 West 20th Street, New York, NY 10011, USA 10 Stamford Road, Oakleigh, Melbourne 3166 Australia

© Copyright Marine Biological Association of the UK 1990 Printed in Great Britain at the University Press, Cambridge

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

CONTENTS: VOLUME 70

Number 1, pp. 1-248, February 1990

	PAGE
Nutritional value of dried algae diets for larvae of Manila clam (Tapes philippinarum).	
Laing, I., Child, A.R. and Janke, A.	1
On different methods available for measuring the area of gill secondary lamellae of fishes. Hughes, G.M.	
A comparative study of the anatomy and behaviour of the oncomiracidia of the related	13
monogenean gill parasites Kuhnia scombri, K. sprostonae and Grubea cochlear from	
mackerel, Scomber scombrus. Whittington, I.D. and Kearn, G.C.	01
Thermal and biochemical characteristics of the lipids of the leatherback turtle	
Dermochelys coriacea: evidence of endothermy. Davenport, J., Holland, D.L. and East, J	1 22
Observations on swimming, posture and buoyancy in the giant oceanic ostracods,	33
Gigantocypris mulleri and Macrocypridina castanea. Davenport, J.	42
Variations in the reproductive cycle of <i>Acrocnida brachiata</i> (Echinodermata:	
Ophiuroidea) according to environment in the Bay of Douarnenez (Brittany).	
Bourgoin, A. and Guillou, M.	57
Structure and density of <i>Haliotis tuberculata</i> populations around the coasts of Jersey, Channel Isles. Peck, L.S. and Culley, M.B.	(7
An investigation of methods for sampling microbial films on rocky shores.	
Hill, A.S. and Hawkins, S.J.	77
The population zoogeography of the common shrimp (<i>Crangon crangon</i>) in British	
	90
waters. Henderson, P.A., Seaby, R. and Marsh, S.J.	
Factors affecting individual body weight in field populations of the mudsnail	00
Hydrobia ulvae. Morrisey, D.J.	
Physiological factors causing natural variations in acoustic target strength of fish.	107
Ona, E.	107
Reproduction and life history strategy of the hermit crab <i>Pagurus bernhardus</i> . Lancaster, I.	100
Differences in the swimming behaviour of the amphipod <i>Corophium volutator</i> from	129
	140
different populations. Hughes, R.G. and Horsfall, I.M.	143
The energetics of migration by selective tidal stream transport: an analysis for plaice	140
tracked in the southern North Sea. Metcalfe, J.D., Arnold, G.P. and Webb, P.W.	149
Gametogenesis and the reproductive cycle in the deep-sea anemone <i>Paracalliactis</i> stephensoni (Cnidaria: Actinaria). Van-Praet, M.	1()
	165
Seasonal reproduction in the seastar <i>Dytaster grandis</i> from 4000 m in the north-east	172
Atlantic Ocean. Tyler, P.A., Billett, D.S.M. and Gage, J.D.	173
Preliminary observations on factors affecting foraging activity in the limpet	101
Patella vulgata. Little, C., Morritt, D., Paterson, D.M., Stirling, P. and Williams, G.A	101
A biochemical investigation of a <i>Phaeocystis</i> sp. bloom in the Irish Sea. Claustre, H.,	
Poulet, S.A., Williams, R., Marty, JC., Coombs, S., Ben Mlih, F., Hapette, A.M.	107
and Martin-Jezequel, M.	197
Skeletal growth bands in brittle stars: microstructure and significance as age	200
markers. Gage, J.D.	209
Changes in lipids during simulated herbivorous feeding by the marine crustacean	00-
Neomysis integer. Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G	
Short Communication:	245
Organic content of the molluscan shell. Rodhouse, P.G.	
Book Notices	

JMBA VOLUME 70: CONTENTS

Number 2, pp. 249-481, May 1990

	PAGE
Observations on coastal fish fauna during a spring bloom of <i>Phaeocystis pouchetii</i> in the eastern Irish Sea. Rogers, S.I. and Lockwood, S.J.	249
Catches and geographical distribution of selachians on the western coast of Brittany. Rousset, J.	
Population structure of thornback rays <i>Raja clavata</i> and their movements in the Bay of	
Douarnenez. Rousset, J.	
Moulting and mating in Lepeophtheirus pectoralis (Copepoda: Caligidae). Anstensrud, M.	
Distribution of intertidal isopods in relation to geographical changes in macroalgal	
cover in the Bay of Biscay. Arrontes, J. and Anadón, R	
The ultrastructure of the skeleton and skeletogenic tissues of the temperate coral	
Caryophyllia smithii. Le Tissier, M.D'A.A.	295
Observations on the locomotion of post-larval and juvenile flying fish. Davenport, J	311
Spawning and development of Calliostoma granulatum in the Mediterranean Sea.	
Ramón, M.	321
The diet of the two-spot goby, Gobiusculus flavescens (Pisces). Costello, M.J., Edwards, J.	
and Potts, G.W.	
Depth related variation in the structure and functioning of the compound eye of the	
Norway lobster Nephrops norvegicus. Gaten, E., Shelton, P.M.J., Chapman, C.J. and	
Shanks, A.M.	343
A model of the relationship between light and primary production in an atoll lagoon.	
Charpy, L. and Charpy-Roubaud, C.J	
The use of artificial substrates in monitoring mussel (Mytilus edulis L.) settlement on an	
exposed rocky shore in the west of Ireland. King, P.A., McGrath, D. and Britton, W	
Jakoba libera (Ruinen, 1938), a heterotrophic flagellate from deep oceanic sediments.	
Patterson, D.J.	
Introduction and oxidation of catechols during the formation of the skate (<i>Raja erinacea</i>)	
egg capsule. Koob, T.J. and Cox, D.L.	395
The role of the sensory systems of herring larvae in evading predatory fishes.	
Blaxter, J.H.S. and Fuiman, L.A.	413
Isolation and partial characterisation of the serum immunoglobulin of the flounder,	(20)
Platichthys flesus. Glynn, P.J. and Pulsford, A.L.	429
Age determination, growth rate and population structure of the horse mussel <i>Modiolus</i>	
modiolus. Anwar, N.A., Richardson, C.A. and Seed, R.	
Some observations on the behaviour of adult squids, <i>Loligo forbesi</i> , in captivity.	450
Porteiro, F.M., Martins, H.R. and Hanlon, R.T.	459
Short Communications:	
Prorocentrum minimum (Dinophyceae) in the Adriatic and Black Sea. Marasovic, I., Duch on Pathenia, T. and Pathenia, V.	
Pucher-Petkovic, T. and Petrova-Karadjova, V Investigation into the state of preservation of the E.T. Browne collection of	
hydromedusae. Moore, S.J.	
Book Notices	
DUUR INDUCCO	····· TO I

JMBA VOLUME 70: CONTENTS

Number 3, pp. 483-685, August 1990

	PAGE
Influences on movement and migration in the hermit crab Pagurus bernhardus.	
Lancaster, I. and Wigham, G.D	483
Revision of the family Ammodytidae (Perciformes) in the Mediterranean with the first	
record of Gymnammodytes semisquamatus. Sabatés, A., Demestre, M. and Sanchez, P	
The relation between the dimensions of the cirral net, the beat frequency and the size and	
age of the animal in Balanus balanoides and Elminius modestus. Crisp, D.J. and	
Maclean, F.J.	505
Fecundity and maturity of plaice (Pleuronectes platessa) from Cardigan Bay.	
Horwood, J.W	515
Photosynthetic carbon metabolism of size-fractionated phytoplankton during an	
experimental bloom in marine microcosms. Madariaga, I. de and Fernandez, E	531
Ultrastructural studies of the elytra of Pholoe minuta (Annelida: Polychaeta) with special	
reference to functional morphology. Heffernan, P.	545
The relationship between the distribution of genetically distinct inbred lines and upper	
lethal temperature in Lasaea rubra. Tyler-Walters, H. and Davenport, J	557
Exotoxin production by Gyrodinium cf. aureolum (Dinophyceae). Gentien, P. and Arzul, C	3571
Gastropod predation sites: the role of predator and prey in chemical attraction of the	
hermit crab Clibanarius vittatus. Rittschof, D., Kratt, C.M. and Clare, A.S	
The impact of photoperiodicity on hatching of <i>Loligo vulgaris</i> and <i>Loligo forbesi</i> .	
Paulij, W.P., Herman, P.M.J., van Hannen, E.J. and Denucé, J.M.	597
The relationship of larval shell morphology to mode of development in marine	
prosobranch gastropods. Lima, G.M. and Lutz, R.A.	611
Reproductive abnormalities in female Ocenebra erinacea (Gastropoda) resulting from	
tributyltin-induced imposex. Gibbs, P.E., Bryan, G.W., Pascoe, P.L. and Burt, G.R	639
Abstracts: Environmental Change ~ Biological Response	657
Short Communication:	
Doliolids in the German Bight in 1989: evidence for exceptional inflow into the North	
Sea. Lindley, J.A., Roskell, J., Warner, A.J., Halliday, N.C., Hunt, H.G.,	
John, A.W.G. and Jonas, T.D.	679
Book Notices	683

vii

JMBA VOLUME 70: CONTENTS

Number 4, pp. 687-954, November 1990

	PAGE
Epibiosis in deep-sea crab populations as indicator of biological and behavioural	TAGE
characteristics of the host. Abelló, P., Villanueva, R. and Gili, J.M.	687
Blooms of <i>Prorocentrum micans</i> (Dinophyta) in the Galway Bay area. Pybus, C.	
Further results from a tagging study of pelagic sharks in the north-east Atlantic.	
Stevens, J.D.	707
Geographical variation of <i>Balanus improvisus</i> in biochemical and morphometric	
characters. Furman, E.R.	721
Origin of bistramide A identified in <i>Lissoclinum bistratum</i> (Urochordata): possible in-	
volvement of symbiotic Prochlorophyta. Biard, JF., Grivois, C., Verbist, JF.,	- 41
Debitus, C. and Carre, J.B.	741
Mycteronastes undulatae gen. nov., sp. nov. (Monogenea: Monocotylidae) from the nasal	747
cavities of <i>Raja undulata</i> in the eastern Atlantic. Kearn, G.C. and Beverley-Burton, M.	/4/
A new mesopelagic appendicularian, <i>Mesochordaeus bahamasi</i> gen. nov., sp. nov.	766
Fenaux, R. and Youngbluth, M.J The fatty acid composition of the leatherback turtle <i>Dermochelys coriacea</i> L. and its	755
jellyfish prey. Holland, D.L., Davenport, J. and East, J.	761
Dietary lipid changes during herbivory and coprophagy by the marine invertebrate	701
Nereis diversicolor. Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G	771
Zinc and cadmium absorption in the symbiotic anemone Anemonia viridis and the non-	//1
symbiotic anemone Actinia equina. Harland, A.D., Bryan, G.W. and Brown, B.E.	780
Determinacy of fecundity in sole (<i>Solea solea</i>) from the Bristol Channel. Horwood, J.W.	
	803
The persistence and modulation of endogenous circatidal rhythmicity in <i>Lipophrys pholis</i>	
(Teleostei). Northcott, S.J., Gibson, R.N. and Morgan, E.	
Sandeels in the diets of seals: application of novel and conventional methods of analysis	
to faeces from seals in the Moray Forth area of Scotland. Pierce, G.J., Boyle, P.R.,	
Diack, J.S.W. and Clark, I.	829
Shell and hinge ontogeny of the Antarctic bivalve Lissarca notorcadensis. Prezant, R.S	
Structure, strength and seasonality of the slope currents in the Bay of Biscay region.	
Pingree, R.D. and Le Cann, B.	857
An overview of the amphipod genus Haploops (Ampeliscidae). Dauvin, JC. and	
Bellan-Santini, D.	887
Transfer of metal detoxification along marine food chains. Nott, J.A. and Nicolaidou, A	905
Short Communications:	
On the breeding season of Lipophrys pholis (Pisces: Blenniidae) at Arrábida,	
Portugal. Almada, V.C., Barata, E.N., Gonçalves, E.J. and Oliviera, R.F. de	913
Membranipora arborescens (Bryozoa: Cheilostomidae): a new record in the Bay of	
Biscay. Alvarez, J.A	
Announcement	
Book Notices	
Annual Report	
Financial Statement	947

CORRIGENDA

Page 79, line 33, for v = area of rock sampled read V = area of rock sampled Page 79, line 34, for V = solvent volume read v = solvent volume.

JMBA VOLUME 70

AUTHOR INDEX

PA	GE

ix

Abelló, P., Villanueva, R. and Gili, J.M.	
Epibiosis in deep-sea crab populations as indicator of biological and behavioural	
characteristics of the host	687
Almada, V.C., Barata, E.N., Gonçalves, E.J. and Oliviera, R.F. de.	
On the breeding season of Lipophrys pholis (Pisces: Blenniidae) at Arrábida, Portugal	913
Alvarez, J.A.	
Membranipora arborescens (Bryozoa: Cheilostomidae): a new record in the Bay of Biscay	917
Anadón, R., see Arrontes and Anadón	
Anstensrud, M.	
Moulting and mating in Lepeophtheirus pectoralis (Copepoda: Caligidae)	269
Anwar, N.A., Richardson, C.A. and Seed, R.	
Age determination, growth rate and population structure of the horse mussel	
Modiolus modiolus	441
Arnold, G.P., see Metcalfe et al.	149
Arrontes, J. and Anadón, R.	
Distribution of intertidal isopods in relation to geographical changes in macroalgal	
cover in the Bay of Biscay	283
Arzul, G., see Gentien and Arzul	571
Barata, E.N., see Almada et al.	913
Bellan-Santini, D., see Dauvin and Bellan-Santini	
Ben Mlih, F., see Claustre et al.	197
Beverley-Burton, M., see Kearn and Beverley-Burton	747
Biard, JF., Grivois, C., Verbist, JF., Debitus, C. and Carre, J.B.	
Origin of bistramide A identified in Lissoclinum bistratum (Urochordata): possible	
involvement of symbiotic Prochlorophyta	741
Billett, D.S.M., seeTyler et al.	173
Blaxter, J.H.S. and Fuiman, L.A.	
The role of the sensory systems of herring larvae in evading predatory fishes	413
Bourgoin, A. and Guillou, M.	
Variations in the reproductive cycle of Acrocnida brachiata (Echinodermata:	
Ophiuroidea) according to environment in the Bay of Douarnenez (Brittany)	57
Boyle, P.R., see Pierce et al.	829
Bradshaw, S.A., O'Hara, S.C.M., Corner, E.D.S. and Eglinton, G.	
Changes in lipids during simulated herbivorous feeding by the marine crustacean	
Neomysis integer	225
Dietary lipid changes during herbivory and coprophagy by the marine invertebrate	
Nereis diversicolor	771
Britton, W., see King et al.	343
Brown, B.E., see Harland et al.	789
Bryan, G.W.	
See Gibbs et al	639
See Harland et al	789
Burt, G.R., see Gibbs et al.	
Carre, J.B. see Biard et al.	741
Chapman, C.J., see Gaten et al.	343
Charpy, L. and Charpy-Roubaud, C.J.	
A model of the relationship between light and primary production in an atoll lagoon	
Charpy-Roubaud, C.J., see Charpy and Charpy-Roubaud	357

	PAGE
Child, A.R., see Laing et al.	
Clare, A.S., see Rittschof et al.	
Clark, I., see Pierce et al.	829
Claustre, H., Poulet, S.A., Williams, R., Marty, JC., Coombs, S., Ben Mlih, F., Hapette, A.M. and Martin-Jezequel, M.	
A biochemical investigation of a <i>Phaeocystis</i> sp. bloom in the Irish Sea	197
Coombs, S., see Claustre et al.	
Corner, E.D.S.	
See Bradshaw et al.	225
See Bradshaw et al	771
Costello, M.J., Edwards, J. and Potts, G.W.	
The diet of the two-spot goby, Gobiusculus flavescens (Pisces)	329
Cox, D.L., see Koob and Cox	
Crisp, D.J. and Maclean, F.J.	
The relation between the dimensions of the cirral net, the beat frequency and the size	
and age of the animal in Balanus balanoides and Elminius modestus	505
Culley, M.B., see Peck and Culley	
Dauvin, JC. and Bellan-Santini, D.	
An overview of the amphipod genus Haploops (Ampeliscidae)	887
Davenport, J.	
Observations on the locomotion of post-larval and juvenile flying fish	311
Observations on swimming, posture and buoyancy in the giant oceanic ostracods,	
Gigantocypris mulleri and Macrocypridina castanea	
Davenport, J., Holland, D.L. and East, J.	
Thermal and biochemical characteristics of the lipids of the leatherback turtle	
Dermochelys coriacea: evidence of endothermy	
See also Holland et al.	
See also Tyler-Walters and Davenport	
Debitus, C., see Biard et al.	
Demestre, M., see Sabatés et al.	
Denucé, J.M., see Paulij et al.	
Diack, J.S.W., see Pierce et al.	829
East, J.	
See Davenport et al.	
See Holland et al.	
Edwards, J., see Costello et al.	329
Eglinton, G.	
See Bradshaw et al.	
See Bradshaw et al.	771
Fenaux, R. and Youngbluth, M.J.	
A new mesopelagic appendicularian, Mesochordaeus bahamasi gen. nov., sp. nov	
Fernandez, E., see Madariaga and Fernandez	
Fuiman, L.A., see Blaxter and Fuiman	413
Furman, E.R.	
Geographical variation of <i>Balanus improvisus</i> in biochemical and morphometric	=
characters	721
Gage, J.D.	• • • •
Skeletal growth bands in brittle stars: microstructure and significance as age markers .	
See also Tyler et al	173

	PAGE
Gaten, E., Shelton, P.M.J., Chapman, C.J. and Shanks, A.M.	
Depth related variation in the structure and functioning of the compound eye of	
the Norway lobster Nephrops norvegicus	343
Gentien, P. and Arzul, G.	
Exotoxin production by Gyrodinium cf. aureolum (Dinophyceae)	571
Gibbs, P.E., Bryan, G.W., Pascoe, P.L. and Burt, G.R.	
Reproductive abnormalities in female Ocenebra erinacea (Gastropoda) resulting from	
tributyltin-induced imposex	639
Gibson, R.N., see Northcott et al.	
Gili, J.M., see Abelló, P. et al.	687
Gonçalves, E.J., see Almada et al.	913
Glynn, P.J. and Pulsford, A.L.	
Isolation and partial characterisation of the serum immunoglobulin of the flounder,	
Platichthys flesus	429
Gonçalves, E.J., see Almada et al.	913
Greer Walker, M., see Horwood and Greer Walker	
Grivois, C., see Biard et al.	741
Guillou, M., see Bourgoin and Guillou	57
Halliday, N.C., see Lindley et al.	679
Hanlon, R.T., see Porteiro et al.	459
Hannen, E.J. van., see Paulij et al.	
Hapette, A.M., see Claustre et al.	197
Harland, A.D., Bryan, G.W. and Brown, B.E.	
Zinc and cadmium absorption in the symbiotic anemone Anemonia viridis and the	
non-symbiotic anemone Actinia equina	
Hawkins, S.J., see Hill and Hawkins	77
Heffernan, P.	
Ultrastructural studies of the elytra of Pholoe minuta (Annelida: Polychaeta) with	
special reference to functional morphology	545
Henderson, P.A., Seaby, R. and Marsh, S.J.	
The population zoogeography of the common shrimp (Crangon crangon) in British	
waters	
Herman, P.M.J., see Paulij et al.	597
Hill, A.S. and Hawkins, S.J.	_
An investigation of methods for sampling microbial films on rocky shores	77
Holland, D.L., Davenport, J. and East, J.	
The fatty acid composition of the leatherback turtle Dermochelys coriacea L. and its	
jellyfish prey	
See also Davenport et al.	
Horsfall, I.M., see Hughes and Horsfall	143
Horwood, J.W.	
Fecundity and maturity of plaice (Pleuronectes platessa) from Cardigan Bay	515
Horwood, J.W. and Greer Walker, M.	
Determinacy of fecundity in sole (Solea solea) from the Bristol Channel	803
Hughes, G.M.	
On different methods available for measuring the area of gill secondary lamellae of	
fishes	
Hughes, R.G. and Horsfall, I.M.	
Differences in the swimming behaviour of the amphipod <i>Corophium volutator</i> from	4.44
different populations	143

Ι	PAGE
Hunt, H.G., see Lindley et al.	679
Janke, A., see Laing et al.	1
John, A.W.G., see Lindley et al.	679
Jonas, T.D., see Lindley et al.	679
Kearn, G.C. and Beverley-Burton, M.	
Mycteronastes undulatae gen. nov., sp. nov. (Monogenea: Monocotylidae) from the	
nasal cavities of Raja undulata in the eastern Atlantic	747
See also Whittington and Kearn	
King, P.A., McGrath, D. and Britton, W.	
The use of artificial substrates in monitoring mussel (Mytilus edulis L.) settlement on an	
exposed rocky shore in the west of Ireland	371
Koob, T.J. and Cox, D.L.	
Introduction and oxidation of catechols during the formation of the skate (Raja	
erinacea) egg capsule	395
Kratt, C.M., see Rittschof et al.	583
Laing, I., Child, A.R. and Janke, A.	
Nutritional value of dried algae diets for larvae of Manila clam (Tapes philippinarum)	1
Lancaster, I.	
Reproduction and life history strategy of the hermit crab Pagurus bernhardus	129
Lancaster, I. and Wigham, G.D.	
Influences on movement and migration in the hermit crab Pagurus bernhardus	483
Le Cann, B., see Pingree and Le Cann	
Le Tissier, M.D'A.A.	
The ultrastructure of the skeleton and skeletogenic tissues of the temperate coral	
Caryophyllia smithii	295
Lima, G.M. and Lutz, R.A.	
The relationship of larval shell morphology to mode of development in marine	
prosobranch gastropods	611
Lindley, J.A., Roskell, J., Warner, A.J., Halliday, N.C., Hunt, H.G., John, A.W.G. and	
Jonas, T.D.	
Doliolids in the German Bight in 1989: evidence for exceptional inflow into the	
North Sea	679
Little, C., Morritt, D., Paterson, D.M., Stirling, P. and Williams, G.A.	
Preliminary observations on factors affecting foraging activity in the limpet Patella vulgata	181
Lockwood, S.J., see Rogers and Lockwood	
Lutz, R.A., see Lima and Lutz	
McGrath, D., see King et al.	
Maclean, F.J., see Crisp and Maclean	
Madariaga, I. de and Fernandez, E.	
Photosynthetic carbon metabolism of size-fractionated phytoplankton during an	
experimental bloom in marine microcosms	531
Marasovic, I., Pucher-Petkovic, T. and Petrova-Karadjova, V.	
Prorocentrum minimum (Dinophyceae) in the Adriatic and Black Sea	473
Marsh, S.J., see Henderson et al.	
Martin-Jezequel, M., see Claustre et al.	
Martins, H.R., see Porteiro et al.	
Marty, JC., see Claustre et al.	
Metcalfe, J.D., Arnold, G.P. and Webb, P.W.	
The energetics of migration by selective tidal stream transport: an analysis for plaice	
tracked in the southern North Sea	149

	PAGE
Moore, S.J.	
Investigation into the state of preservation of the E.T. Browne collection of hydromedusae	
Morgan, E., see Northcott et al.	815
Morrisey, D.J.	
Factors affecting individual body weight in field populations of the mudsnail	
Hydrobia ulvae	
Morritt, D., see Little et al.	
Nicolaidou, A., see Nott and Nicolaidou	905
Northcott, S.J., Gibson, R.N. and Morgan, E.	
The persistence and modulation of endogenous circatidal rhythmicity in Lipophrys	
pholis (Teleostei)	815
Nott, J.A. and Nicolaidou, A.	
Transfer of metal detoxification along marine food chains	905
O'Hara, S.C.M.	
See Bradshaw et al.	
See Bradshaw et al	
Oliviera, R.F. de, see Almada et al.	913
Ona, E.	
Physiological factors causing natural variations in acoustic target strength of fish	
Pascoe, P.L., see Gibbs et al.	
Paterson, D.M., see Little et al.	181
Patterson, D.J.	
Jakoba libera (Ruinen, 1938), a heterotrophic flagellate from deep oceanic sediments	381
Paulij, W.P., Herman, P.M.J., van Hannen, E.J. and Denucé, J.M.	
The impact of photoperiodicity on hatching of Loligo vulgaris and Loligo forbesi	597
Peck, L.S. and Culley, M.B.	
Structure and density of Haliotis tuberculata populations around the coasts of Jersey,	
Channel Isles	67
Petrova-Karadjova, V. see Marasovic et al.	
Pierce, G.J., Boyle, P.R., Diack, J.S.W. and Clark, I.	
Sandeels in the diets of seals: application of novel and conventional methods of	
analysis to faeces from seals in the Moray Firth area of Scotland	829
Pingree, R.D. and Le Cann, B.	
Structure, strength and seasonality of the slope currents in the Bay of Biscay region	857
Porteiro, F.M., Martins, H.R. and Hanlon, R.T.	
Some observations on the behaviour of adult squids, <i>Loligo forbesi</i> , in captivity	459
Potts, G.W., see Costello et al.	329
Poulet, S.A., see Claustre et al.	
Prezant, R.S.	
Shell and hinge ontogeny of the Antarctic bivalve Lissarca notorcadensis	841
Pucher-Petkovic, T., see Marasovic et al.	
Pulsford, A.L., see Glynn and Pulsford	
Pybus, C.	
Blooms of <i>Prorocentrum micans</i> (Dinophyta) in the Galway Bay area	697
Ramón, M.	
	271
Spawning and development of <i>Calliostoma granulatum</i> in the Mediterranean Sea Richardson, C.A., <i>see</i> Anwar <i>et al</i>	
Rittschof, D., Kratt, C.M. and Clare, A.S.	
Gastropod predation sites: the role of predator and prey in chemical attraction of the	E02
hermit crab Clibanarius vittatus	

xiii

	PAGE
Rodhouse, P.G.	
Organic content of the molluscan shell	245
Rogers, S.I. and Lockwood, S.J.	
Observations on coastal fish fauna during a spring bloom of <i>Phaeocystis pouchetii</i> in the	
eastern Irish Sea	
Roskell, J., see Lindley et al.	679
Rousset, J.	
Catches and geographical distribution of selachians on the western coast of Brittany	255
Population structure of thornback rays Raja clavata and their movements in the Bay of	
Douarnenez	261
Sabatés, A., Demestre, M. and Sanchez, P.	
Revision of the family Ammodytidae (Perciformes) in the Mediterranean with the	
first record of Gymnammodytes semisquamatus	
Sanchez, P., see Sabatés et al.	
Seaby, R., see Henderson et al.	
Seed, R., see Anwar et al.	
Shanks, A.M., see Gaten et al.	
Shelton, P.M.J., see Gaten et al.	343
Stevens, J.D.	
Further results from a tagging study of pelagic sharks in the north-east Atlantic	
Stirling, P., see Little et al.	181
Tyler, P.A., Billett, D.S.M. and Gage, J.D.	
Seasonal reproduction in the seastar Dytaster grandis from 4000 m in the north-east	
Atlantic Ocean	173
Tyler-Walters, H. and Davenport, J.	
The relationship between the distribution of genetically distinct inbred lines and	
upper lethal temperature in Lasaea rubra	557
Van-Praet, M.	
Gametogenesis and the reproductive cycle in the deep-sea anemone Paracalliactis	
stephensoni (Cnidaria: Actinaria)	
Verbist, JF., see Biard et al.	
Villanueva, R., see Abelló et al.	
Warner, A.J., see Lindley et al.	
Webb, P.W., see Metcalfe et al.	149
Whittington, I.D. and Kearn, G.C.	
A comparative study of the anatomy and behaviour of the oncomiracidia of the	
related monogenean gill parasites Kuhnia scombri, K. sprostonae and Grubea	
cochlear from mackerel, Scomber scombrus	
Wigham, G.D., see Lancaster and Wigham	
Williams, G.A., see Little et al.	
Williams, R., see Claustre et al.	
Youngbluth, M.J., see Fenaux and Youngbluth	755

JMBA VOLUME 70

SUBJECT INDEX

xv

Behaviour	
Avoidance of predation by herring larvae	
Behaviour of Loligo forbesi in captivity	
Energetics of plaice migration using tidal streams	
Epibiosis in deep-sea crab populations	
Foraging activity in Patella vulgata	
Locomotion of post-larval and juvenile flying fish	
Oncomiracidia of monogenean gill parasites	
Role of predator and prey in chemical attraction of the hermit crab	
Swimming behaviour of the amphipod, Corophium volutator	
Tagging of pelagic sharks in the north-east Atlantic	
Biochemistry	
Biochemistry of a Phaeocystis bloom	
Bistramide A in Lissoclinum bistratum	
Carbon metabolism during a phytoplankton bloom	
Changes in dietary lipids of Nereis	
Changes in lipids during herbivorous feeding by Neomysis integer	
Characteristics of the lipids of the leatherback turtle	
Fatty acid composition of the leatherback turtle and its jellyfish prey	
Geographical variation of Balanus improvisus	
Organic content of the molluscan shell	
Reproductive abnormalities in female Ocenebra erinacea	
Sandeels in the diets of seals	
Serum immunoglobulin of Platichthys flesus	
Tanning of the egg capsule of Raja erinacea	
Transfer of metal detoxification along food chains	
Zinc and cadmium absorption in anemones	
Comparative Anatomy and Functional Morphology	
Cirral beat frequency with size and age in barnacles	
Geographical variation of Balanus improvisus	
Methods for measuring area of secondary lamellae of fish gills	
Prosobranch larval shell morphology	
Shell and hinge ontogeny of Lissarca notorcadensis	
Skeletal growth bands in brittle stars	
Ultrastructure of the elytra of <i>Pholoe minuta</i>	
Deep-Sea	
Épibiosis in deep-sea crab populations	
Mesochordaeus bahamasi from the Bahamas	
Development, Growth and Maturation	
Cirral beat frequency with size and age in barnacles	
Determinacy of fecundity in Solea solea	
Fecundity and maturity of plaice from Cardigan Bay	
Gametogenesis and reproductive cycle in the anemone, Paracalliactis step	
Moulting and mating in Lepeophtheirus pectoralis	
Photoperiodicity and hatching in squids	
Population structure of Modiolus modiolus	
Prosobranch larval shell morphology	
Shell and hinge ontogeny of Lissarca notorcadensis	

JMBA VOLUME 70: SUBJECT INDEX

	PAGES
Skeletal growth bands in brittle stars	
Spawning and development of Calliostoma granulatum	
Tanning of the egg capsule of Raja erinacea	
Ecology and Distribution	
Artificial substrates in monitoring mussel settlement	
Biochemistry of a Phaeocystis bloom	
Blooms of Prorocentrum micans in Galway Bay	
Breeding season of Lipophrys pholis in Portugal	
Doliolids in the German Bight	
Exotoxin production by Gyrodinium cf. aureolum	
Fatty acid composition of the leatherback turtle and its jellyfish prey	
Fish fauna during a bloom of Phaeocystis	
Foraging activity in Patella vulgata	
Geographical distribution of isopods and macroalgal cover	
Membranipora arborescens in the Bay of Biscay	
Movement in the hermit crab, Pagurus bernhardus	
Prorocentrum minimum blooms	
Sampling methods of microbial films on rocky shores	
Selachians on the western coast of Brittany	
Structure and density of Haliotis tuberculata populations around Jersey	
Tagging of pelagic sharks in the north-east Atlantic	
Zoogeography of the shrimp, Crangon crangon, in British waters	
Feeding and Nutrition	
Changes in dietary lipids of Nereis	
Changes in lipids during herbivorous feeding by Neomysis integer	
Diet of the goby, Gobiusculus flavescens	
Factors affecting body weight in <i>Hydrobia ulvae</i>	
Nutritional value of dried algae diets for clam larvae	
Oncomiracidia of monogenean gill parasites	
Sandeels in the diets of seals	
Genetics	
Inbred lines and upper lethal temperature in <i>Lasaea rubra</i>	
Locomotion, Swimming and Buoyancy	211 220
Locomotion of post-larval and juvenile flying fish Observations on giant oceanic ostracods	
Swimming behaviour of the amphipod, Corophium volutator	
Migration and Movements Delialide in the Corman Bight	670 682
Doliolids in the German Bight Energetics of plaice migration using tidal streams	
Movement in the hermit crab, Pagurus bernhardus	
Population structure and movements of <i>Raja clavata</i>	
Tagging of pelagic sharks in the north-east Atlantic	
New Species	
Mesochordaeus bahamasi gen. nov., sp. nov.	756
<i>Mycteronastes undulatae</i> gen. nov., sp. nov Parasitology	
Epibiosis in deep-sea crab populations	687_605
Mycteronastes undulatae from the nasal cavities of Raja undulata	
Phycology	
Bistramide A in Lissoclinum bistratum	

JMBA VOLUME 70: SUBJECT INDEX

	PAGES
Blooms of Prorocentrum micans in Galway Bay	697-705
Exotoxin production by Gyrodinium cf. aureolum	571-581
Physical Oceanography	
Slope currents in the Bay of Biscay	857-885
Physiology and Experimental Biology	
Avoidance of predation by herring larvae	
Endogenous circatidal rhythmicity in Lipophrys pholis	
Energetics of plaice migration using tidal streams	
Inbred lines and upper lethal temperature in Lasaea rubra	
Methods for measuring area of secondary lamellae of fish gills	
Natural variations in acoustic target strength of fish	
Role of predator and prey in chemical attraction of the hermit crab	
Structure and function of the compound eye of Nephrops norvegicus	343-355
Pollution and Toxicity	
Biochemistry of a Phaeocystis bloom	
Blooms of Prorocentrum micans in Galway Bay	
Exotoxin production by Gyrodinium cf. aureolum	
Fish fauna during a bloom of Phaeocystis	
Prorocentrum minimum blooms	
Transfer of metal detoxification along food chains	
Zinc and cadmium absorption in anemones	789-802
Population Studies	
Population structure of Modiolus modiolus	
Population structure and movements of Raja clavata	
Zoogeography of the shrimp, Crangon crangon, in British waters	
Primary Production	
Carbon metabolism during a phytoplankton bloom	
Model of light and primary production in an atoll lagoon	357-369
Reproduction and Life History	
Breeding season of Lipophrys pholis in Portugal	
Determinacy of fecundity in Solea solea	
Fecundity and maturity of plaice from Cardigan Bay	
Gametogenesis and reproductive cycle in the anemone, Paracalliactis stephensoni.	
Moulting and mating in Lepeophtheirus pectoralis	
Reproductive abnormalities in female Ocenebra erinacea	639-656
Reproductive strategy of the hermit crab, Pagurus bernhardus	
Seasonal reproduction in the seastar, Dytaster grandis	173-180
Spawning and development of Calliostoma granulatum	321-328
Variations in reproductive cycle with environment in an ophiuroid, Acrocnida brack	iata 57-66
Rhythmicity	
Endogenous circatidal rhythmicity in Lipophrys pholis	815-827
Structure and Histology	
Heterotrophic flagellate, Jakoba libera, from deep ocean sediments	
Membranipora arborescens in the Bay of Biscay	
Moulting and mating in Lepeophtheirus pectoralis	
Reproductive abnormalities in female Ocenebra erinacea	639-656
Ultrastructure of the elytra of Pholoe minuta	
Ultrastructure of the skeleton in the temperate coral, Caryophyllia smithii	295-310

xvii

JMBA VOLUME 70: SUBJECT INDEX

PAGES

-393
-916
-903
8-476
-504
-480
-380
3-19
-457
7-88
-480
3-41

PHYCOLOGIA

Published for the International Phycological Society Editor Dr Wm. J. Woelkerling Department of Botany, La Trobe University,

Bundoora, Victoria, Australia 3083

This is the official journal of the International Phycological Society, dedicated to the promotion of phycology and the encouragement of international cooperation among phycologists and phycological institutes. The purpose of *Phycologia* is to serve as a clearing house for phycological news and information. In addition to research papers and occasional review articles it also publishes information on meetings and excursions, reports on laboratories and institutions, and book reviews. Original contributions are accepted on a wide range of subjects provided they are of international interest and make a significant contribution to the study of phycology.

Subscription Information *Phycologia* is published quarterly. Subscription rates for 1990 are £125.00 (UK & overseas) and US\$207.50 (USA & Canada) post free.

	e appropriate box and return to: rientific Publications Ltd, P.O. Box 88, Oxford, England.
_	ke to subscribe to Phycologia
	bay by cheque and enclose the sum of \pounds US\$
	bay by Access/American Express/Barclaycard/Diners Card/
	rcard (delete as neccessary)
	ny credit card no.
	with the sum of £ US\$
Signature	Date
	d me a specimen copy of Phycologia
Name	-
Address	
····	
+ ,	
	BLACKWELL SCIENTIFIC PUBLICATIONS L
নি	BLACKWELL SCIENTIFIC PUBLICATIONS L P. O. Box 88, Oxford, UK Tel: (44) 0865 240201



Marine Geophysical Researches

An International Journal for the Study of the Earth Beneath the Sea

Editors

Ken C. Macdonald, University of California, Santa Barbara, USA; **R. C. Searle,** University of Durham, Durham, UK

The papers published in *Marine Geophysical Researches* emphasize the description and analysis of structures that can be investigated with geophysical methods only, and the study of the physical processes that led to the origin of these structures. Particular emphasis is given to papers on new techniques for imaging the sea floor, such as GLORIA, SeaMARC and Sea Beam. No sharp dividing line is drawn between marine geophysics, marine geochemistry and marine geology, and this broad interpretation means that many areas of marine geology and marine geochemistry are included in *Marine Geophysical Researches*, provided they are relevant to marine geophysics.

The journal publishes original research papers, research notes and preliminary papers, papers on instrumentation and methods, discussions and concise cruise reports.

Authors of state of the art review articles receive a free personal subscription for a period of three years to *Marine Geophysical Researches*.

Subscription Information

ISSN 0025-3235

1990, Volume 12 (4 issues) Subscription rate: Dfl. 395.00/US\$184.00 incl. postage/handling

P.O. Box 322, 3300 AH Dordrecht, The Netherlands P.O. Box 358, Accord Station, Hingham, MA 02018-0358, U.S.A.

Journal Highlight





- *Cover:* The photograph on the outside of the cover was taken by David Nicholson at Pedney Beach, Cornwall.
- *Inside covers:* Nauplii of the oceanic barnacle, *Lepas anatifera* L., reared in the laboratory by Dr A.B. Yule, A. Cansdale, A. Neal and R. Goodrick. Photographs by Dr G. Walker, School of Ocean Sciences, Menai Bridge.
- *Inside front cover*: top left, stage I (x248); top right, recently moulted to stage II (x189); bottom, stage III (x49).

Inside back cover: top, higher power of stage III (x158); bottom, stage V (x39).

© The Marine Biological Association of the United Kingdom 1990


CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP

40 WEST 20TH STREET, NEW YORK, NY 10011, USA

10 STAMFORD ROAD, OAKLEIGH, MELBOURNE 3166, AUSTRALIA

Printed in Great Britain by the University Press, Cambridge



JMBA

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM VOLUME 70:4 NOVEMBER 1990

CONTENTS

		PAGE
	Abelló, P., Villanueva, R. and Gili, J. M. Epibiosis in deep-sea crab populations as indicator of biological and behavioural characteristics	
	of the host Pybus, C. Blooms of <i>Prorocentrum micans</i> (Dinophyta) in the Galway	687
	Bay area	697
	Stevens, J. D. Further results from a tagging study of pelagic sharks in the north-east Atlantic	707
	Furman, E. R. Geographical variation of <i>Balanus improvisus</i> in biochemical and morphometric characters	721
	Biard, JF., Grivois, C., Verbist, JF., Debitus, C. and Carre, J. B. Origin of bistramide A identified in <i>Lissoclinum bistratum</i>	
	(Urochordata): possible involvement of symbiotic Prochlorophyta Kearn, G. C. and Beverley-Burton, M. <i>Mycteronastes undulatae</i> gen. nov., sp. nov. (Monogenea: Monocotylidae) from the nasal cavities	741
	of Raja undulata in the eastern Atlantic	747
	Fenaux, R. and Youngbluth, M. J. A new mesopelagic appendicularian, <i>Mesochordaeus bahamasi</i> gen. nov., sp. nov.	755
	Holland, D. L., Davenport, J. and East, J. The fatty acid composition of the leatherback turtle <i>Dermochelys coriacea</i> L. and its jellyfish prey	761
	Bradshaw, S. A., O'Hara, S. C. M., Corner, E. D. S. and Eglinton, G. Dietary lipid changes during herbivory and coprophagy by the marine	
	invertebrate <i>Nereis diversicolor</i> Harland, A. D., Bryan, G. W. and Brown, B. E. Zinc and cadmium	771
10 .	absorption in the symbiotic anemone <i>Anemonia viridis</i> and the non-symbiotic anemone <i>Actinia equina</i>	/89
	Horwood, J. W. and Greer Walker, M. Determinancy of fecundity in sole (<i>Solea solea</i>) from the Bristol Channel	803
	Northcott, S. J., Gibson, R. N. and Morgan, E. The persistence and modulation of endogenous circatidal rhythmicity in <i>Lipophrys pholis</i>	
10.4	(Teleostei)	815
	Pierce, G. J., Boyle, P. R., Diack, J. S. W. and Clark, I. Sandeels in the diets of seals: application of novel and conventional methods of	
	analysis to faeces from seals in the Moray Firth area of Scotland Prezant, R. S. Shell and hinge ontogeny of the Antarctic bivalve	829
	Lissarca notorcadensis Pingree, R. D. and Le Cann, B. Structure, strength and seasonality of the	841
1	slope currents in the Bay of Biscay region	857
	Dauvin, JC. and Bellan-Santini, D. An overview of the amphipod genus <i>Haploops</i> (Ampeliscidae)	887
	Nott, J. A. and Nicolaidou, A. Transfer of metal detoxification along marine food chains	905
	Short Communications : Almada, V. C., Barata, E. N., Gonçalves, E. J. and Oliviera, R. F. de	913
-	Alvarez, J. A.	917
	Announcement Book Notices	921 923
	Annual Report 1989	925
	Financial Statement 1989	947

Published online by Cambridge University Press CAMBRIDGE UNIVERSITY PRESS