## Salinity and Water Use

Edited by T. Talsma and J. R. Philip

This volume contains the papers presented at an international symposium held in Australia in November 1971. The contributions cover all aspects of water and salinity in soils, rivers, lakes, animals and crops, as well as all the theoretical aspects of the transport of water in soils.

About £8.00

Macmillan

# THE JOURNAL OF AGRICULTURAL SCIENCE

#### EDITED BY

- Prof. J. W. L. BEAMENT, Sc.D., F.R.S., Department of Applied Biology, Cambridge
- G. D. H. BELL, C.B.E., PH.D., F.R.S., Plant Breeding Institute, Cambridge
- K. L. BLAXTER, Ph.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S., Rowett Research Institute, Bucksburn, Aberdeen
- G. W. COOKE, Ph.D., F.R.I.C., F.R.S., Rothamsted Experimental Station, Harpenden
- Prof. Sir J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., Emeritus Professor of Agriculture, Department of Applied Biology, Cambridge
- J. L. LINZELL, B.SC., PH.D., M.R.C.V.S., Agricultural Research Council, Institute of Animal Physiology, Babraham, Cambridge
- H. L. PENMAN, O.B.E., PH.D., F.R.S., Rothamsted Experimental Station, Harpenden
- W. J. RIDGMAN, M.A., Department of Applied Biology, Cambridge
- H. H. ROGERS, B.SC., DIP.AG.SCI., Plant Breeding Institute, Cambridge
- L. E. A. ROWSON, O.B.E., M.R.C.V.S., Agricultural Research Council, Unit of Reproductive Physiology and Biochemistry, Animal Research Station, Cambridge.
- Prof. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science, University of Reading
- F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

### **VOLUME LXXVII 1971**

CAMBRIDGE
AT THE UNIVERSITY PRESS
1971

### PUBLISHED BY

### THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W.1. American Branch: 32 East 57th Street, New York, N.Y.10022

Printed in Great Britain at the University Printing House, Cambridge

## **Contents**

| Part 1 (August 1971)   | PAGE |
|--|------|
| OLUBAJO, F. O. and OYENUGA, V. A. The measurement of yield, voluntary intake and animal production of tropical pasture mixtures. (With 1 text-figure)  | 1    |
| SINGH, MAHENDRA and JACKSON, M. G. The effect of different levels of sodium hydroxide spray treatment of wheat straw on consumption and digestibility by cattle  | 5    |
| Chandra, Suresh and Jackson, M. G. A study of various chemical treatments to remove lignin from coarse roughages and increase their digestibility. (With 2 text-figures) .                             | 11   |
| Nur, Idris Монмеd. Different methods for determining leaf area of some oil crops. (With 1 text-figure).  | 19   |
| NAGA, M. A. and EL-Shazly, K. The prediction of the nutritive value of animal feeds from chemical analyses. (With 1 text-figure)   | 25   |
| SHARAFELDIN, M. A. and KANDEEL, A. A. Post-lambing maternal behaviour. (With 2 plates)   | 33   |
| Taneja, G. C., Ghosh, P. K., Abichandani, R. K. and Goyal, D. Seasonal variations in blood composition in high and low potassium type Marwari sheep  | 37   |
| Longden, P. C. Advanced sugar-beet seed  | 43   |
| HAGGAR, R. J. and Ahmed, M. B. Seasonal production of Andropogon gayanus. III. Changes in crude protein content and in vitro dry-matter digestibility of leaf and stem portions. (With 4 text-figures) | 47   |
| Salter, P. J., Webb, D. S. and Williams, J. B. Effects of pulverized fuel ash on the moisture characteristics of coarse-textured soils and on crop yields. (With 1 text-figure)                        | 53   |
| DURRANT, M. J. and DRAYCOTT, A. P. Uptake of magnesium and other fertilizer elements by sugar beet grown on sandy soils. (With 2 text-figures)   | 61   |
| Castle, M. E. and Watson, J. N. A comparison between a diploid and a tetraploid ryegrass for milk production. (With 2 text-figures)  | 69   |
| Kalra, Y. P. Application of split-root technique in orthophosphate absorption experiments  | 77   |
| Johnston, T. D. The effects of plant density and fertilizer application on yield components in three marrow-stem kale (Brassica oleracea L.) varieties   | 83   |
| MASON, V. C. and White, F. The digestion of bacterial mucopeptide constituents in the sheep. 1. The metabolism of 2,6-diaminopimelic acid. (With 5 text-figures)                                       | 91   |
| MASON, V. C. and MILNE, G. The digestion of bacterial mucopeptide constituents in the sheep. 2. The digestion of muramic acid. (With 1 text-figure)  | 99   |
| Meadley, J. T. and Milbourn, G. M. The growth of vining peas. III. The effect of shading on abscission of flowers and pods. (With 4 text-figures)  | 103  |
| Morag, M. and Eyal, E. Post partum conception in lactating Awassi and East Friesian $\times$ Awassi dairy ewes. (With 3 text-figures)  | 109  |
| DRAYCOTT, A. P., DURRANT, M. J. and BOYD, D. A. The relationship between soil phosphorus and response by sugar beet to phosphate fertilizer on mineral soils   | 117  |

iv Contents

|  | PAGE |
|--|------|
| Davies, Alison. Changes in growth rate and morphology of perennial ryegrass swards at high and low nitrogen levels. (With 7 text-figures)  | 123  |
| LEAKEY, R. B. The effect of changing plant density on floral initiation and development of barley (cv. Sultan). (With 1 text-figure)   | 135  |
| ROBINSON, J. J., Fraser, C. and Bennett, C. An assessment of the energy requirements of the pregnant ewe using plasma free fatty acid concentrations. (With 2 text-figures)            | 141  |
| THWAITES, C. J. Exogenous progesterone and oestrous cycle length in the ewe  | 147  |
| HECKER, J. F. Use of the marker <sup>51</sup> Cr-EDTA in the ovine caecum. (With 3 text-figures) .   | 151  |
| COOMBE, J. B., CHRISTIAN, K. R. and HOLGATE, M. D. The effect of urea on the utilization of ground, pelleted roughage by penned sheep. III. Mineral supplements. (With 2 text-figures) | 159  |
| Part 2 (October 1971)  |      |
| Bunting, E. S. Plant density and yield of shoot dry material in maize in England. (With 4 text-figures)  | 175  |
| Eagles, C. F. and Williams, D. H. Competition between natural populations of <i>Dactylis glomerata</i> . (With 2 text-figures)   | 187  |
| OWEN, J. B., MILLER, E. L. and BRIDGE, P. S. Complete diets given ad libitum to dairy cows: the effect of straw content and of cubing the diet   | 195  |
| Maloiy, G. M. O. and Taylor, C. R. Water requirements of African goats and haired-sheep. (With 3 text-figures)   | 203  |
| Halliday, R. Total protein and immunoglobulin concentrations in sera from 2-day-old Finnish Landrace × Dorset Horn lambs. (With 1 text-figure)   | 209  |
| Toynbee-Clarke, Gillian. Pollination studies with highly-inbred lines of winter beans ( $Vicia\ faba\ L$ .)  | 213  |
| AGBOOLA, A. A. and FAYEMI, A. A. Preliminary trials on the intercropping of maize with different tropical legumes in Western Nigeria. (With 1 text-figure)                             | 219  |
| CONNIFFE, D. Treatment comparisons in grazing trials using the animal as experimental unit. (With 1 text-figure)   | 227  |
| Ishag, H. M. Weed control in irrigated groundnuts (Arachis hypogaea L.) in the Sudan Gezira. (With 2 text-figures)   | 237  |
| Eddowes, M. The effect of application rate of chemical herbicides on weed control and yield in early potatoes  | 243  |
| EDDOWES, M. Weed control in sugar beet with single and split applications of herbicides .  | 247  |
| Bolton, J. and Slope, D. B. Effects of magnesium on cereals, potatoes and leys grown on the 'continuous cereals' site at Woburn. (With 3 text-figures)                                 | 253  |
| Davies, P. J., Johnston, R. G. and Ross, D. B. The influence of energy intake on plasma levels of glucose, non-esterified fatty acids and acetone in the pregnant ewe                  | 261  |
| Johnson, K. G. Body temperature lability in sheep and goats during short-term exposures to heat and cold. (With 3 text-figures)  | 267  |

Contents

|  | PAGE |
|--|------|
| DAVIES, ALISON. Growth rates and crop morphology in vernalized and non-vernalized swards of perennial ryegrass in spring. (With 8 text-figures)  | 273  |
| Rhodes, I. The relationship between productivity and some components of canopy structure in ryegrass ( <i>Lolium</i> spp.). II. Yield, canopy structure and light interception. (With 2 plates and 6 text-figures)   | 283  |
| O'Neill, S. J. B., Balnave, D. and Jackson, N. The influence of feathering and environ-  | 200  |
| mental temperature on the heat production and efficiency of utilization of metabolizable energy by the mature cockerel. (With 2 text-figures)  | 293  |
| PRICE, M. A. and YEATES, N. T. M. Infertile bulls versus steers. I. The influence of level of nutrition on relative growth rate. (With 2 text-figures)   | 307  |
| PRICE, M. A. and Yeates, N. T. M. Infertile bulls versus steers. II. Feed conversion efficiency and the effects of a high fat diet   | 313  |
| PRICE, M. A. Infertile bulls versus steers. III. Carcass characteristics   | 317  |
| PRICE, M. A. Infertile bulls versus steers. IV. Meat quality. (With 2 text-figures)  | 325  |
| STEINBACH, J. Effects of season and breed on sow performance in the seasonal-equatorial climate of Southern Nigeria. (With 2 text-figures)   | 331  |
| HEYNS, H. The relationship between various blood constituents of young Afrikaner bulls .   | 337  |
| ALLEN, E. J., MORGAN, D. G. and RIDGMAN, W. J. A physiological analysis of the growth of oilseed rape. (With 1 text-figure)  | 339  |
| Robinson, J. J. and Gill, J. C. A note on observations on the effect of photostimulation and hormone treatment on the oestrous activity and lambing performance of North Country Cheviot ewes  | 343  |
| Part 3 (December 1971)   |      |
| Hawkins, R. P. Selection for height of nectar in the corolla tube of English Singlecut Red Clover  | 347  |
| ØRSKOV, E. R., McDonald, I., Fraser, C. and Corse, Elizabeth L. The nutrition of the early weaned lamb. III. The effect of ad libitum intake of diets varying in protein concentration on performance and on body composition at different live weights. (With 6 text-figures) | 35]  |
| Walker, D. M. and Norton, B. W. The utilization of the metabolizable energy of diets of different protein content by the milk-fed lamb. (With 1 text-figure)   | 363  |
| ROTTENSTEN, KNUD and AMPY, FRANKLIN. Studies on Awassi sheep in Lebanon. I. Production traits of a flock. (With 3 text-figures)  | 371  |
| ROTTENSTEN, KNUD AND AMPY, FRANKLIN. Studies on Awassi sheep in Lebanon. II. Reproduction of a flock bred at four month intervals  | 375  |
| ROWELL, J. G. A rapid method of data collection and processing. (With 2 plates)  | 379  |
| Harris, W. The effects of density, cutting height and white clover ( <i>Trifolium repens L.</i> ) on the structure of a ryegrass ( <i>Lolium spp.</i> ) population. (With 3 text-figures)  | 388  |
| ALLEN, S. E., TERMAN, G. L. and HUNT, C. M. Soluble and slow-release nitrogen fertilizer effects on grass forage, as influenced by rate and placement. (With 4 text-figures)   | 397  |

vi Contents

|  | PAGE |
|--|------|
| Burlacu, Gh. and Baltac, Margareta. Efficiency of the utilization of the energy of food in laying hens. (With 3 text-figures)  | 405  |
| TAGARI, H., BEN GEDALYA, D., SHEVACH, Y. and BONDI, A. Effects of the addition of starch on the utilization by sheep of the protein and crude fibre contained in lucerne hay and soya-bean meal. (With 4 text-figures)   | 413  |
| HAGGAR, R. J. The production and management of Stylosanthes gracilis at Shika, Nigeria. I. In sown pastures. (With 3 text-figures)   | 427  |
| Haggar, R. J., de Leeuw, P. N. and Agishi, E. The production and management of Stylosanthes gracilis at Shika, Nigeria. II. In savanna grassland. (With 5 text-figures)  | 437  |
| WILLEY, R. W. and HOLLIDAY, R. Plant population and shading studies in barley. (With 4 text-figures)   | 445  |
| WILLEY, R. W. and HOLLIDAY, R. Plant population, shading and thinning studies in wheat. (With 4 text-figures)  | 453  |
| Halliday, R. Total serum protein and immunoglobulin concentrations in Scottish Blackface and Merino lambs at birth and during the first two days of suckling. (With 2 text-figures)                                      | 463  |
| Agarwala, O. N., Nath, K. and Mahadevan, V. Use of superphosphate as a phosphorus supplement for lambs – effect of calcination or supplementation with oral cobalt or parenteral vitamin $B_{12}$ . (With 1 text-figure) | 467  |
| Jones, M. J. The maintenance of soil organic matter under continuous cultivation at Samaru, Nigeria  | 473  |
| Anderson, B. K. and Jackson, N. Volatile fatty acids in the rumen of sheep fed grass, unwilted and wilted silage, and barn-dried hay   | 483  |
| Sage, G. C. M. Inter-varietal competition and its possible consequences for the production of $F_1$ hybrid wheat. (With 1 text-figure)   | 491  |
| LOVETT, J. V. and Kirby, E. J. M. The effect of plant population and CCC on spring wheat varieties with and without a dwarfing gene. (With 4 text-figures).  | 499  |
| GREENWOOD, D. J., WOOD, J. T., CLEAVER, T. J. and HUNT, J. A theory for fertilizer response. (With 7 text-figures)   | 511  |
| DAVIES, J. M. L. and GARETH JONES, D. The effect of benomyl systemic fungicide and the growth regulator CCC on eyespot disease of barley   | 525  |
| Wilkins, R. J., Hutchinson, K. J., Wilson, R. F. and Harris, C. E. The voluntary intake of silage by sheep. I. Interrelationships between silage composition and intake  | 531  |
| HUTCHINSON, K. J. and WILKINS, R. J. The voluntary intake of silage by sheep. II. The effects of acetate on silage intake. (With 1 text-figure)  | 539  |
| HUTCHINSON, K. J., WILKINS, R. J. and OSBOURN, D. F. The voluntary intake of silage by sheep. III. The effects of post-ruminal infusions of casein on the intake and nitrogen retention of sheep given silage ad libitum | 545  |
| Bolton, J. Controlling soil pH with different N-fertilizers in experiments with ryegrass in pots. (With 2 text-figures)  | 549  |

## Continued from back cover

|  | PAGE |
|--|------|
| GREENWOOD, D. J., WOOD, J. T., CLEAVER, T. J. and HUNT, J. A theory for fertilizer response. (With 7 text-figures)   | 511  |
| DAVIES, J. M. L. and GARETH JONES, D. The effect of benomyl systemic fungicide and the growth regulator CCC on eyespot disease of barley   | 525  |
| WILKINS, R. J., HUTCHINSON, K. J., WILSON, R. F. and HARRIS, C. E. The voluntary intake of silage by sheep. I. Interrelationships between silage composition and intake  | 531  |
| HUTCHINSON, K. J. and WILKINS, R. J. The voluntary intake of silage by sheep. II. The effects of acetate on silage intake. (With 1 text-figure)  | 539  |
| HUTCHINSON, K. J., WILKINS, R. J. and OSBOURN, D. F. The voluntary intake of silage by sheep. III. The effects of post-ruminal infusions of casein on the intake and nitrogen retention of sheep given silage ad libitum | 545  |
| tention of sheep given shage an nonum  | 343  |
| BOLTON, J. Controlling soil pH with different N-fertilizers in experiments with ryegrass in pots.  |      |
| (With 2 text-figures)  | 549  |
|  |      |

## THE JOURNAL OF AGRICULTURAL SCIENCE

## CONTENTS

### Vol. 77 Part 3 December 1971

|  | PAGE |
|--|------|
| HAWKINS, R. P. Selection for height of nectar in the corolla tube of English singlecut Red Clover  | 347  |
| ØRSKOV, E. R., McDonald, I., Fraser, C. and Corse, Elizabeth L. The nutrition of the early weaned lamb. III. The effect of <i>ad libitum</i> intake of diets varying in protein concentration on performance and on body composition at different live weights. (With 6 text-figures). | 351  |
| Walker, D. M. and Norton, B. W. The utilization of the metabolizable energy of diets of different protein content by the milk-fed lamb. (With 1 text-figure)   | 363  |
| ROTTENSTEN, KNUD and AMPY, FRANKLIN. Studies on Awassi sheep in Lebanon. I. Production traits of a flock. (With 3 text-figures)  | 371  |
| ROTTENSTEN, KNUD and AMPY, FRANKLIN. Studies on Awassi sheep in Lebanon. II. Reproduction of a flock bred at four month intervals.   | 375  |
| ROWELL, J. G. A rapid method of data collection and processing. (With 2 plates)  | 379  |
| HARRIS, W. The effects of density, cutting height and white clover ( <i>Trifolium repens</i> L.) on the structure of a ryegrass ( <i>Lolium</i> spp.) population. (With 3 text-figures)  | 385  |
| ALLEN, S. E., TERMAN, G. L. and HUNT, C. M. Soluble and slow-release nitrogen fertilizer effects on grass forage, as influenced by rate and placement. (With 4 text-figures)   | 397  |
| BURLACU, GH. and BALTAC, MARGARETA. Efficiency of the utilization of the energy of food in laying hens. (With 3 text-figures)  | 405  |
| TAGARI, H., BEN GEDALYA, D., SHEVACH, Y. and BONDI, A. Effects of the addition of starch on the utilization by sheep of the protein and crude fibre contained in lucerne hay and soyabean meal. (With 4 text-figures)  | 413  |
| HAGGAR, R. J. The production and management of Stylosanthes gracilis at Shika, Nigeria.  I. In sown pastures. (With 3 text-figures)  | 427  |
| HAGGAR, R. J., DE LEEUW, P. N. and AGISHI, E. The production and management of Stylosanthes gracilis at Shika, Nigeria. II. In savanna grassland. (With 5 text-figures)  | 437  |
| WILLEY, R. W. and HOLLIDAY, R. Plant population and shading studies in barley. (With 4 text-figures)   | 445  |
| WILLEY, R. W. and HOLLIDAY, R. Plant population, shading and thinning studies in wheat.  (With 4 text-figures)   | 453  |
| HALLIDAY, R. Total serum protein and immunoglobulin concentrations in Scottish Blackface and Merino lambs at birth and during the first two days of suckling. (With 2 text-figures)  | 463  |
| AGARWALA, O. N., NATH, K. and MAHADEVAN, V. Use of superphosphate as a phosphorus supplement for lambs – effect of calcination or supplementation with oral cobalt or parenteral vitamin B <sub>12</sub> . (With 1 text-figure)  | 467  |
| JONES, M. J. The maintenance of soil organic matter under continuous cultivation at Samaru, Nigeria  | 473  |
| Anderson, B. K. and Jackson, N. Volatile fatty acids in the rumen of sheep fed grass, unwilted and wilted silage, and barn-dried hay   | 483  |
| SAGE, G. C. M. Inter-varietal competition and its possible consequences for the production of F <sub>1</sub> hybrid wheat. (With 1 text-figure)  | 491  |
| LOVETT, J. V. and KIRBY, E. J. M. The effect of plant population and CCC on spring wheat varieties with and without a dwarfing gene. (With 4 text-figures)   | 499  |
|  |      |

Continued on inside back cover

SUBSCRIPTIONS. Two volumes of three parts are published annually. The subscription price is £6.00 net (U.S.A. \$19.50) per volume (post free); single parts are available at £2.60 net (U.S.A. \$8.00) plus postage. Orders or enquiries may be sent to any bookseller or subscription agent, or to Cambridge University Press, P.O. Box 92, London N.W.1. (U.S.A. and Canada, Cambridge University Press American Branch, 32 East 57th Street, New York, N.Y.10022, U.S.A.)

Printed in Great Britain at the University Printing House, Cambridge