

Table I. Production of the egg parasite *Ooencyrtus ennomophagus* in subfreezing-treated eggs of a factitious host, *Lambdina pellucidaria*

Host egg treatment	Host eggs			Parasites	
	Total	Hatched	Infertile	Emerged	Unemerged
Fresh, control	40	21	0	0	18
Fresh, control	43	33	0	0	10
Fresh, control	44	12	2	0	30 ^a
Σ	127	66	2	0	58
%		52.0	1.6	0	45.7
-10°C, 1 mo.	29	0	3	1	25
-10°C, 1 mo.	56	0	0	14	42
-10°C, 1 mo.	26	0	1	7	18
Σ	111	0	4	22	85
%		0	3.6	19.8	76.6

^aOne dead pharate adult within egg.

Yoshimoto, C. M. 1975. A new species of *Ooencyrtus* (Hymenoptera: Chalcidoidea, Encyrtidae) reared from the elm spanworm, *Ennomos subsignarius* (Lepidoptera: Geometridae). *Can. Ent.* **107**: 833-835.

(Received 9 February 1981; accepted 8 May 1981)

ERRATA

Vol. 112, 1980

p. 167, résumé, lines 1, 3, 8, and 10, for Puceron read Dendroctone
lines 4 and 6, for pucerons read dendroctones

Vol. 113, 1981

p. 274, Table I, last column, for *Mesocharis* read *mestocharis*

THE RUNGE PRESS LIMITED, OTTAWA
July issue mailed 1 September 1981