

INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, <http://www.editorialmanager.com/psm/>. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

1. S.I. units should be used throughout in text, figures and tables.
2. Authors should spell out in full any abbreviations used in their manuscripts.
3. Foreign quotations and phrases should be followed by a translation.
4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* **286**, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* **32**, 173–179.

Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank.org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq_tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour halftone artwork:** Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLES

Metabolic syndrome and metabolic abnormalities in patients with major depressive disorder: a meta-analysis of prevalences and moderating variables

Vancampfort D, Correll CU, Wampers M, Sienaert P, Mitchell AJ, De Herdt A, Probst M, Scheewe TW & De Hert M 2017

Cognitive impairment in depression: a systematic review and meta-analysis

Rock PL, Roiser JP, Riedel WJ & Blackwell AD 2029

ORIGINAL ARTICLES

Revisiting default mode network function in major depression: evidence for disrupted subsystem connectivity

Sambataro F, Wolf ND, Pennuto M, Vasic N & Wolf RC 2041

Local cortical thinning links to resting-state disconnectivity in major depressive disorder

van Tol M-J, Li M, Metzger CD, Hailla N, Horn DI, Li W, Heinze HJ, Bogerts B, Steiner J, He H & Walter M 2053

Depression is more than the sum score of its parts: individual DSM symptoms have different risk factors

Fried EI, Nesse RM, Zivin K, Guille C & Sen S 2067

Perturbed threat monitoring following a traumatic event predicts risk for post-traumatic stress disorder

Naim R, Wald I, Lior A, Pine DS, Fox NA, Sheppes G, Halpern P & Bar-Haim Y 2077

Dimensional structure and course of post-traumatic stress symptomatology in World Trade Center responders

Pietrzak RH, Feder A, Schechter CB, Singh R, Cancellmo L, Bromet EJ, Katz CL, Reissman DB, Ozbay F, Sharma V, Crane M, Harrison D, Herbert R, Levin SM, Luft BJ, Moline JM, Stellman JM, Udasin IG, El-Gabalawy R, Landrigan PJ & Southwick SM 2085

Randomized controlled trial and uncontrolled 9-month follow-up of an adjunctive emotion regulation group therapy for deliberate self-harm among women with borderline personality disorder

Gratz KL, Tull MT & Levy R 2099

Differential role of visuospatial working memory in the propensity toward uncertainty in patients with obsessive-compulsive disorder and in healthy subjects

Lambreco V, Rotge J-Y, Jaafari N, Aouizerate B, Langbour N, Bioulac B, Liégeois-Chauvel C, Burbaud P & Guehl D 2113

Predicting response to cognitive behavioral therapy in contamination-based obsessive-compulsive disorder from functional magnetic resonance imaging

Olatunji BO, Ferreira-Garcia R, Caseras X, Fullana MA, Wooderson S, Speckens A, Lawrence N, Giampietro V, Brammer MJ, Phillips ML, Fontenelle LF & Mataix-Cols D 2125

White matter microstructural abnormalities in families multiply affected with bipolar I disorder: a diffusion tensor tractography study

Emsell L, Chaddock C, Forde N, Van Hecke W, Barker GJ, Leemans A, Sunaert S, Walshe M, Bramon E, Cannon D, Murray R & McDonald C 2139

P300 waveform and dopamine transporter availability: a controlled EEG and SPECT study in medication-naive patients with schizophrenia and a meta-analysis

Chen KC, Lee IH, Yang YK, Landau S, Chang WH, Chen PS, Lu RB, David AS & Bramon E 2151

Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis

Morgan VA, McGrath JJ, Jablensky A, Badcock JC, Waterreus A, Bush R, Carr V, Castle D, Cohen M, Galletly C, Harvey C, Hocking B, McGorry P, Neil AL, Saw S, Shah S, Stain HJ & Mackinnon A 2163

The one and the many: effects of the cell adhesion molecule pathway on neuropsychological function in psychosis

Hargreaves A, Anney R, O'Dushlaine C, Nicodemus KK, Schizophrenia Psychiatric Genome-Wide Association Study Consortium (PGC-SCZ), Wellcome Trust Case Control Consortium 2, Gill M, Corvin A, Morris D & Donohoe G 2177

Tobacco smoking in schizophrenia: investigating the role of incentive salience

Freeman TP, Stone JM, Orgaz B, Noronha LA, Minchin SL & Curran HV 2189

Bullying in elementary school and psychotic experiences at 18 years: a longitudinal, population-based cohort study

Wolke D, Lereya ST, Fisher HL, Lewis G & Zammit S 2199

Psychodynamic therapy for adolescents suffering from co-morbid disorders of conduct and emotions in an in-patient setting: a randomized controlled trial

Salzer S, Cropp C, Jaeger U, Masuhr O & Streeck-Fischer A 2213

The heritability of clinically diagnosed attention deficit hyperactivity disorder across the lifespan

Larsson H, Chang Z, D'Onofrio BM & Lichtenstein P 2223

Association between body mass index and mental health among Scottish adult population: a cross-sectional study of 37272 participants

Ul-Haq Z, Mackay DF, Fenwick E & Pell JP 2231