

INDEX TO VOLUME 6

- Baranson, J.** Prospects for introducing computer-integrated manufacturing in the USSR—a viewpoint, 71–79
- Bowman, M. E. and Forrest, A. K.** Visual detection of differential movement: applications to robotics, 7–12
- Burgess, N. R.** *See* Huddleston, Burgess & Walmsley
- Chang Yoon-Song** *See* Lim & Chang
- Cho, H. S.** *See* Chung & Cho
- Cho, H. S.** *See* Warnecke, Frankenhauser, Gweon & Cho
- Chung, W. K. and Cho, H. S.** Sensitivity analysis of balanced robotic manipulators, 53–62
- Chyung, D. H.** *See* Lim & Chyung
- Cook, C.** *See* Ibrahim, Cook & Tieu
- Cotsartis, M. and Vibet, C.** Consistent impulse conditions in Lagrangian system dynamics, 339–341
- Dauchez, P.** *See* Palma-Villalon & Dauchez
- De Groot, A. W.** Effect of sensor size in robotic tactile sensor arrays, 285–287
- Feng, Q. and Yamafuji, K.** Design and simulation of control systems of an inverted pendulum, 235–241
- Forrest, A. K.** *See* Bowman & Forrest
- Frankenhauser, B.** *See* Warnecke, Frankenhauser, Gweon & Cho
- Gunawardane, G.** A note on planning station loading in flexible manufacturing systems, 297–298
- Gweon, D. G.** *See* Warnecke, Frankenhauser, Gweon & Cho
- Hatakeyama, T.** *See* Suzuki, Niinomi, Saitoh, Hatakeyama and Tsuchiya
- Huddleston, J., Burgess, N. R. and Walmsley, A. D.** Sample manipulation using robotic principles, 327–331
- Hurteau, G. and Stewart, N. F.** Distance calculation for imminent collision indication in a robot system simulation, 47–51
- Ibrahim, M. Y., Cook, C. and Tieu, K.** Dynamic behaviour of a SCARA robot with links subjected to different velocity trajectories, 115–121
- Jacak, W., Lysakowska, B. and Sierocki, I.** Planning collision-free movements of a robot: A systems theory approach, 289–296
- Jumarie, G.** On the use of deformation matrices in artificial vision systems, 13–21
- Jumarie, G.** Trajectory control of manipulators with time varying inertia links, 197–202
- Kazimierczak, J. and Łysakowska, B.** Intelligent adaptive control of a mobile robot: The automaton with an internal and external parameter approach, 319–326
- Kirćanski, M., Vukobratović, M., Kirćanski, N. and Timčenko, A.** A new program package for the generation of efficient manipulator kinematic and dynamic equations in symbolic form, 311–318
- Kirćanski, N.** *See* Kirćanski, Vukobratović, Kirćanski & Timčenko
- Laugier, C.** Les apports respectifs des langages symboliques et du la cao en programmation des robots, 243–253
- Lee, E. T.** Pictorial knowledge representation using pictorial semantic networks, 155–160
- Lien, T. K.** *See* Wang & Lien
- Lim Kah-Bin and Chang Yoon-Song**, Low cost tactile gripper using silicone rubber sensor array, 23–30
- Lim, L. and Chyung, D. H.** Admissible trajectory determination for two cooperating robot arms, 107–113
- Łysakowska, B.** *See* Jacak, Łysakowska & Sierocki
- Łysakowska, B.** *See* Kazimierczak & Łysakowska

- Meghdari, A. and Shahinpoor, M.** Three-dimensional flexural-joint stiffness analysis of flexible manipulator arms, 203–212
- Mohri, A.** *See* Ozaki & Mohri
- Mohri, A.** *See* Yamamoto, Ozaki & Mohri
- Muspratt, M. A.** Robot ensembles for building construction, 275–284
- Niinomi, S.** *See* Suzuki, Niinomi, Saitoh, Hatakeyama and Tsuchiya
- Nikolic, I.** Determination of Elastodynamic Errors in Joints of Industrial Robot, 213–219
- Ozaki, H. and Mohri, A.** Synthesis of a minimum-time manipulator trajectories with geometric path constraints using time scaling, 41–46
- Ozaki, H.** *See* Yamamoto, Ozaki & Mohri
- Palma-Villalon, E. and Dauchez, P.** World representation and patch planning for a mobile robot, 35–40
- Potkonjak, V.** Contribution to the dynamics and control of robots having elastic transmissions, 63–69
- Ranky, P. G.** A generic tool management system architecture for flexible Manufacturing Systems (FMS), 221–234
- Rock, S. T.** Intelligent robot programming: you can't get there from here—a viewpoint, 333–338
- Russell, R. A.** Thermal sensor for object shape and material constitution, 31–34
- Saitoh, Y.** *See* Suzuki, Niinomi, Saitoh, Hatakeyama and Tsuchiya
- Sandor, G. N., Yongxian Xu and Tzu-Chen Weng** On the elimination of branching in the synthesis of spatial single-loop mechanisms with lower pairs, 149–154
- Shahinpoor, M.** *See* Meghdari & Shahinpoor
- Sierocki, I.** *See* Jacak, Lysakowska & Sierocki
- Stewart, N. F.** *See* Hurteau & Stewart
- Suzuki, Y., Niinomi, S., Saitoh, Y., Hatakeyama, T. and Tsuchiya, K.** A new control method for motor vehicles for the severely handicapped, 131–139
- Tieu, K.** *See* Ibrahim, Cook & Tieu
- Tsuchiya, K.** *See* Suzuki, Niinomi, Saitoh, Hatakeyama and Tsuchiya
- Timčenko, A.** *See* Kirčanski, Vukobratović, Kirčanski & Timčenko
- Tzu-Chen Weng**, *See* Sandor, Yongxian and Tzu-Chen Weng
- Van Aken, L. and Van Brussel, H.** On-line robot trajectory control in joint coordinates by means of imposed acceleration profiles, 185–195
- Van Aken, L. and Van Brussel, H.** Robot programming languages: the statement of a problem, 141–148
- Van Brussel, H.** *See* Van Aken & Van Brussel
- Vibet, C.** *See* Cotsaftis and Vibet
- Vukobratović, M.** *See* Kirčanski, Vukobratović, Kirčanski & Timčenko
- Walmsley, A. O.** *See* Huddleston, Burgess & Walmsley
- Wang, K. and Lien, T. K.** Structure design and kinematics of a robot manipulator, 299–309
- Warnecke, H. J., Frankenhauser, B., Gweon, D. G. and Cho, H. S.** Fitting of crimp contracts to connectors using industrial robots supported by vibrating tools, 123–129
- Yamafuji, K.** *See* Feng & Yamafuji
- Yamamoto, M., Ozaki, H. and Mohri, A.** Planning of manipulator joint trajectories by an iterative method, 101–105
- Yongxian Xu**, *See* Sandor, Yongxian and Tzu-Chen Weng

INDEX OF BOOKS REVIEWED IN VOLUME 6

The name of the reviewer of the book is given in parentheses

- Adamson, I. and Kennedy, R.** *Sinclair and the Sunrise Technology*, (R. E. J. CHATER), 343
- Aleksander, I. and Burnett, P.** *Thinking Machines: The Search for Artificial Intelligence*, (T. OWEN), 84
- Aleksander, I. and Burnett, P.** *Thinking Machines—The Search for Artificial Intelligence*, (F. H. GEORGE), 167
- Anderson, J. R., Corbett, A. T. and Reiser, B. J.** *Essential Lisp*, (J. A. ROSE), 169–170
- Andreasen, M. M. and Hein, L.** *Integrated Product Development*, (T. OWEN), 258
- Appleton, E. and Williams, D. J.** *Industrial Robot Applications*, (P. B. SCOTT), 88
- Arbib, M. A.** *Brains, Machines, and Mathematics*, (T. OWEN), 257
- Arbib, M. A. and Hanson, A. R.** (Eds.) *Vision, Brain and Cooperative Computation*, (T. OWEN), 84
- Asada, H. and Youcef-Toumi, K.** *Direct Drive Robots: Theory and Practice*, (T. OWEN), 88
- Ashworth, G. and Thornton, A.** (Eds.) *Technology Transfer and Innovation*, (B. DAVIES), 348
- Barrett, M. L. and Beerel, A. C.** *Expert Systems in Business*, (J. A. ROSE), 347–348
- Blake, A. and Zisserman, A.** *Visual Reconstruction*, (T. OWEN), 166
- Bonnet, A., Haton, J. P. and Truong-Ngoc, J. M.** *Expert Systems*, (J. A. ROSE), 343–344
- Bramer, M. and Bramer, D.** *The Fifth Generation—an Annotated Bibliography*, (T. OWEN), 164
- Brand, M. and Harnish, R. M.** (Eds.) *The Representation of Knowledge and Belief*, (A. M. ANDREW), 90
- Bratko, I.** *PROLOG Programming for Artificial Intelligence*, (J. A. ROSE), 170
- Briot, M.** (Ed.) *Proceedings of the Sixth International Conference on Robot Vision and Sensory Controls*, (P. B. SCOTT), 88
- Bucci, G. and Valle, G.** (Eds.) *Computing 85 A Broad Perspective of Current Developments*, (F. H. GEORGE), 166–167
- Burns, W. and Worthington, J.** *Practical Robotics: Systems, Interfacing and Applications*, (P. B. SCOTT), 86–87
- CAD and Robotics in Architecture and Construction**, (P. B. SCOTT), 86
- Clancey, W. J. and Shortcliff, E. H.** (Eds.) *Readings in Medical Artificial Intelligence: The First Decade*, (T. OWEN), 164
- Collins, J. A.** (Ed.) *The Changing Face of Manufacturing*, (P. B. SCOTT), 87
- Conference Proceedings of the 17th International Symposium on Industrial Robots**, (P. B. SCOTT), 87
- Conklin, D.** *OS/2—A Business Perspective*, (J. A. ROSE), 347
- Considine, D. M. and Considine, G. D.** (Eds.) *Standard Handbook of Industrial Automation*, (T. OWEN), 257
- Craig, J. J.** *Introduction to Robotics: Mechanics and Control*, (T. OWEN), 164–165
- Curtain, R. F.** (Ed.) *Modelling, Robustness and Sensitivity Reduction in Control Systems*, (T. OWEN), 168
- Davies, L.** (Ed.) *Genetic Algorithms and Simulated Annealing*, (I. CRAIG), 170–17
- Dorf, R. C.** (Ed.) *International Encyclopedia of Robotics*, (J. A. ESROM), 345
- Dougherty, E. R. and Giardina, C. R.** *Mathematical Methods for Artificial Intelligence and Autonomous Systems*, (I. CRAIG), 345
- Dwyer, J. and Ioannou, A.** *Map and Top: Advanced Manufacturing Communications*, (T. OWEN), 346
- Ebel, K. H. and Ulrich, E.** *Social and Labour Effects of Computer-Aided Design/Computer-Aided Manufacture*, (P. L. PRIMROSE), 85

- E'ssembly**, (P. B. SCOTT), 87
- Frude**, N. *A Guide to SPSS/PC +*, (I. D. CRAIG), 259–260
- Funakubo, H.** (Ed.) **Kennedy, J. B.** (Translator) *Shape Memory Alloys*, (T. OWEN), 259
- Georgeff, M. P. and Lansky, A. L.** (Eds.) *Reasoning About Actions and Plans: Proceedings of the 1986 Workshop* (A. M. ANDREW), 89–90
- Giannesini, F. and Kanoui, H., Pasero, R. and Van Caneghem, M.** *PROLOG*, (J. A. ROSE), 170
- Goodstein, L. P., Andersen, H. B. and Olsen, S. E.** *Tasks, Errors and Mental Models*, (T. OWEN), 259
- Grimson, W. E. L. and Patil, R. S.** (Eds.) *AI in the 1980s and Beyond: An MIT Survey*, (T. OWEN) 83–84
- Hayes-Roth, F., Waterman, D. A. and Lenat, D. B.** (Eds.) *Building Expert Systems*, (T. OWEN), 165
- Handbook of Mechanical Power Drives**, 3rd Edition, (T. OWEN), 262
- Hasemer, T.** *Looking at LISP*, (J. A. ROSE), 171–172
- Hekmatpour, S.** *Introduction to USP and Symbol Manipulation*, (J. A. ROSE), 343
- Hollier, R. H.** (Ed.) *Automated Guided Vehicle Systems*, (T. OWEN), 169
- Hrùz, B. and Cicel, M.** (Eds.) *Automatic Measurement and Control in Woodworking Industry*, (T. OWEN), 345–346
- Huhns, M. N.** (Ed.) *Distributed Artificial Intelligence*, (I. CRAIG), 171
- Hydraulic Handbook**, 8th Edition, (T. OWEN), 261–262
- Jaffe, A. J. and Spirer, H. F.** *Misused Statistics (Straight Talking for Twisted Numbers)*, (I. D. Craig), 260
- Kak, A. and Su-shing Chen** (Eds.) *Spatial Reasoning and Multi-Sensor Fusion*, (T. OWEN), 166
- Kandel, A.** *Fuzzy Mathematical Techniques with Applications*, (T. OWEN), 166
- Kepacek, P., Troch, I. and Desoyer, K.** (Eds.) *Theory of Robots*, (T. OWEN), 346
- Kusiak, A.** (Ed.) *Artificial Intelligence: Implications for CIM*, (T. OWEN), 258
- MacDougall, M. H.** *Simulating Computer Systems*, (J. A. ROSE), 172
- Mangin, C-H. and McClelland, S.** *Surface Mount Technology: The Future of Electronics Assembly*, (T. OWEN), 258–259
- Marcus, C.** *PROLOG Programming*, (J. A. ROSE), 170
- Martins, G. and Svensson, M.** *Profitability and Industrial Robots*, (T. OWEN), 257–258
- Morecki, A., Bianchi, G. and Kedzior, K.** (Eds.) *RoManSy 6*, (T. OWEN), 88–89
- Mortimer, J. and Rooks, B.** *The International Robot Industry Report*, (T. OWEN), 169
- Mumpower, J. L., Phillips, L. D., Renn, O. and Uppuluri, V. R. R.** (Eds.) *Expert Judgement and Expert Systems*, (T. OWEN), 168–169
- Newmeyer, F. J.** (Ed.) *Linguistics: The Cambridge Survey Vols I–III*, (I. CRAIG), 344–345
- Nichol, J., Briggs, J. and Dean, J.** (Eds.) *Prolog, Children and Students*, (J. A. ROSE), 344
- N-Nagy, F. and Siegler, A.** *Engineering Foundations of Robotics*, (T. OWEN), 83
- Pattern, T.** *Systemic Text Generation as Problem Solving*, (I. CRAIG), 262–263
- Pearl, J.** *Heuristics: Intelligent Search Strategies for Computer Problem Solving*, (T. OWEN), 165
- Quinzer, A.** (Ed.) *Proceedings of the Third International Conference on Lasers in Manufacturing*, (P. B. SCOTT), 85
- Raynal, M.** *Networks and Distributed Computation: Concepts, Tools and Algorithms*, (T. OWEN), 260–261
- Ross, J.** (Ed.) *Application of Expert Systems*, (J. A. ROSE), 347
- Rowe, N.** *Artificial Intelligence Through Prolog*, (J. A. ROSE), 344
- Seals and Sealing Handbook**, (T. OWEN), 260
- Shapiro, A. D.** *Structural Induction in Expert Systems*, (J. A. ROSE), 346–347

- Silverman, B. G.** (Ed.) *Expert Systems for Business*, (J. A. ROSE), 348
- Singh, M. G.** (Ed.) *Systems and Control Encyclopedia*, (J. A. ESROM), 164
- Slocum, J.** (Ed.) *Machine Translation System*, (I. CRAIG), 262
- Smith, R. and Shapiro, S.** *Design Automation*, (P. B. SCOTT), 85–86
- Snyder, W. E.** *Industrial Robots: Computer Interfacing and Control*, (P. B. SCOTT), 86
- Software for Industrial Automation**, (P. B. SCOTT), 87
- Stengel, R. F.** *Stochastic Optimal Control—Theory and Application*, (P. A. W. WALKER), 163
- Watanabe, S.** (Ed.) *Microelectronics, Automation and Employment in the Automobile Industry*, (P. L. PRIMROSE), 84–85
- Williams, D. J.** *Manufacturing Systems: An Introduction to the Technologies*, (T. OWEN), 261
- Wilson, R. and Spann, M.** *Image Segmentation and Uncertainty*, (T. OWEN), 259
- Winston, P. H.** *Artificial Intelligence*, (T. OWEN), 165
- Wong, A. K. C. and Pugh, A.** (Eds.) *Machine Intelligence and Knowledge Engineering for Robotic Applications*, (T. OWEN), 167–168
- Young, M. L.** (Ed.) *Scientific and Technical Organizations and Agencies Directory, Second Edition*, (J. A. ESROM), 163–164
- Young, M. L.** (Ed.) *Scientific and Technical Organizations and Agencies Directory, Second Edition*, (T. OWEN), 257

Notes for Contributors

1. Manuscripts should preferably be written in English, but papers in French and German will also be accepted. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favourable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Deputy Editor or the Editor.
2. Typescripts should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, position and affiliations.
3. A short abstract of about 80 words should precede the main text. *List of symbols:* A typewritten list of any special symbols should be submitted with the manuscript. The list should not define the symbols mathematically, but should serve to identify them typographically. The list will not appear in print, but is essential to help the typesetter and to avoid costly correction in proof.
4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.
5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in Indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy. Figures should be numbered consecutively, with arabic numerals, have descriptive captions, and be mentioned in the text. The correct position for each figure should be indicated in the margin of the manuscript.
6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables. Number tables consecutively with roman numerals. Each should have a brief heading. Exceptionally lengthy tables may be summarized for publication with a note that copies of details can be obtained from the authors.
7. *Equations:* Wherever possible, mathematical equations should be typewritten, with subscripts and superscripts clearly indicated. The printer will set all mathematical symbols in italics unless otherwise indicated; symbols or letters to be set in roman (upright) type should be encircled in pencil, while bold letters should be shown by a wavy underline.
8. *References:* In the text, references are indicated by superior arabic numbers (without brackets), and should be confined to publish work that is directly pertinent. References should be listed at the end of the paper in numerical order. Authors' initials should precede their names; cited article titles should be quoted in full, enclosed in quotation marks; and abbreviations of journal names should follow the style of *Chemical Abstracts* or *Physical Abstracts*, and be underlined for italics: P.W. Anderson, "More is different" *Science* **177**, 393 (1972) C.V. Negoita, *Fuzzy Systems* (Abacus Press, Tunbridge Wells, UK, 1980)
Citations such as 'personal communication', 'unpublished work', etc., are not acceptable as numbered references but can be included in parenthesis in the text. Do not use summaries as references.
9. *Proofs:* Page proofs will be sent to authors for correction, for return within 48 hours by airmail. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.
10. Manuscripts, whether accepted or rejected, will not be returned to the authors.
11. Submission of an article will be taken to imply that it has not been previously published and that it is not on offer to any other publisher.

ROBOTICA

Volume 7 Part 1

January 1989

CONTENTS

Reports and Surveys (Computing Using Neural Nets, Computer Developments, Graphical Simulation, Innovative Products and Projects, Neural Network Robot, Robots Worldwide, Shape Memory Metals, Software Reports, World Federation of Map/Top Users Groups) B. H. Rudall (UK)	1
R & D Profile, M. Vukobratović (Yugoslavia)	7
Developments of a pneumatic vibratory wrist for robotic assembly, Kyu Won Jeong and Hyung Suck Cho (Korea)	9
A new generation of pneumatic servos for industrial robots, J. Pu and R. H. Weston (UK)	17
Automatic diagnosis of task faults in flexible manufacturing systems, N. W. Hardy, D. P. Barnes and M. H. Lee (UK)	25
Fuzzy rule-based motion controller for an autonomous mobile robot, M. Kernal Ciliz and Can Isik (USA)	37
Planning of quasi-minimum time trajectories for robot manipulators (Generation of bang-bang control), M. Yamamoto and A. Mohri (Japan)	43
Navigational path planning for a vision-based mobile robot, Ronald C. Arkin (USA)	49
Specific computation of inverse kinematics in a robot off-line programming environment, Jean-Phillippe Cassar and Phillippe Vanheeghe (France)	65
Developing robot programming languages using an existing language as a base—A viewpoint, S. T. Rock (UK)	71
Conference News	79
Book Reviews	81
Announcements	89
Special Announcements	90

© CAMBRIDGE UNIVERSITY PRESS 1989

Cambridge University Press
The Pitt Building, Trumpington Street, Cambridge CB2 1RP, UK
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia
Printed in Northern Ireland by The Universities Press (Belfast) Ltd.