


THE  
**JOURNAL OF LARYNGOLOGY,  
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE  
 RELATING TO  
**THE THROAT, NOSE, AND EAR.**

*Printed and Published Monthly by*  
**ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.**

**A SAFE JUNKER'S INHALER**

As made for **MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,**  
 Anæsthetist, Sussex County Hospital, and 2nd Eastern  
 General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

**Rigby's Chloroform Inhaler complete in case** £3 8s. 3d.  
**Rigby's Chloroform Bottle only** £1 5s. 0d.

**GRANDS PRIX:**

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

Manufactured by  
**DOWN BROS., LTD.,**  
 Surgical Instrument Makers,  
 21 & 23, ST. THOMAS'S ST., LONDON, S.E.  
 (opposite Guy's Hospital.)

Telegrams:  
 "DOWN, LONDON,"

Telephone:  
 Hop. 4400 (4 Lines).

Prepaid Annual Subscription, 30s. (8 dollars) post free.

Single Copies, Three Shillings.

ENTERED AT STATIONERS' HALL.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

# LISTERINE

*A safe, non-poisonous, unirritating  
antiseptic solution*

- LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.
- LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.
- LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.
- LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.
- LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa occurring in infants and adults.
- LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

**LAMBERT PHARMACAL COMPANY**

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

# THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOTOLOGY.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D.,  
Col. G.A.M.C. (Montreal).  
A. BROWN-KELLY, D.Sc., M.D. (Glasgow).  
A. CHEATLE, F.R.C.S.  
(Pres. Otol. Sect. Internat. Cong.).  
J. DONELAN, M.B. (London).  
(Pres. Laryng. Sect. R.S.M.).  
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).  
WILLIAM HILL, M.D. (London).  
HUGH E. JONES, M.R.C.S. (Liverpool).  
(Pres. Otol. Sect. R.S.M.).

J. MACINTYRE, M.B., C.M. (Glasgow).  
Sir W. MILLIGAN, M.D., M.Ch. (Manchester).  
Sir StCLAIR THOMSON, M.D., F.R.C.S. (London).  
(Pres. Laryng. Sect. Internat. Cong.).  
HERBERT TILLEY, M.D., F.R.C.S. (London).  
LOGAN TURNER, M.D. (Edinburgh).  
P. WATSON-WILLIAMS, M.D. (Bristol).  
MACLEOD YEARSLEY, F.R.C.S. (London).

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C. (Cantab.), M.B., F.R.C.S. (London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (*Glasgow*), BRADY (*Sydney, N.S.W.*),  
JOHN DARLING (*Edinburgh*), J. K. MILNE DICKIE (*Edinburgh*),  
DONELAN (*London*), CLAYTON FOX (*London*), J. S. FRASER (*Edinburgh*),  
PERRY GOLDSMITH (*Toronto*), THOS. GUTHRIE (*Liverpool*), A. HUTCHISON (*Brighton*),  
J. D. LITHGOW (*Edinburgh*), A. MCCALL (*Bournemouth*),  
CHICHELE NOURSE (*London*),  
KNOWLES RENSHAW (*Manchester*), ARCHER RYLAND (*London*),  
LINDLEY SEWELL (*Manchester*), ALEX. R. TWEEDIE (*Nottingham*),  
C. E. WEST (*London*), G. HAROLD L. WHALE (*London*),  
WRIGHT (*Bristol*), and WYLIE (*London*).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (*London*), DRs. J. BARR (*Glasgow*),  
GRAZZI (*Florence*), A. BROWN KELLY (*Glasgow*),  
E. LAW (*London*), MASSEI (*Naples*), D. PATERSON (*Cardiff*),  
URBAN PRITCHARD (*London*), F. A. ROSE (*London*), A. SANDFORD (*Cork*),  
SENDZIAK (*Warsaw*), H. TILLEY (*London*), RAYMOND VEREL (*Aberdeen*),  
E. WAGGETT (*London*), SIR R. WOODS (*Dublin*).

---

## CONTRIBUTORS TO THIS NUMBER.

SIR STCLAIR THOMSON.  
MAJOR ARCHER RYLAND.  
MR. MACLEOD YEARSLEY.

CAPT. J. K. MILNE-DICKIE.  
DR. THOMAS GUTHRIE.

DR. J. S. FRASER.  
MR. E. LEWIS REID.

## CONTENTS.

### Special Articles—

	PAGE
Intrinsic Cancer of the Larynx; Operation by Laryngo-fissure and its Results.—SIR STCLAIR THOMSON ... ..	145
The Laryngeal Changes induced by Mustard-gas.—ARCHER RYLAND	153

### Societies' Proceedings—

ROYAL SOCIETY OF MEDICINE.—	
OTOLOGICAL SECTION ( <i>continued from p. 128</i> ).—Communications by H. J. BANKS-DAVIS, RICHARD LAKE, W. M. MOLLISON, P. WATSON-WILLIAMS, HERBERT TILLEY, L. H. PEGLER ...	
	156
LARYNGOLOGICAL SECTION ( <i>continued from p. 133</i> ).—Communications by NORMAN PATTERSON, F. A. ROSE, W. H. KELSON, IRWIN MOORE ... ..	
	166

### Abstracts—

NOSE.—Report of Interesting Nasal Cases due to Syphilis: Remarks on Obscure Syphilitic Nasal Symptoms ... ..	176
LARYNX.—Contusion of the Larynx ... ..	176
MISCELLANEOUS.—Status Lymphaticus.—Speech Defects: Stammering. —Technique of Plastic Surgery of the Face ... ..	177

Correspondence ... ..	180
-----------------------	-----