JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

INSTRUCTIONS FOR THE PREPARATION OF MANUSCRIPTS

Editorial Policy. The *JMBA* publishes original research papers on all aspects of marine biology and oceanography which have not been published, and are not under consideration for publication, elsewhere.

General. Papers should be written in clear, succinct English and sentences must not start with an abbreviation. They should not normally exceed 20 printed pages. Acronyms must be specified in full on their first occurrence and SI units should be used. Only the scientific names of species should be italicized, and their first mention should be followed by the authority except where reference is made to a work in which the authority appears.

A total of three copies of the typescript should be provided, **double-spaced throughout**, on one side of A4 paper. Tables and legends for illustrations should be typed separately at the end of the manuscript. All pages should be numbered serially (title, main text, acknowledgements, references, figure legends, tables). **Short communications** should not exceed four printed pages, including tables and illustrations, and must start with an abstract but not otherwise divided into sections.

If there is a particular reason why rapid publication is desirable this should be stated with the revised manuscript.

Fifty reprints will be provided free of charge and up to 200 extra copies may be purchased if ordered when the proofs are returned.

Title. Each paper must have a unique title and should be kept as short as possible (maximum 18 words), and if specific names are included the authority should be omitted.

Abstract. Each paper (including short communications) must start with a brief abstract summarizing the main results and conclusions of the work, and such other information as to make it suitable for publication without change in abstracting journals.

References. References should be kept to an essential minimum and must be listed alphabetically at the end of the paper. Titles of journals are given in full and references to books should include the place of publication and publisher.

Examples:

Goldberg, E.D., 1965. Minor elements in sea water. In *Chemical oceanography*, vol. 1 (ed. J.P. Riley and G. Skirrow), pp. 163–196. New York: Academic Press.

Marshall, S.M., Nicholls, A.G. & Orr, A.P., 1939. On the growth and feeding of young herring in the Clyde. *Journal of the Marine Biological Association of the United Kingdom*, **23**, 427–455.

Russell, F.S. & Yonge, C.M., 1928. The seas. London: Frederick Warne.


Figures. Figures should be in black ink on white paper no larger than A4. Figures will normally be reduced to one-third of a page on average and the maximum size for a figure or photograph after reduction is 134 x 200 mm, including legend. Lettering, numerals etc. should be **Helvetica 8 point** after reduction. Half-tone photographs will be reproduced in the text pages and should be supplied as three sets of glossy prints with suitable labelling on the originals. Sizes should be indicated by a scale line on the print. All illustrations, including photographs, are numbered in Arabic numerals. Detailed instructions for figure preparation will be provided with the manuscript for revision and will be returned if they do not conform to *JMBA* publication style. Colour illustrations can be included but only at the author's expense (as a rough guide, from £1000 per page).

Tables. Tables should be numbered in Arabic numerals, and given a concise heading. Formatting instructions will be sent with the manuscript for revision.

Word-processor discs. All manuscripts should be provided on a Macintosh or IBM-type disc after the paper has been accepted. Detailed instructions for revisions and format will be provided with the manuscript for revision. Authors should ensure that the disc version and the hard copy are indentical.

Authors are requested to see that their manuscripts are in finished form and completely ready for publication so that corrections may be reduced to a minimum. Alterations to the text at the proof stage will be charged to the author.

Research of international interest



Publishes ecological research of international interest.
Contributions and short communications deal with the ecology of all organisms, emphazising the following areas:

- · Reviews
- · Methods
- · Ecophysiology
- Population ecology
- · Plant animal interactions
- Ecosystems ecology
- · Community ecology
- · Conservation ecology
- · Behavioural ecology

Plus carriage charges. Price subject to change without notice. In EU countries the local VAT is effective. Errors and omissions excepted.

Oecologia

Editors-in-chief:

M. Schaefer E.-D. Schulze D. R. Strong J. R. Ehleringer



Subscription information for 1998:

Volumes 113-116, 4 issues each DM 4890,– ISSN 0029-8549 Title No. 442 ISSN 1432-1939 electronic edition

Please order from Springer-Verlag Berlin Fax: + 49 / 30 / 8 27 87- 448 e-mail: subscriptions@springer.de or through your bookseller



continued from outside back cover

Caudron, A. K., Kondakov, A. A. & Siryanov, S. V. Acoustic structure and individual variation of grey seal (<i>Halichoerus grypus</i>) pup calls	651
Short Communications:	
Russell, G.	659
Davenport, J.	663
Mathieson, S., Berry, A. J. & Kennedy, S.	665
Ansell, A. D., Günther, CP. & Burrows, M. T.	669
Rasero, M. & Portela, J. M.	673
Kurihara, T.	677
Johnsen, S. & Kier, W. M.	681
Kabasakal, H.	685
Merella, P., Massutí, E. & Deudero, S.	687
Garrick-Maidment, N.	691
Book Notices	693

JMBA

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM VOLUME 78:2 MAY 1998

CONTENTS

(STORM 0) in the STORM corridor (32–34°N, Eastern Basin, North Atlantic Ocean) Barnes, R. S. K. The effects of movement on population density estimates of mudflat epifauna Vallet, C. & Dauvin, JC. Composition and diversity of the benthic boundary layer macrofauna from the English Channel Vanhove, S., Lee, H. J., Beghyn, M., Van Gansbeke, D., Brockington, S. & Vincx, M. The metazoan meiofauna in its biogeochemical environment: the case of an Antarctic coastal sediment Scaps, P., Brenot, S., Retière, C. & Desrosiers, G. Space occupation by the polychaetous annelid <i>Perinereis cultrifera</i> : influence of substratum heterogeneity and intraspecific interactions on burrow structure Lewis, A. G., Chatters, L. & Raudsepp, M. Feeding structures and their functions in adult and preadult <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) in Barkley Sound, British Columbia Cruz, T. & Hawkins, S. J. Reproductive cycle of <i>Pollicipes pollicipes</i> at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp <i>Acetes sibogae australis</i> Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetit dastropod <i>Dendropoma petraeum</i> Cigarria, J. & Fernández, J. Manila clam (<i>Ruditapes philippinarum</i>) culture in oyster bags: influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid <i>Loliolus noctiluca</i> in Western Port, Victoria, determined from statolith microstructure analysis Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Re		PAGE
Vallet, C. & Dauvin, JC. Composition and diversity of the benthic boundary layer macrofauna from the English Channel Vanhove, S., Lee, H. J., Beghyn, M., Van Gansbeke, D., Brockington, S. & Vincx, M. The metazoan meiofauna in its biogeochemical environment: the case of an Antarctic coastal sediment Scaps, P., Brenot, S., Retière, C. & Desrosiers, G. Space occupation by the polychaetous annelid <i>Perinereis cultrifera</i> : influence of substratum heterogeneity and intraspecific interactions on burrow structure Lewis, A. G., Chatters, L. & Raudsepp, M. Feeding structures and their functions in adult and preadult <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) 451 Powlik, J. J. Seasonal abundance and population flux of <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) in Barkley Sound, British Columbia Cruz, T. & Hawkins, S. J. Reproductive cycle of <i>Pollicipes pollicipes</i> at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp <i>Acetes sibogae australis</i> Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod <i>Dendropoma petraeum</i> Scaps, P., Brenot, S., Vincx, M. The metazoan meiofaunt in traspecific interactions in a lagonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. R. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of dodnotocete cetaceans stranded on Hawaiian shores Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>		351
Vanhove, S., Lee, H. J., Beghyn, M., Van Gansbeke, D., Brockington, S. & Vincx, M. The metazoan meiofauna in its biogeochemical environment: the case of an Antarctic coastal sediment Scaps, P., Brenot, S., Retière, C. & Desrosiers, G. Space occupation by the polychaetous annelid <i>Perinereis cultrifera</i> : influence of substratum heterogeneity and intraspecific interactions on burrow structure Lewis, A. G., Chatters, L. & Raudsepp, M. Feeding structures and their functions in adult and preadult <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) Powlik, J. J. Seasonal abundance and population flux of <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) in Barkley Sound, British Columbia Cruz, T. & Hawkins, S. J. Reproductive cycle of <i>Pollicipes pollicipes</i> at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp <i>Acetes sibogae australis</i> Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod <i>Dendropoma petraeum</i> Cigarría, J. & Fernández, J. Manila clam (<i>Ruditapes philippinarum</i>) culture in oyster bags: influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid <i>Loliolus noctiluca</i> in Western Port, Victoria, determined from statolith microstructure analysis Flatell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of		
metazoan meiofauna in its biogeochemical environment: the case of an Antarctic coastal sediment Scaps, P., Brenot, S., Retière, C. & Desrosiers, G. Space occupation by the polychaetous annelid <i>Perinereis cultrifera</i> : influence of substratum heterogeneity and intraspecific interactions on burrow structure Lewis, A. G., Chatters, L. & Raudsepp, M. Feeding structures and their functions in adult and preadult <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) Powlik, J. J. Seasonal abundance and population flux of <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) in Barkley Sound, British Columbia Cruz, T. & Hawkins, S. J. Reproductive cycle of <i>Pollicipes pollicipes</i> at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp <i>Acetes sibogae australis</i> Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod <i>Dendropoma petraeum</i> 525 Cigarría, J. & Fernández, J. Manila clam (<i>Ruditapes philippinarum</i>) culture in oyster bags: influence of density on survival, growth and biometric relationships 526 Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl 527 Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia 827 Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodan</i>		
annelid Perinereis cultrifera: influence of substratum heterogeneity and intraspecific interactions on burrow structure Lewis, A. G., Chatters, L. & Raudsepp, M. Feeding structures and their functions in adult and preadult Tigriopus californicus (Copepoda: Harpacticoida) Powlik, J. J. Seasonal abundance and population flux of Tigriopus californicus (Copepoda: Harpacticoida) in Barkley Sound, British Columbia 467 Cruz, T. & Hawkins, S. J. Reproductive cycle of Pollicipes pollicipes at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp Acetes sibogae australis 487 Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod Dendropoma petraeum Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Signaria, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships	metazoan meiofauna in its biogeochemical environment: the case of an Antarctic coastal sediment	
preadult <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) Powlik, J. J. Seasonal abundance and population flux of <i>Tigriopus californicus</i> (Copepoda: Harpacticoida) in Barkley Sound, British Columbia Cruz, T. & Hawkins, S. J. Reproductive cycle of <i>Pollicipes pollicipes</i> at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp <i>Acetes sibogae australis</i> Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod <i>Dendropoma petraeum</i> Cigarría, J. & Fernández, J. Manila clam (<i>Ruditapes philippinarum</i>) culture in oyster bags: influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid <i>Loliolus noctiluca</i> in Western Port, Victoria, determined from statolith microstructure analysis Flatell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>	annelid Perinereis cultrifera: influence of substratum heterogeneity and intraspecific	
Harpacticoida) in Barkley Sound, British Columbia Cruz, T. & Hawkins, S. J. Reproductive cycle of Pollicipes pollicipes at Cabo de Sines, southwest coast of Portugal Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp Acetes sibogae australis Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod Dendropoma petraeum Cigarría, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid Loliolus noctiluca in Western Port, Victoria, determined from statolith microstructure analysis First Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish Lipophrys pavo Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (Hyperoodon	preadult Tigriopus californicus (Copepoda: Harpacticoida)	451
Mcleay, L. & Alexander, C. G. The mechanism of active capture of animal food by the sergestid shrimp Acetes sibogae australis Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod Dendropoma petraeum Cigarría, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid Loliolus noctiluca in Western Port, Victoria, determined from statolith microstructure analysis 777 Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish Lipophrys pavo Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (Hyperoodon	Harpacticoida) in Barkley Sound, British Columbia	467
Sergestid shrimp Acetes sibogae australis Cartes, J. E. Feeding strategies and partition of food resources in deep-water decapod crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod Dendropoma petraeum Sequence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid Loliolus noctiluca in Western Port, Victoria, determined from statolith microstructure analysis Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish Lipophrys pavo Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (Hyperoodon	west coast of Portugal	483
crustaceans (400–2300 m) Calvo, M., Templado, J. & Penchaszadeh, P. E. Reproductive biology of the gregarious Mediterranean vermetid gastropod <i>Dendropoma petraeum</i> 525 Cigarría, J. & Fernández, J. Manila clam (<i>Ruditapes philippinarum</i>) culture in oyster bags: influence of density on survival, growth and biometric relationships 551 Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl 561 Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid <i>Loliolus noctiluca</i> in Western Port, Victoria, determined from statolith microstructure analysis 577 Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>	sergestid shrimp Acetes sibogae australis	497
Mediterranean vermetid gastropod Dendropoma petraeum Cigarría, J. & Fernández, J. Manila clam (Ruditapes philippinarum) culture in oyster bags: influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid Loliolus noctiluca in Western Port, Victoria, determined from statolith microstructure analysis Flatell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish Lipophrys pavo Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (Hyperoodon	crustaceans (400–2300 m)	509
influence of density on survival, growth and biometric relationships Clarke, M. R. & Pascoe, P. L. The influence of an electric light on the capture of oceanic cephalopods by a midwater trawl 561 Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid Loliolus noctiluca in Western Port, Victoria, determined from statolith microstructure analysis Flatell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish Lipophrys pavo Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (Hyperoodon	Mediterranean vermetid gastropod Dendropoma petraeum	525
cephalopods by a midwater trawl Dimmlich, W. F. & Hoedt, F. E. Age and growth of the myosid squid Loliolus noctiluca in Western Port, Victoria, determined from statolith microstructure analysis Flatell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish Lipophrys pavo Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (Hyperoodon	influence of density on survival, growth and biometric relationships	551
Western Port, Victoria, determined from statolith microstructure analysis Platell, M. E. & Potter, I. C. Distributions, size compositions and diets of two abundant benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores 623 Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>	cephalopods by a midwater trawl	561
benthic ambush-feeding teleosts in coastal waters of south-western Australia Ruchon, F., Laugier, T. & Quignard, JP. Recruitment and demographic variability in a lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>	Western Port, Victoria, determined from statolith microstructure analysis	577
lagoonal population of the blenniid fish <i>Lipophrys pavo</i> Clarke, M. & Young, R. Description and analysis of cephalopod beaks from stomachs of six species of odontocete cetaceans stranded on Hawaiian shores Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>	benthic ambush-feeding teleosts in coastal waters of south-western Australia	587
species of odontocete cetaceans stranded on Hawaiian shores Lick, R. & Piatkowski, U. Stomach contents of a northern bottlenose whale (<i>Hyperoodon</i>	lagoonal population of the blenniid fish Lipophrys pavo	609
	species of odontocete cetaceans stranded on Hawaiian shores	623
		643

continued on inside back cover

CAMBRIDGE UNIVERSITY PRESS



0025-3154(199805)/8:2;1-8