November 1990

The Journal of Laryngology and Otology





Founded in 1887 by Morell Mackenzie & Norris Wolfenden

Edited by JOHN B. BOOTH

Assistant Editors NEIL WEIR, PATRICK BEASLEY, CAROL WENGRAF, RICHARD RAMSDEN, IOLO GRIFFITH & PETER RHŶS EVANS

Advisor in Pathology IMRICH FRIEDMANN

Advisor in Audiology LINDA LUXON

Advisors in Radiology GLYN LLOYD & PETER PHELPS

Advisor in Statistics STEPHEN EVANS

Vol 104 No 11 November 1990

The Journal of Laryngology and Otology





Founded in 1887 by Morell Mackenzie & Norris Wolfenden

Edited by JOHN B. BOOTH

Assistant Editors NEIL WEIR, PATRICK BEASLEY, CAROL WENGRAF, RICHARD RAMSDEN, IOLO GRIFFITH & PETER RHŶS EVANS

Advisor in Pathology IMRICH FRIEDMANN

Advisor in Audiology LINDA LUXON

Advisors in Radiology GLYN LLOYD & PETER PHELPS

Advisor in Statistics STEPHEN EVANS

Vol 104 No 11

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

Edited by JOHN B. BOOTH

Assistant Editors NEIL WEIR, PATRICK BEASLEY, CAROL WENGRAF, RICHARD RAMSDEN, **IOLO GRIFFITH & PETER RHŶS EVANS**

Editorial Assistant CAROLINE BARRETT

INSTRUCTIONS FOR AUTHORS

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made. Normally an original main article should not exceed 7500 words.

Longer articles or theses will be considered for publication as Supplements, at the expense of the authors or their

employing authorities.

2. Manuscripts should be typewritten in duplicate on one side only of the paper (A4 297×210 mm) and double spaced, with wide margins.

Begin each component on a new page in the following sequence: title page, abstract, text, acknowledgements, references, tables and legends.

(a) Abstract—This should contain not more than 150 words and include a statement of the problem, the method of study, results and conclusions; a 'summary' section should not be included in the main manuscript

(b) Text—Suggested outline—(1) introduction, (2) materials and methods, (3) results, (4) discussion, (5) conclusion.

Tables are adjuncts to the text and should not repeat material already presented.

(d) Illustrations—Two sets of illustrations, one with each copy of the manuscript, must be submitted and all authors should remember that the single column width is 80mm. One set of illustrations should, therefore, not exceed this width and they should ensure that the essential features are illustrated within this dimension.

Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

Written permission from the publisher must be provided to the Journal in order to republish material with copyright elsewhere and also from the senior author where necessary.

(e) Measurements must be in metric units, with Système Internationale (SI) equivalents given in parentheses.

(f) References—For Journal articles, The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951). The tonsil problem. Journal of Laryngology and Otology 65: 33–38. A paper written by more than two authors should be abbreviated in the text, e.g. Green et al. (1951), but all the authors should be given in the list of references. The titles of all Journals should be given without abbreviation. References should be listed in alphabetical order; use of the Vancouver system will not be accepted.

For single-author books, the following style should be used: Green, C. (1951). The tonsil problem, 2nd edn., vol. 1, Headley

Brothers Ltd., Ashford, Kent, 98 pp.
For papers in multi-author books with one or more editors, the reference should include the title of the chapter and the names of the editors, together with the number of the edition as eg: Brown, D. (1951) Examination of the ear. In *Diseases of the Ear, Nose and Throat* 2nd Edition. (White, A., Black, B., eds.), Headley Brothers Ltd., Ashford, Kent, p 33–38.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for

publication. The names of authors cited in the References should be given in alphabetical order.

(g) Meetings—If the manuscript was presented at a meeting, the place where it was held, and the date on which it was read

must be included and should appear at the foot of the title page.

(h) **Financial disclosures**—In the submission letter to the Editor, the authors must list all affiliations with or financial involvement in, organizations or entities with a direct financial interest in the subject matter or material of the research discussed in the manuscript.

(i) Rejections—All manuscripts which are rejected will no longer be returned to the authors. Those submitting The only exception to this will be those manuscripts with colour illustrations which will be returned *automatically* by Surface Mail.

- (j) Facsimile (FAX). All authors should send a Facsimile number whenever possible to speed communication; this particularly applies to those outside the United Kingdom. Manuscripts with no visual illustrations (X-rays/pathology) may be sent by
- 3. Page proofs are sent to authors for corrections, which should be kept to a minimum; they must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
 - 4. Orders for reprints must be sent when returning page proofs, and for this purpose special forms are supplied.
- 5. Editorial communications may be addressed to The Editor, Journal of Laryngology and Otology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent TN24 8HH or sent by FAX (071-224 1645).
- 6. The annual subscription is £80.00 Institutions & Libraries US\$200.00; £75.00 Individuals US\$187.50; £45.00 Registrars, Residents and Interns. (Those in training should submit a certificate from The Head of the Department giving details of their appointment; those who qualify must supply their home address for mailing direct). Claims to be made for missing issues within 6 months of each publication date.
 - 7. Single copies of current or back numbers (when available) will be on sale at £10 each (including postage).
 - 8. All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

THE INVICTA PRESS, ASHFORD, KENT.

© Journal of Laryngology and Otology Ltd., 1990 ISSN 0022-2151

Second class postage paid Rahway, N.J.

Postmaster: Send address corrections to The Journal of Laryngology and Otology, c/o Mercury

Airfreight International Ltd. Inc., 2323 Randolph Avenue, Avenel, N.J. 07001. Frequency of Publication: Monthly.

THE GREAT BRITISH NAME IN ENT

Scott-Brown's

Otolaryngology

Fifth Edition

General Editor Alan G Kerr FRCS Advisory Editor John Groves FRCS

Review of the fifth edition . . . "more up-to-date and more comprehensive than any other similar work in the English language, and completely replaces the 4th edition. It is difficult to envisage anyone studying or practising at advanced level without Scott-Brown's 5th Edition to hand." **British Medical Journal**

Volume 1

Basic Sciences

Edited by **David Wright** MA BChir FRCS 516 pages 200 half tones, 200 line drawings and 16 colour photographs 0 407 00511 0 585 00

Volume 2

Adult Audiology

Edited by **Dafydd Stephens** MPhil

MRCP

384 pages 150 half tones 150 lin

384 pages 150 half tones, 150 line drawings and 8 colour photographs 0 407 00512 9 £85.00 Volume 3

Otology

Edited by **John B Booth** FRCS 516 pages 200 half tones, 200 line drawings and 16 colour photographs 0 407 00513 7 £85.00

Volume 4

Rhinology

Edited by

Ian S McKay FRCS

T R Bull FRCS

384 pages 150 half tones, 150 line drawings and 8 colour photographs
0 407 00514 5 £55.00

Volume 5

Laryngology

Edited by **P M Stell** ChM FRCS
384 pages 150 half tones, 150 line drawings and 8 colour photographs
0 407 00515 3 £60.00

Volume 6

Paediatric Otolaryngology

Edited by **John N G Evans** MB BS DLO FRCS

384 pages 150 half tones, 150 line drawings and 8 colour photographs 0 407 00516 1 £75.00

Published 1987 Hardcover 246 x 189mm Set ISBN 0 407 00510 2

Buy the complete set and save £85.00 on the combined individual volume prices – complete set £360.00

Order these titles from your usual bookseller – or in case of difficulty from:

Judy Chappell, Butterworth-Heinemann, PO Box 63, Westbury House, Bury Street, Guildford, Surrey GU2 5BH, UK.



THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of

EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$90.00 per year

Canada \$110.00 per year

Foreign \$110.00 per year Institutional rate: U.S. \$100.00 per year, Foreign \$120.00 per year

ESTABLISHED 1896

GERSHON J. SPECTOR EDITOR

9216 CLAYTON ROAD, ST LOUIS, MISSOURI 63124-1561

For Advertisement Rates and Space in this Journal apply to


The Advertisement Manager

THE JOURNAL OF LARYNGOLOGY AND OTOLOGY

Headley Brothers Limited
The Invicta Press · Ashford · Kent TN24 8HH

Tel: (0233) 623131

NEW FILE BINDERS are now available for The Journal



Bound in blue and white rexine to hold one volume. Available, boxed, from the Publisher price £12 including VAT and postage HEADLEY BROTHERS LTD, Queens Road Ashford Kent.

The Definitive Diagnostic Audiometer...

- incorporating many features normally only associated with two channel instruments.

Advanced circuit design and clear control layout provide new levels of operator convenience – portable and flexible, ideal for daily routine testing in Clinic, Practice or Peripatetic use.

- **★** Pure, Warble and Pulsed tones **★** Microphone and Tape inputs for speech audiometry
- ★ Built in Talk Forward/Talk Back capability ★ Synchronous and Insert Masking
- ★ Free Field Outputs ★ Automatic Narrow Band or Speech Noise Masking
- **★ Supertwist Back-lit Liquid Crystal Display ★ On-board Storage of Results**
- ★ Automatic Threshold Determination (ISO 8253) ★ Robust and Portable with option





P.C. WERTH LTD

Audiology House, 45 Nightingale Lane, London SW12 8SP Telephone: 081-675 5151. Telex: 8955485. Fax: 081-675 7577

NEW ENT BOOKS . . .


OTOLARYNGOLOGY

Handbook of Audiological Techniques Deborah Ballantyne

A comprehensive, practical manual covering the full range of assessment techniques.

August 1990 240 pages 234×165mm Softcover Illustrated — 132 line drawings 750 61026 3 £19.95

Otolaryngology An Illustrated History Neil Weir FRCS



1990 256 pages 246×189mm Hardcover Illustrated — 199 halftones and 22 line drawings 0 407 00924 8 £39.50

Pathology of the Nose and Paranasal Sinuses

Henrik B Hellquist MD PhD SAPath (Stockh) FCAP

An up-to-date and thorough description of the pathological basis of sinonasal diseases.

June 1990 144 pages 246×189mm Hardcover Illustrated — 146 halftones and 11 diagrams 0 407 01270 2 £49.50

Pathology of Neck Injury


Peter Vanezis MD MRCPath DMJ (Path)

A practical guide and reference work on all pathological aspects of neck injury.

1989 216 pages 246×189mm Hardcover Illustrated — 210 halftones and 35 diagrams 0 407 01380 6 £49.50

Order these titles from your usual bookseller – or in case of difficulty from: Judy Chappell, Butterworth-Heinemann, PO Box 63, Westbury House, Bury Street, Guildford, Surrey GU2 5BH, UK.

Butterworth-Heinemann



for ver

At the recommended dosage of three 16mg tablets daily, new Serc-16 is a highly effective first-line therapy for vertigo due to Ménière's syndrome.

- Regression of symptoms if therapy commences in the initial stages
 - Not associated with Parkinsonian side-effects unlike prochlorperazine²
 - Non-sedative³



betahistine 16mg

Tackles the symptoms by treating the cause

Presentation: A white, flat round tablet imprinted '267' on one face, 'DUPHAR' on the reverse, each tablet containing 16mg betahistine dihydrochloride. Available in packs of 84 tablets. Basic NHS price £18.03. Indications: Vertigo, tinnitus and hearing loss associated with Ménière's syndrome. Dosage and Administration: Adults: Initially one tablet three times daily, taken preferably with meals. Maintenance dose: 24-48mg daily. Children: No dosage recommendations are made for children. Contra-indications, Warnings, etc.: Contra-indications: Phaeochromocytoma. Precautions: Clinical intolerance to Serc in bronchial asthma patients has not been shown, but caution should be exercised when administering this histamine analogue to bronchial asthma patients. Though an antagonism between Serc and antihistamines could be expected on a theoretical basis, no such

interactions have been reported. The usual precautions should be observed when administering Serc to patients in pregnancy. *Side-effects:* There has been a small number of reports of gastric upset. **Product Licence Number:** 0512/0088. **References:** 1. Wilmot, T.J., *Clin. Otolaryngol.*, 1979; 4: 131-143. 2. Stephen, P.J. & Williamson, J., *Lancet*, 1984, ii: 1082-1083. 3. Data on file, Duphar Laboratories Limited. Further information is available from:

duphar

Duphar Laboratories Limited, Gaters Hill, West End, Southampton SO3 3JD. Tel: (0703) 472281.