VOL. XXI.—1906.

THE

JOURNAL OF LARYNGOLOGY

RHINOLOGY, AND OTOLOGY;

AN ANALYTICAL RECORD OF CURRENT LITERATURE

RELATING TO

THE THROAT, NOSE, AND EAR.

PUBLISHED MONTHLY.

Fondon:
ADLARD AND SON,
BARTHOLOMEW CLOSE.

BNTERED AT STATIONERS' HALL.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

EDITORS:

JOHN MACINTYRE, M.B., M.Ch., F.R.S.E.
DUNDAS GRANT, M.A., M.D., F.R.C.S.Eng.
ARTHUR SANDFORD, M.D., M.Ch.R.U.I.
W. MILLIGAN, M.D., M.Ch.

Managing Sub-Editor:

W. JOBSON HORNE, M.A., M.D., B.C.Cantab., M.R.C.P.Lond.

WITH THE CO-OPERATION OF

DRS. PRICE-BROWN (Toronto), CARTAZ (Paris), BRYSON DELAVAN (New York),

DODD (Chicago), DONELAN (London), CLAYTON FOX (London),

GRAY (Glasgow), GRAZZI (Florence), HICGUET (Brussels),

MIDDLEMASS HUNT (Liverpool), HUTCHISON (Brighton), JOAL (Paris), KELLY (Glasgow),

LACOARRET (Toulouse), LICHTWITZ (Bordeaux), LIEVEN (Aix-la-Chapelle),

JOHN N. MACKENZIE (Baltimore), PROF. MASSEI (Naples), McCall (Bournemouth),

MEYJES (Amsterdam), MYLES (New York), HOLGER MYGIND (Copenhagen),

CHICHELE NOURSE (London), PORTER (St. Louis), KNOWLES RENSHAW (Manchester),

SACHS (Hamburg), SAJOUS (Philadelphia), SENDZIAK (Warsaw), SOTA (Seville),

STCLAIR THOMSON (London), HUNTER TOD (London), WOODS (Dublin),

MACLEOD YEARSLEY (London), AND ZIEM (Dantzic).

LIST OF PLATES.

LIBI OF LHAIES.	
	FACE
PLATE. TO ILLUSTRATE MR. CUTHBERT MORTON'S PAPER ON SOME	AGE
NEW INSTRUMENTS FOR REMOVING FOREIGN BODIES	
FROM THE BRONCHI BY DIRECT BRONCHOSCOPY .	14
PLATE. To ILLUSTRATE MR. HUGH E. JONES'S CASE OF ANGEIOMA OF	
THE AURICLE	192
PORTRAIT OF THE LATE W. R. H. STEWART, F.R.C.S.ED	213
PLATE. TO ILLUSTRATE DR. PRICE-BROWN'S PAPER ON A NEW	
OPERATION FOR EXTREME CASES OF SEPTAL DEFLECTION,	
WITH PRESENTATION OF A SUCCESSFUL RESULT IN AN	
Adult Case	313
PORTRAIT OF THE LATE W. SPENCER WATSON, M.B.LOND.,	
F.R.C.S.	585
ILLUSTRATIONS IN TEXT.	
An Aseptic Syringe	108
TEMPERATURE CHART TO ILLUSTRATE DR. DUNDAS GRANT'S CASE OF	100
JUGULAR BULB PYÆMIA AND CEREBELLAR ABSCESS	115
CHART TO ILLUSTRATE SIR A. E. WRIGHT'S REMARKS EXPLANATORY	110
OF THE TREATMENT OF DR. SCANES SPICER'S CASE OF INOPERABLE	
CANCER OF THE FAUCES	268
•	200
Figs. 1—9.—To Illustrate Dr. Dundas Grant's Address on Some	
PRACTICAL PROBLEMS IN OTOLOGY AND RHINOLOGY	430
Figs. 1—6.—Duration Charts . 408—	
Fig. 7.—The Inspiratory Nasal Douche	418
Fig. 8.—Sondermann's Nasal Suction Apparatus	419
Fig. 9.—Leduc's Laryngeal Powder Inhaler	420

The Index (pp. i—liii) to Volume XX is now ready, and copies have been forwarded to Subscribers. The price to non-subscribers is 2/-.

CONTENTS.

Special Article—	PAGE
A Case of Fibro-Sarcoma arising from the Thyro-Hyoid Membrane.— KNOWLES RENSHAW	169
Societies' Proceedings—	
LARYNGOLOGICAL SOCIETY OF LONDON. Communications by H. J. Davis, E. B. Waggett, W. H. Kelson, H. Smurthwaite, StClair Thomson, Logan Turner, P. de Santi, Charters J. Symonds, H. W. Carson, Furniss Potter, J. Donelan, Dundas Grant	171
British Laryngological, Rhinological, and Otological Association. Communications by Stuart-Low, Mayo Collier, H. Barwell, Chichele Nourse, Wyatt Wingrave	186
OTOLOGICAL SOCIETY OF THE UNITED KINGDOM (continued from page 160.) - Communications by Hugh E. Jones (with plate)	192
Abstracts—	
PHARYNX.—Acute Affections of the Pharyngeal Tonsil in Early Life	202
Nose and Accessory Sinuses.—On the Resection of the Inferior Turbinal Bone.—The Pathology, Affinities, and Treatment of so-called Bleeding Polypus (Discrete Angeioma) of the Septum.—The Symptoms of Empyema of the Maxillary Antrum.—Description of Killian's Frontal Sinus Operation	
LARYNX.—A Lymphoid Tumour of the Larynx removed by Partial Laryngectomy.—A Study of the Larynx in Tabes	209
Œsophagus.—The Use of the Œsophagoscope in Diagnosis and Treatment of Foreign Bodies in the Œsophagus	210
EAR.—Brain Abscess; Operation; Recovery.—A Case of Acute Meningitis; Operation; Recovery.—Double Mastoiditis complicated by an Inter-communicating Suboccipital Abscess	
Therapeutic Preparations—	
"Tabloid" "Xaxa"; "Tabloid" "Sodium Citrate" — Burroughs Wellcome & Co	211

GUIDE TO ADVERTISEMENTS.

	PAGE		PAG	G B
Central London Throat and Ear	-	Lambert Pharmacal Co.		ii
Hospital	viii	Maw, S., Son and Sons		ii
Chemical Works, The	iii	Mayer and Meltzer	xi, x	di
Davidson and Co	viii	Medical Graduates' College	vi,	
Down Bros	i	Medical Supply Association		ii
Golden Square Throat Hospital	x	Parke, Davis & Co		iv
Henry Heil Chemical Co.	vi	Rogers, Frank A		/ii

MEDICAL GRADUATES' COLLEGE AND POLYCLINIC,

22, Chenies Street, Gower Street, London, W.C.

The EASTER SESSION of Practical Classes will commence on Monday, April 30th, and terminate Friday, June 8th.

Practical Otology—Dr. J. Dundas Grant and Mr. W. Stuart-Low. Mondays, 5 to 7 p.m. Practical Laryngology—Dr. W. Jobson Horne. Wednesdays, 5 to 7 p.m.

Practical Ophthalmology-Dr. R. E. BICKERTON. Fridays, 5 to 7 p.m.

Examination of Nervous System-Dr. HARRY CAMPBELL. Fridays, 2 to 3 p.m.

Röntgen Rays-Dr. HARRISON Low. Tuesdays, 3 to 4 p.m.

Applied Anatomy—Dr. J. E. SQUIRE and Mr. P. L. DANIEL. Tuesdays and Thursdays, 6 to 7 p.m. Clinical Microscopy—Mr. HAYWARD PINCH. Mondays and Wednesdays, 2 to 3 p.m.

Practical Gynæcology-Dr. F. J. McCANN. Mondays and Thursdays, 3 to 4 p.m.

Fee for each class £1 1s., excepting Practical Gynæcology, the fee for which is £2 2s. Composition fee for all eight classes, £7 7s.

Gentlemen desirous of joining any of these classes are requested to send their names to the undersigned, from whom any further information may be obtained.

A. E. HAYWARD PINCH, F.R.C.S., Medical Superintendent.

BOROBENPHENE-HEIL.

Borobenphene-Heil is a powerful, safe, reliable, non-irritating and pleasant antiseptic, composed of Boracic Acid, Benzoic Acid sublimed from Siamese Gum Benzoin, Phenol and Glycerine, all in the state of highest purity, and constitutes the ideal antiseptic, of sufficient strength to render aseptic any part of the human body.

Case No. 28.—Female infant of ten months. Bottle-fed. There was a tendency to chronic diarrhea extending for six months becoming aggravated by the difficulties of teething. Was cross and fretful, with signs of considerable pain. Evacuations watery, greenish, and occasionally containing pieces of partially digested food. Movements numbered from twelve to fourteen a day, some merely diaper stains. Child undersized and much emaciated. A modified milk diet was prescribed, with direction for hygiene, and the Borobenphene-Heil prescription ordered in doses of one teaspoonful every three hours. Improvement and convalescence were immediate and rapid, accompanied with corresponding improvement in appearance.

GLYCOBENPHENE-HEIL.

Glycobenphene-Heil is a powerful, safe, reliable, non-irritating and pleasant antiseptic, of the same composition as Borobenphene, the proportion of the constituents being somewhat changed, and contains in addition absolutely chemically pure Oxide of Zinc. It is for external use only, and, being a mixture and not a solution, it should always be shaken before applying it. Its power of preventing the development of bacteria and the decomposition of animal and vegetable matter and of destroying bacteria is almost as great as that of Borobenphene-Heil.

Case No. 11.—A young lady, aged 21 years, had had acne for the past three years, the eruption confining itself to her face, which was most disgusting to behold, and so mortified her that she refrained from appearing among people any more than she could help. A few applications of Glycobenphene-Heil cured the eruptions, and now more than a month has elapsed since the last application, and no more have appeared.

Messrs. F. NEWBERY & SONS, Ltd., 27 & 28, Charterhouse Square, London, E.C., British Representatives of the Manufacturers, HENRY HEIL CHEMICAL COMPANY, ST. LOUIS, will cheerfully furnish an Original Bottle each of BOROBENPHENE and GLYCOBENPHENE free of charge to any Physician applying for same. Literature mailed on application to HENRY HEIL CHEMICAL COMPANY.