

October 1954 ✓

Vol. LXVIII No. 10

The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
V. E. NEGUS R. G. MACBETH

Contents

NASOPHARYNGEAL FIBROMA	PROF. HANDOUSA, HOSNY FARID and ANWAR M. ELWI ✓
BRANCHIOGENIC NASOPHARYNGEAL CYSTS	J. N. S. TAYLOR and R. G. BURWELL ✓
MYOBLASTOMA OF THE LARYNX	L. P. J. MACNAUGHTAN ✓ and M. S. FRASER
OBSERVATIONS ON THE CIRCULATION IN THE COCHLEA	J. C. SEYMOUR ✓
CLINICAL RECORD—	
A CASE OF OSTEOMYELITIS OF THE MAXILLA IN A SUCKLING	D. W. STUART and C. A. PITT-STEEL ✓
BOOK REVIEWS	
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR
G. H. BATEMAN

WITH THE COLLABORATION OF
V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS LTD., 109 Kingsway London, WC2.

8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local bookseller, or to G. E. STECHERT & Co., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS LTD., 109 KINGSWAY LONDON, WC2, England.

**A range of nasal
preparations
to meet every need**



'Paredrinex' Spraypak

liquid vasoconstrictor ½-fl. oz.



'Sulfex' nasal drops

*sulphathiazole with vasoconstrictor
1-fl. oz. bottles, with dropper*



'Pendex' nasal drops

*penicillin with vasoconstrictor
15 ml. bottles, with dropper*



'Benzedrine' Inhaler

volatile vasoconstrictor

For cost to N.H.S. please see M & J list of costs dated April 1954

MENLEY & JAMES, LIMITED, COLDHARBOUR LANE, LONDON, S.E.5

For Smith Kline & French International Co., owner of the trade marks

NAP44 'Paredrinex', 'Spraypak', 'Sulfex', 'Pendex', and 'Benzedrine'

Please mention *The Journal of Laryngology* when replying to advertisements

EAR WAX
Removed
THE EASIER WAY



The removal of wax from the external auditory meatus can now be greatly simplified—by the use of Cerumol Ear Drops. Cerumol dissolves soft cerumen, disimpacts the hard wax plug, and a simple wiping or washing out is sufficient to remove debris. Cerumol is not injurious to the lining of the external auditory meatus or to the tympanic membrane.

Anti-bacterial, safe and efficient, Cerumol is an accepted product for use in a large number of hospitals and general practices throughout the country. It is included in Category No. 4 of the Classified List of Proprietary Preparations issued by the Ministry of Health, and may therefore be prescribed on N.H.S. form E.C.10.

PACKS. For Surgery Use: 10 c.c. vial, separate dropper included (Basic N.H.S. price 2/8.).
 For Hospital Use: 2 oz. and 10 oz. bottles.

CERUMOL
 Regd. TRADE MARK

EAR DROPS

For the removal of Wax.

Samples of Cerumol will gladly be sent to members of the medical profession, on application to the distributors:

TAMPAX LIMITED

MEDICAL DEPARTMENT, 110 JERMYN STREET, LONDON, S.W.1

Telephone: WHitehall 8696

A PRODUCT OF THE LABORATORIES FOR APPLIED BIOLOGY LTD, LONDON, N.16

Please mention *The Journal of Laryngology* when replying to advertisements

ACOUSTICON INTERNATIONAL

122, Wigmore Street, London, W.1.

have been appointed our representatives for the South of England. They will be glad to arrange demonstrations of our world renowned SPD/2 Clinic and SPD/3 Consulting Audiometers.

These audiometers combine the advantages of both continuous and fixed frequency instruments for they provide for the first time a continuous frequency range with continuous threshold compensation. All hearing loss readings for both air and bone conduction at any desired frequency are, therefore, taken from the same zero reference level. In addition the continuous variability of the attenuator makes it completely silent.

Please write for a descriptive illustrated brochure.

ALFRED PETERS & SONS LTD


89 ARUNDEL ST.



SHEFFIELD 1.

Please mention *The Journal of Laryngology* when replying to advertisements

**THE
HALLPIKE-BLACKMORE
MONOCULAR
EAR MICROSCOPE***



Pat. appl. for

THIS new instrument represents an important contribution to otology. It facilitates accurate clinical diagnosis and operative work of high precision.

- Intense light from 12 watt, silvered, pre-centred lamp.
- Unique dazzle-free optical system provides a critically defined image of the entire tympanic membrane at optimum $\times 6$ magnification.
- Variable field of view controlled by iris diaphragm in eyepiece to ensure total exclusion of reflexions from speculum walls.
- Ample space for insertion of operating instruments.
- Complete in carrying case with built-in transformer to permit use of the instrument on ward rounds, in consulting-rooms or theatre.

**J. Laryng.* (1953), 67, 108.

**39 WIGMORE STREET
LONDON W.1**



**617 S. 52nd STREET
PHILADELPHIA 43**

Please mention *The Journal of Laryngology* when replying to advertisements

Broad spectrum antibiotic

TYROSOLVEN

The word "antibiotic" was first used in 1889. Vuillemin, introducing it, said: "The conception is so simple that no one has ever thought of giving it a name". Since then, antibiotics have been produced from fungi, lichens, algae and bacteria. An outstanding member of the bacterial group is *tyrothricin*, which forms the basis of TYROSOLVEN antibiotic lozenges. It is effective against a wide spectrum of oral bacteria, and relieves superficial mouth and throat infections.

ACTIVE CONSTITUENTS:
Tyrothricin 1 mg., benzocaine 5 mg.

PACKING:
Packs of 20 lozenges and dispensing pack of 250 not subject to Purchase Tax.

Tyrosolven

No Warner preparation has ever been advertised to the public.
WILLIAM R. WARNER & Co. Ltd.,
Power Road, London, W.A.

Please mention *The Journal of Laryngology* when replying to advertisements

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides $3\frac{1}{2}$ grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children.

Aspergum

for more than two decades a dependable
and welcome aid to patient-comfort

Ethically promoted. Prescription bottles of 36 tablets, dispensing bottles of 250.

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal
devoted to the Diseases of the
EAR, NOSE AND THROAT

*Official organ for the American Laryngological,
Rhinological and Otological Society*

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D.
FOUNDER

THEODORE E. WALSH, M.D.
EDITOR

640 SOUTH KINGSHIGHWAY
SAINT LOUIS 10, MO.

Please mention *The Journal of Laryngology* when replying to advertisements

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.1 (Welbeck 2591)

Please mention *The Journal of Laryngology* when replying to advertisements

CONTENTS

	PAGE
NASOPHARYNGEAL FIBROMA. Prof. Handousa, Hosny Farid and Anwar M. Elwi	647
BRANCHIOGENIC NASOPHARYNGEAL CYSTS. J. N. S. Taylor and R. G. Burwell (Leeds)	667
MYOBLASTOMA OF THE LARYNX. I. P. J. MacNaughtan and M. S. Fraser (Aberdeen)	680
OBSERVATIONS ON THE CIRCULATION IN THE COCHLEA. J. C. Seymour (London)	689
CLINICAL RECORD—	
A Case of Osteomyelitis of the Maxilla in a Suckling. Sq. Leader D. W. Stuart and Flight-Lieut. C. A. Pitt-Steel (London)	712
BOOK REVIEWS	714
GENERAL NOTES	716

For Advertisement space in this Journal apply to :
HEADLEY BROTHERS Ltd, 109 Kingsway London WC2

Please mention *The Journal of Laryngology* when replying to advertisements