Synopses of the British Fauna (New Series) No.18 BRITISH ANTHOZOA

Keys and Notes for the Identification of the Species

R.L. Manuel February/March 1981, viii + 242pp., 0.12.470050.0, £7.50 (UK only) / \$18.00

Anthozoans are amongst the most colourful and beautiful of marine organisms; they include the sea-anemones, as well as colonial corals, sea-pens and sea-fans. The clear illustrations and anatomical descriptions of this new title should enable accurate identification of all presently known British anthozoans occurring in littoral waters down to the 100 meter contour.

The Systematics Association Special Volume No. 17 (a and b) THE SHORE ENVIRONMENT edited by J.H. Price, D.E.G. Irvine and W.F. Farnham

December 1980 Volume 1: xx + 362pp., 0.12.564701.8 £24.80 (UK only) / \$57.50 Volume 2: xx + 722pp., 0.12.564702.6 £48.20 (UK only) / \$111.00

Volume 1: Methods Volume 2: Ecosystems

The study of benthic inshore environments and biota has recently been the subject of considerable activity in some countries of Europe and in North America, with more patchy activity elsewhere. Here energetic and biological interactions between different organisms within the overall marine benthic ecosystem are examined particularly while generally unexplored aspects of methodology or available equipment are treated more widely and in more detail than usual.

SALMON RANCHING edited by John Thorpe December 1980, x + 434pp., 0.12.690660.2 £32.40 (UK only) / \$78.00

All salmon species are, to a greater or lesser degree, dependant on the freshwater environment for reproduction and early development. Since the Industrial Revolution, however, this environment has been progressively subject to human modification. This book presents the most comprehensive review to date of salmon ranching's throughout the world. A series of national surveys illustrate that while rearing and exploitation methods, objectives, control measures and also species differ from country to country, the practice is essentially the same, although its state

ADVANCES IN MARINE BIOLOGY Volumes 17 and 18 edited by J.H.S. Blaxter Sir Frederick S. Russell and Sir Maurice Yonge 1980, Volume 17 at 4 516pt - 0.12 026 117 0

Volume 17: x + 516pp., 0.12.026117.0 £33.00 (UK only) / \$79.50 Volume 18: x + 682pp., 0.12.026118.9 £38.60 (UK only) / \$89.00

Volume 18 comprises two long and comprehensive sections by Dr John Manchline of the Scottish Marine Biological Association, on the biology of two major Crustacean groups — mysids and the euphausiids. The reviews provide an authoritative account of all aspects of the biology and taxonomy of these groups.

From a review of a previous volume

"Marine biologists the world over will welcome another volume in the series Advances in Marine Biology as they are aware of the high standard as regards contents and finishing of previous volumes."

K.F. Vaas in Hydrobiologia

The Systematics Association Special Volume No. 13 ADVANCES IN BRYOZOOLOGY edited by G.P. Larwood and M.B. Abbott 1979, xvi + 638pp., 0.12.437450.6

1979, xvi + 638pp., 0.12.437450.6 £29.20 (UK only) / \$70.50


Included are papers on preparation and study techniques, delineation of the nerve plexus in some recent Bryozoa, genetic studies, ultrastructural studies of bryozoan larvae, studies of growth rates, fecundity and nutrition, and environmental factors in the distribution of Bryozoa.

Symposia of the Zoological Society of London No. 44 FISH PHENOLOGY

Anabolic Adaptiveness in Teleosts edited by P.J. Miller

1979, xvi + 450pp., 0.12.613344.1 £25.00 (UK only) / \$60.00

The great scope of fish phenology is clearly demonstrated in the present volume. Basic topics include treatment of energy partitioning, accumulation, endocrine control, and response to environmental influences. The timing, magnitude, and fecundity of reproductive commitment is discussed for some of the many ecotypes successfully occupied by the teleosts.



of development varies widely.



A Subsidiary of Harcourt Brace Jovanovich, Publishers London New York Toronto Sydney San Francisco 24-28 Oval Road, London NW1 7DX, England 111 Fifth Avenue, New York, NY 10003, USA

Jnl. of Marine Biology, 61, 2

(i)


Minerals from the Marine Environment

Sir Peter Kent

Resource and Environmental Sciences Series

This book brings together the full spectrum of mineral resources development. It discusses the problems associated with each group of minerals, and relates these problems to the environmental conditions which impose constraints on their recovery. The author, who has had a long experience in this field, outlines past achievements and future problems in marine mineral resource developments.

£3.95 paper 96 pages ISBN 0 7131 2813 5



THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

£

Annual Members, receiving the Journal							•	per annum		
Annual Members, without the Journal					•	•	per a	2.00		
Founders .	•	•	•	•	•	•	•		•	100.00
Governors.	•	•	•	•	•	•	•	•	•	500.00

Annual subscriptions become due on 1 January.

Members of the Assocation have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc.; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

Vol. 61 No. 2

CONTENTS

BARNES, R. S. K. An experimental study of the pattern and significance of the climbing behaviour of Hydrobia ulvae	285
BARNES, R. S. K. Factors affecting climbing in the coastal gastropod Hydrobia ulvae	301
BLACKER, R. W. Recent occurrences of blue whiting, <i>Micromesistius poutassou</i> , and Norway pout, <i>Trisopterus esmarkii</i> , in the English Channel and southern North Sea.	307
BLAXTER, J. H. S., DENTON, E. J. and GRAY, J. A. B. The auditory bullae-swimbladder system in late stage herring larvae	315
BONE, Q., PULSFORD, A. and CHUBB, A. D. Squid mantle muscle	327
COOMBS, S. H. and MITCHELL, C. E. Long-term trends in the distribution, abundance and seasonal occurrence of larvae of mackerel (<i>Scomber scombrus</i> L.) around the British Isles, 1948-1978.	343
CRISP, D. J., SOUTHWARD, A. J. and SOUTHWARD, E. C. On the distribution of the intertidal barnacles Chthamalus stellatus, Chthamalus montagui and Euraphia depressa.	359
CRISP, M., GILL, C. W. and THOMPSON, M. C. Ammonia excretion by Nassarius reticulatus and Buccinum undatum (Gastropoda: Prosobranchia) during starvation and after feeding	381
GOPHEN, M. and HARRIS, R. P. Visual predation by a marine cyclopoid copepod, Corycaeus anglicus	391
GRUFFYDD, LL. D. Observations on the rate of production of external ridges on the shell of <i>Pecten maximus</i> in the laboratory	401
HARRIS, R. R. and JACCARINI, V. Structure and function of the anal sacs of Bonellia viridis (Echiura: Bonelliidae).	413
LANGDON, C. J. and WALDOCK, M. J. The effect of algal and artificial diets on the growth and fatty acid composition of <i>Crassostrea gigas</i> spat	431
MOYSE, J. and HUI, E. Avoidance by Balanus balanoides cyprids of settlement on con- specific adults	449
PATZNER, R. A. and ADAM, H. Changes in weight of the liver and the relationship to repro- duction in the hagfish Myxine glutinosa (Cyclostomata)	461
RICHARDSON, C. A., CRISP, D. J. and RUNHAM, N. W. Factors influencing shell deposition during a tidal cycle in the intertidal bivalve Cerastoderma edule	465
SAVIDGE, G. Studies of the effects of small-scale turbulence on phytoplankton	477
TAYLOR, A. H., REID, P. C., MARSH, T. J., JONAS, T. D. and STEPHENS, J. A. Year-to-year changes in the salinity of the eastern English Channel, 1948-1973: a budget	489
VOLKMAN, J. K., SMITH, D. J., EGLINTON, G., FORSBERG, T. E. V. and CORNER, E. D. S. Sterol and fatty acid composition of four marine haptophycean algae	509
WHITE, K. N. and WALKER, G. The barnacle excretory organ	529-
BOOK NOTICES	549

© Copyright by the Marine Biological Association of the U.K. 1981

The subscription price of volume 61, 1981 of the Journal to non-members of the Association is $f_{.78,00}$ net a volume of four parts, post free, or US \$218.00 in U.S.A. and Canada, payable in advance. Single parts cost $f_{.23,00}$ (US \$64.00 in U.S.A. and Canada) plus postage. Subscriptions may be sent to any bookseller or to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, or in the U.S.A. and Canada, to Cambridge University Press, 32 East 57th Street, New York, 10022. All orders must be accompanied by payment.

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP

32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge

and hadrand later