

## Corrigendum

**Cite this article:** Mossahebi S, Langner U, Prado K, Lee M, and Yi B. (2020) A study for the dosimetric evaluation of rotational setup error for lung stereotactic body radiation therapy – CORRIGENDUM. *Journal of Radiotherapy in Practice* **19**: 202. doi: [10.1017/S146039691900075X](https://doi.org/10.1017/S146039691900075X)

**Key words:**

lung SBRT; rotation; setup error; simulation, corrigendum

# A study for the dosimetric evaluation of rotational setup error for lung stereotactic body radiation therapy – CORRIGENDUM

Sina Mossahebi<sup>1</sup>, Ulrich Langner<sup>2</sup>, Karl Prado<sup>1</sup>, Minsik Lee<sup>3</sup> and ByongYong Yi<sup>1</sup>

<sup>1</sup>Department of Radiation Oncology, University of Maryland School of Medicine, Baltimore, MD, USA; <sup>2</sup>Department of Radiation Oncology, Boston University School of Medicine, Boston, MA, USA and <sup>3</sup>Department of Radiation Oncology, Asan Medical Center, University of Ulsan College of Medicine, Seoul, Korea

<https://doi.org/10.1017/S1460396918000250>, Published online by Cambridge University Press, 01 August 2018

This article was originally submitted to the *Journal of Radiotherapy in Practice* by the author Minsik Lee ostensibly as the work of a sole author and published accordingly in 17(4): 422-426. It has since been brought to the journal's attention that the article Dr Lee submitted was a verbatim copy of an article already in preparation at the University of Maryland, where he was a postdoctoral trainee.

The article in question has now been amended to show the names and affiliations of the original contributors, with Dr ByongYong Yi listed as the corresponding author.

## Reference

Mossahebi S, Langner U, Prado K, Lee M and Yi B. (2018) A study for the dosimetric evaluation of rotational setup error for lung stereotactic body radiation therapy. *Journal of Radiotherapy in Practice* 17: 422–426. doi: [10.1017/S1460396918000250](https://doi.org/10.1017/S1460396918000250)