# The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT DITOR

#### Contents

A Note on the Geographical Distribution of
SCLEROMA A. L. WAHI and R. N. MISRA
THE LONG TERM RESULTS OF CLOSED FENESTRATION . STEPHEN SUGGIT
THE ANTICOAGULANT TREATMENT OF CERTAIN FORMS OF SUDDEN DEAFNESS ALEXANDER COVAS
COMBINED FASCIA-THIN SPLIT SKIN GRAFT FOR  MYRINGOPLASTY PAUL KRAUS,  GEORGE LEVENTON and ARIEH MAN
Fungus Infection of the Ear A. Yassin, M. A. Mostafa and M. K. Moawad
CLINICAL RECORDS—
Adamantinoma of the Mastoid Part of the Temporal Bone L. L. Samy
OTOSCLEROSIS ASSOCIATED WITH THE HAEMO- POIETIC SYSTEM K. M. RUSHTON
Closure of Septal Perforations. A New Technique
PEMPHIGUS PRESENTING AS CANCER OF THROAT . P. M. BINNS, T. McM.

GENERAL NOTES

London

## Headley Brothers

109 Kingsway WC2

## The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

#### G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and

well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors,

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of

Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to

Vol. LXIII which are available may be purchased at 7s. 6d, each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

#### United States of America

Orders for this Journal may be sent through local bookseller, or to Stechert-Hafner, Inc., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England. O Journal of Laryngology and Otology, 1964

#### CONTENTS

	PAGE
Ceruminoma of the External Auditory Meatus. Yog R. Afora (London)	569
A Note on the Geographical Distribution of Scleroma. A. L. Wahi (Jodhpur) and R. N. Misra (Lucknow)	573
The Long Term Results of Closed Fenestration. Stephen Suggit (Brisbane)	578
The Anticoagulant Treatment of Certain Forms of Sudden Deafness. Alexander Coyas (Athens, Greece)	583
COMBINED FASCIA-THIN SPLIT SKIN GRAFT FOR MYRINGOPLASTY. Paul Kraus, George Leventon and Arieh Man (Tel-Hashomer, Israel)	587
Fungus Infection of the Ear. $$ A. Yassin, M. A. Mostafa and M. K.	
Moawad (Cairo)	591
Adamantinoma of the Mastoid Part of the Temporal Bone. L. L. Samy (Cairo)	603
Otosclerosis Associated with Disease of the Haemo- poietic System. K. M. Rushton (Manchester)	612
Closure of Septal Perforations. A New Technique Hussein Kamel Ismail (Ismailia)	620
Pemphigus Presenting as Cancer of Throat. P. M. Binns, T. McM. Boyle and F. F. Hellier	
General Notes	628

### THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. EDITOR

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.



## Audi partem alteram'

St. Augustine

Fifteen hundred years ago, St. Augustine advised his readers to "hear the other side." Today, your patients with a hearing problem will welcome the same advice from you. Just mention Ingrams.

Ingrams can help your patients to "hear the other side," for they do not represent any one manufacturer and are thus able to give completely impartial advice about hearing aids.

Ingrams help your patient to choose from twenty-six different makes. This is the largest selection in the country—and some of the most modern aids are exclusive to Ingrams.

This is why you, like so many E.N.T. Specialists, can confidently advise your patients to hear the full story from Ingrams *before* they buy a hearing aid.

### INGRAMS

THE INDEPENDENT HEARING AID CONSULTANTS

2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.1



# ORAL PENICILLIN ACTIVE AGAINST THE 'HOSPITAL STAPHYLOGOGUS'


Orbenin is highly bactericidal to both resistant and sensitive staphylococci, and also to other Gram positive organisms such as streptococci and pneumococci.

Dosage: 500mg. orally (capsules or syrup) 6-hourly. Orbenin may also be given by Intramuscular injection.

Orbenin is a product of British research at
REFECHAM RESEARCH LABORATORIES



The De Luxe Otoscope by Keeler




—a first-class instrument

Exceptional performance is provided by this Otoscope which features a telescopic eye piece for better vision and more accurate diagnosis.

- ★ 3x or 6x focusing telescopic magnifier with lateral adjustment.
- ★ 4 Aural and 1 Nasal black all-nylon specula (2.5mm. to 8mm.) all are unbreakable, can be boiled or autoclaved, and almost eliminate the nuisance of reflections. They are comfortable for the patient.
- ★ Ample space for manipulation of surgical instruments.
- ★ The specula are easily interchangeable, having a simple push fit. The instrument head and battery handle may be quickly separated and joined by means of the quick start nylon thread. Access for changing batteries is both quick and easy.
- ★ Unbreakable nylon otoscope head.
- \* Brilliant homogeneous illumination.
- \* Attractive appearance-modern styling.
- ★ Metal handle with durable white enamel finish.
- ★ Takes standard U-2 size batteries, or a Keeler K-2 rechargeable battery. Also available on a Keeler New Era rechargeable handle at extra cost.
- \* Supplied in a robust, yet light-weight, unbreakable case.

### KEELER

39, WIGMORE STREET — LONDON, W.I.



... because it satisfies the criteria more completely than other antibacterial agents:

High activity against the infecting organisms
Bactericidal action
High urine level
Effective tissue level
that is why Penbritin achieves
outstanding clinical success rates
in Urinary Tract infections
Oral dosage: 500mg (2 capsules) 8 hourly.



Penbritin (regd) (ampicillin) is a product of British research at **BEECHAM RESEARCH LABORATORIES** 

#### AUDIOLOGICAL EVALUATION OF THE PEDIATRIC PATIENT

April 1964

By MAURICE H. MILLER, Ph.D., and IRA A. POLISAR, M.D., F.A.C.S. Both of State University of New York Downstate Medical Center, Brooklyn, New York.

8 illustrations

Emphasis is on various diagnostic techniques for hearing evaluations. The personnel, equipment, and physical plant for proper performance of these procedures are described. Each technique is then evaluated as to its overall clinical value and related to other aspects of the total evaluation. Detailed case histories illustrate the contributions made by various procedures. (A Monograph in American Lectures in Speech and Hearing edited by Robert West.)

132 pages

\$5.75

APHASIA HANDBOOK: For Adults and Children by Aleen Agranowitz, Lakewood Speech Clinic, and Milfred Riddle McKeown, Veterans Administration Hosp. Both of Long Beach, Calif. Dec. '63, 336 pp., 116 il., \$12.75	DISEASES OF MEDICAL PROGRESS: A Contemporary Analysis of Illness Produced by Drugs and Other Thera- peutic Procedures (2nd Ed.) edited by Robert H. Moser, U.S. Army Tripler Hosp., Honolulu, Hawaii. (With 12 Contributors). Feb. '64, 572 pp., \$19.75
MANUAL OF SURGICAL TECH- NIQUE by Warner F. Bowers, New York Med. Coll., New York City; Thomas H. Hewlett, Fitzsimons General Hosp., Den- ver, Colo.; and George J. Thomas, Brooke General Hosp., Ft. Sam Houston, Texas. Oct. '63, 328 pp. (8½ by 11), 977 il., \$14.00	MENINGIOMAS INVOLVING THE TEMPORAL BONE: Clinical and Pathological Aspects by George T. Nager, The Johns Hopkins Univ., Baltimore, Md. Jan. '64, 192 pp., 29 il., \$11.50
BIOPHYSICS OF THE EAR by F. L. Dittrich, Univ. of Geneva, Geneva, Switzerland. Oct. '63, 136 pp., 73 il. (Amer. Lec. Biochemistry and Biophysics edited by W. Bladergroen), \$6.75	THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD by Donald F. Proctor, The Johns Hopkins Univ., Baltimore, Md. Jan. '63, 200 pp. (8½ by 11), 183 il. (Pediatric Surgical Monograph edited by Mark M. Ravitch), \$12.50
RHINOSCLEROMA by Francisco Kerdel-Vegas and Jacinto Convit, both of Universidad Central de Venezuela, Caracas, Venezuela; Bernard Gordon, Univ. of Calif., San Francisco, Calif., and Mauricio Goihman, Vargas Hosp., Caracas. July '63, 128 pp., 58 il. (1 plate in full color), (Amer. Lec. Dermatology edited by Arthur C. Curtis), \$9.75	THE TEMPOROMANDIBULAR JOINT (2nd Ed.) by Bernard G. Sarnat, Cedars of Lebanon and Mount Sinai Hospitals, Los Angeles, Calif. (With 9 Contributors). April '64, 282 pp., 249 il., \$12.50
MANAGEMENT OF ORAL EMER- GENCIES by Daniel M. Laskin, Univ. of Illinois, Chicago, Ill. Jan. '64, 128 pp., 52 il., 6 tables, \$5.50	EAR, NOSE AND THROAT FOR THE GENERAL PRACTITIONER by Albert P. Seltzer, Univ. of Pennsylvania, Philadelphia, Pa. April '64, 244 pp., \$7.75
CASE CAPSULES: The Droll, Diverting, Devilish, Definitely Different by Arnold Lieberman, New York City. June '64, about 360 pp., 107 il., about \$8.00	ILLUSTRATED SPEECH ANATOMY by William M. Shearer, Northern Illinois Univ, DeKalb, Ill. Sept. '63, 96 pp., 48 il., \$4.75

CHARLES C THOMAS · PUBLISHER · 1301 - 327 EAST · SPRINGFIELD · ILLINOIS · U.S.A.

Please mention The Journal of Laryngology and Otology when replying to advertisements



# <u>Triominic</u>

Oral Nasal Decongestant (WANDER)

'Triominic' timed-release tablets and orange-flavoured syrup contain antihistamines and a decongestant in balanced proportions to ensure relief from symptoms of nasal allergy for between 6 and 8 hours. The active constituents of 'Triominic'—the original *oral* decongestiant—reach the nasal mucosa systemically. This obviates the rebound congestion which may follow the topical use of vasoconstrictors.


Formula per timed-release tablet.						
Phenylpropanolamine hydrochloride	0	mg.				
Mepyramine maleate B.P	:5	mg.				
Pheniramine maleate	5	mg.				
S 2 Part 1		_				

'Triominic' is also available as an orange-flavoured syrup.
Basic N.H.S. prices: 50 tablets 5/9½; 2 fl. oz. 2/6

 ${\it Literature\ and\ sample\ on\ request}$ 

M439

A. WANDER LIMITED · 42 UPPER GROSVENOR STREET · LONDON W.1.



# ONLY AMPLIVOX provides a

## complete audiometric service!



#### Transistor Audiometers

for the school screening service, ward use, etc.

#### Speech Audiometry Equipment

via records and tape, including new attachment for use with tape recorders.






#### **Clinical Audiometers**

with narrow band masking for the highest accuracy and extended resolution.

#### **Audiometer Booths**

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.




**PLUS** 

An efficient and speedy calibration service

Please write for technical AMPLIVOX LTD Medical Acoustic

literature covering your needs 80 New Bond Street London, W1 Tel; HYDe Park 9888



# 'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

"OTOSPORIN" BRAND Drops ISSUED IN BOTTLES OF 5 ml.

BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON