Vol. 65 455

Index of Authors

Numerals followed by the letter A refer to Abstracts of Communication read at Meetings for Original Communications of the Nutrition Society

- Abayomi JC, Morrison G, McFadden K, Purewal T & Hackett AF An illustration of post-partum hypoglycaemia in respect to breastfeeding for women with type 1 diabetes a case study, 45A.
- Adam CL, Findlay PA, Bennett EJ, Harrison JL & Miller DW Blood-brain transport of leptin: influence of photoperiod and leptinaemia in sheep, 68A. Afman LA see van der Linden IJM, 204.
- Aherne SA, Kerry JP & O'Brien NM The potential effects of plant extracts in protecting against oxidant-induced injury to Caco-2 cells, 112A.
- Albano E Alcohol, oxidative stress and free radical damage, DOI: 10.1079/ PNS2006496, 278.
- Albertazzi P see Cassidy A, 76.
- Allen M, Roche E & Foster P The impact of a specialist nurse on outcome of percutaneous endoscopic gastrostomy feeding completing the audit cycle, 22A.
- Al-Shamari H, Amuna P, Tewfik I, Bumejjdad A & Zotor F Changing trends in physical characteristics and obesity risk in 6–13-year-old Kuwaiti school children. evidence of a nutritional and epidemiological transition? 95A
- Amuna P, Hill NL, Zotor FB & Trowse V Development of high-fibre, lowglycaemic index novel food products for the management of type 2 diabetes mellitus employing the food multimix concept, 55A.
- Anderson AS, Ferguson CS, Barton KL & Steele RJC Implementing lifestyle interventions to reduce chronic disease risk: lessons from diabetes prevention trials, 55A.
- Appleby PN see Key TJ, 35.
- Appleton KM, Peters TJ, Hayward RC, Heatherley SV, McNaughton SA, Rogers PJ, Gunnell D, Ness AR & Kessler D n-3 Long-chain polyunsaturated fatty acid intake from fish and depressed mood: non-linear or confounded association? 95A.
- Appleton KM, Woodside JV, Yarnell JWG, Arveiler D, Haas B, Amouyel P, Montaye M, Ferrieres J, Ruidavets JB, Ducimetiere P, Bingham A & Evans A Dietary intake of fish and depressed mood: genuine association or just a mirage? 113A.
- Asante-Ampaduh N & Wise A Perceived persuasiveness of nutrition education messages with different levels of technical language, 94A.
- Ashworth A Nutritional supplementation and hip fracture patients implications for future research trials, 6A.
- Aspinall R see Moore SE, 311.
- Aston LM Glycaemic index and metabolic disease risk, DOI: 10.1079/PNS2005485, 125.
- Atkins S see Cassidy A, 76.
- Avenell A Glutamine in critical care: current evidence from systematic reviews, DOI: 10.1079/PNS2006498, 236.
- Baines DL see Baker EH, 227.
- Baker EH, Wood DM, Brennan AL, Clark N, Baines DL & Philips BJ Hyperglycaemia and pulmonary infection, DOI: 10.1079/PNS2006499, 227.
- Balachander N, Phillpot M, Mandalia S & Geissler C Is overweight and obesity a potential problem in the well HIV population? 12A.
- Barnes MS, Bonham MP, Robson PJ, Strain JJ, Lowe-Strong AS, Eaton-Evans J, Ginty F & Wallace JMW Assessment of 25-hydroxyvitamin D and 1,25-dihydroxycholecalciferol concentrations in male and female patients with multiple sclerosis and control volunteers, 36A.
- Barton KL, Wrieden WL, Adamson AJ & Cochrane L Calculation of typical food portion sizes for adults aged 19–64 years and older individuals aged 65 years and over, 97A.
- Baxter G see Paterson J, 93.
- Baxter JP, Fayers PM & McKinlay AW Survey of consultant medical staff to determine the need for a quality of life questionnaire specifically for patients receiving home parenteral nutrition, 25A.

- Baxter JP & McKee RF Comparison of the Scottish Home Parenteral Nutrition Managed Clinical Network clinical standards for home parenteral nutrition and patients' experiences, 20A.
- Baxter JP & McKee RF, on behalf of the Scottish Home Parenteral Nutrition Managed Clinical Network *Home parenteral nutrition (HPN) patients a constantly changing group*, 27A.
- Beattie JH, Gordon M-J, Rucklidge GJ, Reid MD & Kwun IS A proteomic analysis of aortic proteins in zinc and metallothionein deficiency, 86A.
- Bennett EJ, Harrison JL, Findlay PA, Miller DW & Adam CL Insulin blood-brain transport and appetite responses to central insulin infusion in sheep, 69A.
- Bennewith H, Weller B, O'Leary C, O'Reilly D, Duncan A, Wood L, Paul L & Payne A Supplement use and comparative differences in nutritional status amongst patients with multiple sclerosis, 52A.
- Berry SEE, Banerji R, Tucker S, Charles SM, Jiang B, Chowienczyk PJ & Sanders TAB The acute effect of triacylglycerols rich in stearic and oleic acid on vascular function. 73A.
- Berry SEE, Mulla U, Chowienczyk PJ & Sanders TAB Recruitment to a dose-response study of the effects of increased fruit and vegetable intake on vascular function: study design and subject characteristics, 96A.
- Best CA, Kimble JE & Gordon HM A re-audit of the effect of 'nil by mouth' instructions on patient behaviour, 19A.
- Bingham S The fibre-folate debate in colo-rectal cancer, DOI: 10.1079/PNS2005472. 19.
- Blom HJ see van der Linden IJM, 204.
- Boa E see de Román M, 190.
- Boland S, Collins A, Blossfeld I & Kiely M Dietary intakes in Irish infants from 12 to 18 months, 32A.
- Bone RA, Landrum JT, Cao Y, Howard AN & Thurnham DI Macular pigment response to a xanthophyll supplement of lutein, zeaxanthin and meso-zeaxanthin, 105A.
- Bowen HC see Broadley MR, 169.
- Boyd Eaton S The ancestral human diet: what was it and should it be a paradigm for contemporary nutrition?, DOI: 10.1079/PNS2005471. 1.
- Boylan SM, Kirk SFL, Greenwood DC & Cade JE Caffeine intake during pregnancy, 53A.
- Bradley AP A novel indirect calorimeter, 118A.
- Branca F see Cassidy A, 76.
- Brennan KA, Olson DM & Symonds ME Maternal nutrient restriction alters renal development and blood pressure regulation of the offspring, DOI: 10.1079/PNS2005484, 116.
- Brennan AL see Baker EH, 227.
- Breward N see Broadley MR, 169.
- Broadley MR, White PJ, Bryson RJ, Meacham MC, Bowen HC, Johnson SE, Hawkesford MJ, McGrath SP, Zhao F-J, Breward N, Harriman M & Tucker M *Biofortification of UK food crops with selenium*, DOI: 10.1079/PNS2006490, 169.
- Brotherton AM, Abbott J & Aggett P The impact of percutaneous endoscopic gastrostomy (PEG) feeding upon quality of life in adults, 7A.
- Brough L, Rees GA, Crawford MA, Timms P & Venton T Maternal vitamin D insufficiency during pregnancy in an ethnically-diverse population, 35A.
- Brown L, Patrick M, O'Dell L, Day C, White C & Cole A Retrospective audit of peripheral parenteral nutrition via midlines: effect of omitting hydrocortisone and heparin in a new regimen, 17A.
- Bryson RJ see Broadley MR, 169.
- Burdge G see Williams CM, 42.
- Burdge GC, Powell J & Calder PC The effect of increasing the eicosapentaenoic acid and docosahexaenoic acid content of a test meal on the postprandial changes in blood triacylglycerol concentration in men and

- post-menopausal women aged 50 to 65 years consuming their habitual diets, 80A.
- Burdge GC, Slater-Jefferies JL, Torrens C, Hanson MA & Lillycrop KA Feeding a protein-restricted diet during pregnancy in the rat induces changes to DNA methylation in the liver of the F₁ and F₂ offspring after weaning, 70A.
- Bye CJ, Lavin JH, Whybrow S & Stubbs RJ Preliminary study to investigate what characteristics underlie successful weight loss? 92A.
- Cade JE, Burley VJ & Greenwood DC Does dietary fibre intake protect against the risk of developing breast cancer? Evidence from the UK Women's Cohort Study, 86A.
- Calder PC Use of fish oil in parenteral nutrition: rationale and reality, DOI: 10.1079/PNS2006500, 264.
- Caplan M, Tan LT, Jackson P, Bendig J & Lim AG Percutaneous endoscopic gastrostomies are reservoirs of microbial contamination during nutritional treatment, 18A.
- Cassidy A, Albertazzi P, Nielsen IL, Hall W, Williamson G, Tetens I, Atkins S, Cross H, Manios Y, Wolk A, Steiner C & Branca F Critical review of health effects of soyabean phyto-oestrogens in post-menopausal women, DOI: 10.1079/PNS2005476, 76.
- Caterson B see Curtis CL, 434.
- Chambers A, Hennessy E & Powell-Tuck J Longitudinal trends in quality of life after starting home parenteral nutrition: a randomised controlled study of telemedicine, 26A.
- Chambers KF, Traka M & Mithen RF Sulforaphane as a histone deactylase inhibitor, 65A.
- Chen Y, Stephen AM, Mander A, Prynne CJ & Wadsworth MEJ Tracking patterns of fruit and vegetable intakes from childhood to adulthood and their relationships with social class: longitudinal tracking from the 1946 British Birth Cohort, 53A.
- Choi SW, Benzie IFF, Lam CSY, Chat SWS, Lam J, Yiu CH, Kwan JJ, Tang YH, Yeung GSP, Yeung VTF, Woo GC, Strain JJ & Hannigan BM Does ascorbic acid protect type 2 diabetes subjects from hyperglycaemia-induced endothelial dysfunction? 103A.
- Clark N see Baker EH, 227.
- Clegg M & Shafat A A comparison of lactulose and inulin as substrates for the hydrogen breath test in males, 30A.
- Clegg M & Shafat A The role of fat in gastrointestinal transit of obese and lean men. 48A.
- Clemes SA, Burley VJ, Kirk SFL & Hooper RH Replacing breakfast and snacks or desserts with ready-to-eat cereals contributes to weight and fat loss in overweight individuals, 91A.
- Cockroft JE & Cade JE Taste sensitivity phenotype and preference for vegetables in the UK Women's Cohort Study, 102A.
- Collins A see Lynn A, 135.
- Collinson AC see Moore SE, 311.
- Cook D see Heyland DK, 250.
- Cook WB, Powell JJ & Lomer MCE Iron absorption is normal in subjects with inflammatory bowel disease but haematinics do not predict iron requirements. 104A.
- Cooper SC, Höroldt BS, Ryder L, Neuberger JM & Johnson J Adaptation of the Malnutrition Universal Screening Tool (MUST) enables improved identification of liver in-patients at nutritional risk, 23A.
- Coxhead JM, Bal W, Williams EA & Mathers JC Reactive oxygen species generation in mismatch repair-proficient and -deficient colorectal cancer cell lines exposed to butyrate, 66A.
- Crabb-Wyke RH, Goua M, Kong P, Heys SD & Wahle KWJ Regulation of protein kinase C alpha and iota expression in MCF-7 breast cancer cells by conjugated linoleic acids, 109A.
- Craig LCA, Devereux G, Turner SW, McNeill G, Martindale S, Helms PJ & Seaton A Lower maternal vitamin E and zinc intakes during pregnancy are associated with an increased risk of asthma in 5-year-old children, 99A.
- Craig LCA & McNeill G Relative validity of a food-frequency questionnaire for preschool children compared with a 4 d diet diary, 39A.
- Craigie AM, Belch JJF, Greene A, Greene SA, Kennedy G, Khan F, Roberts EM & Anderson AS ALL CHANGE: design and implementation of a primary school-based lifestyle intervention, 93A.
- Cramp J see Curtis CL, 434.

- Cross H see Cassidy A, 76.
- Curtis CL, Rees SG, Cramp J, Flannery CR, Hughes CE, Little CB, Williams R, Wilson C, Dent CM, Harwood JL & Caterson B Effects of n-3 fatty acids on cartilage metabolism (Notice of Retraction), DOI: 10.1079/PNS2006522, 434.
- Dainty JR, Harvey LJ, Legall G, Kemsley EK, Colquhoun IJ & Fairweather-Tait SJ Changes in human copper metabolism after dietary intervention: a metabolomic study highlighting the use of genetic algorithms in interpreting ¹H nuclear magnetic resonance spectra from urine samples, 104A.
- Day AG see Heyland DK, 250.
- Deasy C, Walton J, Hannon EM & Flynn A Dietary fibre (DF) and NSP intake in Irish children aged 5–12 years, 41A.
- de Bono S see Prentice A, 348.
- Dent CM see Curtis CL, 434.
- de Román M, Boa E & Woodward S Wild-gathered fungi for health and rural livelihoods, DOI: 10.1079/PNS2006491, 190.
- De Roos B, Geelen A, Ross K, Rucklidge G & Brouwer I Identification of potential serum biomarkers of inflammation and lipid modulation that are altered by fish oil supplementation in healthy volunteers, 87A.
- Devine H, Younger K, Tarrant R, Daly S & Kearney J Breast-feeding rates and factors affecting breast-feeding initiation in a group of women with and without diabetes, 44A.
- Dhaliwal R see Heyland DK, 250.
- Djazayery A, Ahmadi M, Rahimi A, Eftekhar H & Sheikh-Oleslam R Reduction of growth rate of infants after the age of 6 months due to parents' smoking, 119A.
- Dragsted LO, Krath B, Ravn-Haren G, Vogel UB, Vinggaard AM, Jensen PB, Loft S, Rasmussen SE, Sandstrom BM & Pedersen A Biological effects of fruit and vegetables, DOI: 10.1079/PNS2005480, 61.
- Drover J see Heyland DK, 250.
- Duncan SH, McWilliam Leitch EC, Walker A & Flint HJ Evidence for the development of specialised bacterial communities on resistant starch in the human colon that promote butyrate formation, 119A.
- Duthie G see Paterson J, 93.
- Duthie SJ, Bestwick CS, Mavrommatis Y, Moyer MP & Pirie LP *The cellular response of normal human colonocytes to folate deficiency* in vitro: proteomic and functional analyses, 62A.
- Duthie SJ, Pirie LP, Grant G, Watson AJ & Margison GP The effects of longterm folate deficiency on DNA repair protein expression in a nutritional rat model, 105A.
- Earland J & Srivastava A Nutrition and health status of African-Caribbeans living in Staffordshire, 93A.
- Eaton S The biochemical basis of antioxidant therapy in critical illness, DOI: 10.1079/PNS2006501, 242.
- Economou E, Begum G & Mestana S Influence of breast-feeding and birth weight on body mass index and waist:hip ratio in Greek women, 121A.
- England A, Slater-Jefferies J, Miles EA, Browning L, Grimaldi K, Gill-Garrison R, Calder PC, Howell WM & Grimble RF RRR-a-tocopherol supplementation has pro- and anti-inflammatory and pro- and antioxidant effects in peripheral blood mononuclear cells in healthy middle-aged men depending upon dosage and genotype for xenobiotic metabolising enzymes, 69A
- Erhuma AM, Langley-Evans SC & Bennett AJ Exposure to a maternal low-protein diet in rat pregnancy programmes altered expression of fat metabolism-regulated genes, 78A.
- Erhuma AM, Langley-Evans SC & Bennett AJ Exposure to a maternal low-protein diet in rat pregnancy programmes metabolic syndrome-like phenotype in 18-month-old offspring, 77A.
- Erhuma AM, Langley-Evans SC, Bellinger L, McMullen S & Bennett AJ Nutritional and hormonal influences on hepatic sterol regulatory element-binding protein-1c expression in low-protein-exposed offspring, 78A.
- Eyzaguirre PB see Johns T, 182.
- Fitz-Simon N, Fallon U, Sweeney MR, O'Mahony D, Bury G, Murphy AW, Kelleher C for the Lifeways Steering Group *Predictors of asthma in children in Ireland: a multivariate analysis of dietary factors during pregnancy*, 31A.

- Flannery CR see Curtis CL, 434.
- Flynn MAT see McNeil DA, 403.
- Fragodt A & Raats MM Working towards a web-based pan-European access to on-line nutrient databases: UK nutrition researchers' needs and expectations, 97A.
- Frühbeck G Hunting for new pieces to the complex puzzle of obesity, DOI: 10.1079/PNS2006510, 329.
- Fuller Z see Lvnn A, 135.
- Fuller Z, Rungapamestry V, Ratcliffe B, Louis P & Duncan AJ Enhancing the population of Bifidobacteria in the colon has no effect on the metabolism of glucosinolates from cabbage, 102A.
- Gasem J, Murthy M & Roche E Management of nasogastric tube feeding in a district general hospital with particular reference to the British Society of Gastroenterology Guidelines, 21A.
- George TW, Paterson E, Waroonphan S, Gordon MH & Lovegrove JA Effect of consumption of five portions of fruit and vegetables as juice shots on risk factors for cardiovascular disease, 48A.
- Gerasimidis K, Drongitis P, Murray L & McKee RF A local nutritional screening tool compared with the Malnutrition Universal Screening Tool (MUST), 7A.
- Gibbs M, Jetha A, Mellor D & Hampton S Diurnal variation in glycaemic index: comparison of a low- and high-glycaemic index mixed meal, 82A.
- Gibson RS Zinc: the missing link in combating micronutrient malnutrition in developing countries, DOI: 10.1079/PNS2005474, 51.
- Gibson RS, Perlas L & Hotz C Improving the bioavailability of nutrients in plant foods at the household level, DOI: 10.1079/PNS2006489, 160.
- Ginty F see Prentice A, 348.
- Goldberg GR see Prentice A, 348.
- Goldberg GR Plus ça change... (Editorial), DOI: 10.1079/PNS2006521, 327.
 Gossiel F, Procter KL, Bonnett AL, Harrison CA, Barker ME & Blumsohn A The effect of altered feeding times on bone collagen turnover and the skeletal circadian rhythm, 2A.
- Griffin MD, Sanders TAB, Davies IG, Lewis F, Slaughter S, Millward DJ & Griffin BA The effects of altering the dietary n-6:n-3 fatty acids ratio on insulin sensitivity, lipoprotein size and postprandial lipaemia in older UK men and women. The OPTILIP study, 88A.
- Grigoropoulou D, Parrett A, Edwards CAE, Malkova D & Higgins S Effect of short-term high- and low-glycaemic-index diets on subjective measures of appetite, and plasma glucose, insulin and ghrelin concentrations in healthy male subjects, 54A.
- Grimshaw KEC Dietary management of food allergy in children, DOI: 10.1079/PNS2006516, 412.
- Gruissem W see Sautter C, 153.
- Gunnarsson BS see Thorsdottir I, 366.
- Hackett AF, Boddy LM, Boothby J, Johnson B & Stratton G A map of the eating habits of 10-year-old children in Liverpool: a preliminary study, 38A.
- Haggarty P, Tuya C, Hoad G, Campbell DM, Horgan G, Masson L & McNeill G Genetic determinants of plasma non-esterified fatty acid composition: a twin study, 89A.
- Haleem MA, Barton KL, Ray S, Anderson AS, Borges G & Crozier A Increasing antioxidant intake from fruits and vegetables – practical possibilities in the Scottish population, 98A.
- Hall W see Cassidy A, 76.
- Hall WL see Vafeiadou K, 106.
- Han WM, Morgan JB & Chan YH Healthcare professionals' knowledge of infant-feeding recommendations in selected clinics in Singapore, 47A.
- Hankey CR, Watson L & Leslie WS Visual estimation of nutritional status in older subjects by carers, using comparative silhouettes of body shapes, 51A.
- Hannon EM & Flynn A Contribution of fortified foods (FF) to nutrient intakes in Irish children aged 5–12 years, 34A.
- Hannon EM & Flynn A Fortified food (FF) consumption in Irish children aged 5–12 years, 41A.
- Hardcastle AC, Kyle JAM, Duthie G, McNeill G, Fraser WD, Reid DM & Macdonald HM Dietary flavanones are associated with increased bone mineral density and reduced bone resorption in early postmenopausal Scottish women, 54A.
- Harriman M see Broadley MR, 169.
- Harwood JL see Curtis CL, 434.

- Hawkesford MJ see Broadley MR, 169.
- Hearnshaw SA & Thompson NP Parenteral nutrition in the north of England, 25A.
- Heil SG see van der Linden IJM, 204.
- Heyland DK, Dhaliwal R, Day AG, Muscedere J, Drover J, Suchner U & Cook D REducing Deaths due to OXidative Stress (The REDOXS[©] Study): rationale and study design for a randomized trial of glutamine and antioxidant supplementation in critically-ill patients, DOI: 10.1079/PNS2006505, 250.
- Hill AJ Motivation for eating behaviour in adolescent girls: the body beautiful, DOI: 10.1079/PNS2006513, 376.
- Hill T, Cotter A, Wallace J, Robson PJ, Boreham C, Dubitzky W, Murray L, Flynn A, Kiely M & Cashman KD Determinants of 25-hydroxyvitamin D levels in a representative sample of Northern Irish adolescents, 35A.
- Hillman K see Lvnn A. 135.
- Horgan GW, Whybrow S & Stubbs J Fat and carbohydrate do not displace each other in the diet, 82A.
- Höroldt BS, Cooper SC, Neuberger J & Johnson J The use of the Malnutrition Universal Screening Tool (MUST) in liver clinics, 22A.
- Hotz C see Gibson RS, 160.
- Houdijk JGM & Bunger L Selection for growth increases the penalty of parasitism on growth performance in mice. 68A.
- Hughes CE see Curtis CL, 434.
- Hutchinson C, Geissler C, Powell J & Bomford A Pharmacological suppression of gastric acid as a novel strategy for reducing non-haem iron absorption and limiting storage iron in hereditary haemochromatosis, 109A.
- Hutchinson C, Powell J, Mudway I & Geissler C Oral ferrous sulfate is associated with an increase in serum non-transferrin-bound iron and a decrease in plasma ascorbate, 110A.
- Irvine PA, Welch RW, Livingstone MBE, Dunne A & Mullee A A preload study to evaluate the effects of solid v. liquid, and water v. air on satiety and subsequent intakes. 31A.
- Jackson KA, O'Neill ED, Mathers JC & Ford D Transcriptional regulation of splice variants of the SLC30A5 human zinc transporter in intestinal (Caco-2) and placental (JAR) cell lines, 61A.
- James M & Stokes E What is the cost of a minor surgical complication to the health service? 5A.
- James M, Stokes E, Bowling T, Smedley F, Jones P & Silk D An economic assessment of perioperative oral nutritional supplements in patients undergoing elective moderate to major lower gastrointestinal surgery, 4A.
- Jan-Mohamed H, Liu DY, Geissler CA, Powell JJ, Lomer MC & Mudway IS The protective effects of diethylenetriamine penta-acetic acid treatment on the stability of ascorbate in plasma samples obtained from iron-supplemented subjects, 110A.
- Jefford JM, Coffey L, Williamson P, Hyde N & Neild P Experience of gastrostomy tubes placed within a head and neck unit between August 2003 and April 2005, 12A.
- Jenkinson AMcE, Duthie SJ, Kyle JAM & Duthie GG Red grape juice protects against exercise-induced DNA damage, 99A.
- Jensen PB see Dragsted LO, 61.
- Jia X, McNeill G & Aucott LS Nutritional status and subsequent all-cause mortality in men and women over 75 years old living in the community, 49A.
- Johns T & Eyzaguirre PB Linking biodiversity, diet and health in policy and practice, DOI: 10.1079/PNS2006494, 182.
- Johnson B, Hackett AF, Boddy LM & Lamb L Eating habits of Liverpool primary schoolchildren 2000–5, 38A.
- Johnson L, Mander AP, Jones LB, Emmett PM & Jebb SA Maternal education is associated with mis-reporting of energy intake in parent records of child's diet. 40A.
- Johnson SE see Broadley MR, 169.
- Johnson T & Sexton E Managing children and adolescents on parenteral nutrition: challenges for the nutritional support team, DOI: 10.1079/ PNS2006502, 217.
- Johnstone AM, Murison S, Bremner DM, Horgan G & Lobley GE Hunger and appetite response to a high-protein ketogenic diet in obese men feeding ad libitum. 90A.

- Jones AR, Kuznesof S, Richardson DP & Seal CJ The impact of increased wholegrain food consumption on daily intake of nutrients, 50A.
- Jones PRM see Ulijaszek SJ, 326.
- Jugdaohsingh R, O'Connell MA, Sripanyakorn S & Powell JJ Moderate alcohol consumption and increased bone mineral density: potential ethanol and non-ethanol mechanisms, DOI: 10.1079/PNS2006508, 291.
- Jukes AL, Hawthorne AB, Abdoolla AM, Harwood S & Magambo WN Impact of the nutrition support team on catheter-related infection, 26A.
- Karanth S, Russell L, Turnbull N, Lawrence H, Hames C, Binnie J, Cottee S & Woodward J Bridle fixation of nasogastric tubes the Addenbrooke's experience. 14A.
- Kelly CNM, Nic Gabhainn S, Walsh K & Kelleher C Time effects in food frequency consumption and eating behaviour among Irish schoolchildren, 121A
- Kelly CNM, Molcho M, Kelleher C & Nic Gabhainn S Self-reported weight and height: response rates from Irish schoolchildren, 39A.
- Kennedy OB, Stewart-Knox BJ, Mitchell PC & Thurnham DI Vitamin E supplementation and mechanical texture measurement of cooked poultry meat. 85A.
- Kennelly S, Sugrue S, Kennedy NP, Flanagan G & Glennon C Oral nutritional supplements in the community in Ireland: who is using them? 40A.
- Kenny O, O'Callaghan YC & O'Brien NM Assessment of the micellarisation of \(\alpha\)-tocopherol from processed meat products using an in vitro model, 49A. Key TJ, Appleby PN & Rosell MS Health effects of vegetarian and vegan
- diets, DOI: 10.1079/PNS2005481, 35. Krath B see Dragsted LO, 61.
- Landman M Getting quality in qualitative research: A short introduction to feminist methodology and methods, DOI: 10.1079/PNS2006518, 429.
- Langley-Evans SC, Haase A & Engeham SF Programming effects of folic acid supplementation in rat pregnancy on blood pressure and abdominal fat deposition, 47A.
- Langley-Evans SC Developmental programming of health and disease, DOI: 10.1079/PNS2005478, 97.
- Laskey MA see Prentice A, 348.
- Law KWC, Gosney MA & Kennedy OB Age-related changes in taste and effect on food supplement palatability, 56A.
- Lawrence J see Paterson J. 93.
- Lesourd B Nutritional factors and immunological ageing, DOI: 10.1079/ PNS2006507, 319.
- Li J see Zhang Y, 68.
- Lillycrop KA, Jackson AA, Hanson MA & Burdge GC Dietary protein restriction in the pregnant rat induces altered covalent modifications to histones at the glucocorticoid receptor promoter in the liver of the offspring after weaning, 108A.
- Lillycrop KA, Jackson AA, Hanson MA & Burdge GC The effect of dietary protein restriction in pregnant rats on the expression of DNA methyl-transferases and methyl CpG binding protein 2 in the liver after weaning, 87A.
- Lillycrop KA, Phillips ES, Jackson AA, Hanson MA & Burdge GC Dietary protein restriction in the pregnant rat induces altered epigenetic regulation of the glucocorticoid receptor and peroxisomal proliferator-activated receptor α in the heart of the offspring which is prevented by folic acid, 65A.
- Lin JCi, Arno MJ, Wong MCY, Preedy VR & Wiseman H Gene expression in rat liver exposed to acute alcohol and daidzein, 111A.
- Little CB see Curtis CL, 434.
- Livingstone MBE see Rennie KL, 393.
- Lloyd DAJ, Cunliffe RN, Postgate A, Forbes A, Bowling TE & Gabe SM Long-term subcutaneous fluid infusion in the management of intestinal failure experience from two tertiary referral centres, 11A.
- Lobley GE, Belenguer A, Duncan SH, Holtrop G, Johnstone AM & Flint HJ Impact of high-protein, low- and moderate-carbohydrate diets on the microbial community and on metabolite concentration in faeces: possible implications for gut health, 100A.
- Lock PG & Cockroft JE Food group intake in a sample of primary school children participating in the Phunky Foods programme, 56A.

- Loft S see Dragsted LO, 61.
- Lordan S, O'Callaghan YC & O'Brien NM Oxidised low-density lipoproteinand oxysterol-induced cell death in U937 and HL-60 blood cells, 62A.
- Lucey A, Paschos G, Cashman KD, Martinéz JA, Thorsdottir I & Kiely M Moderate energy restriction influences bone turnover in overweight young adults over a period of 8 weeks, 37A.
- Lynn A, Collins A, Fuller Z, Hillman K & Ratcliffe B Cruciferous vegetables and colo-rectal cancer, DOI: 10.1079/PNS2005486, 135.
- Ma SW, Tomlinson B & Benzie IFF Effect of ginseng (Panax ginseng) supplementation on glucose tolerance, antioxidant status and oxidative stress in type 2 diabetes subjects: results of a placebo-controlled trial, 120A
- Ma SW, Tomlinson B & Benzie IFF Effect of oral glucose loading on oxidative stress, antioxidant status and inflammation in healthy and type 2 diabetes mellitus subjects, 108A.
- McAuley A, Burley VJ, Thomas JD, Taylor EF & Cade JE Effects of alcohol consumption on weight gain in middle-aged women, 57A.
- McCaffrey TA see Rennie KL, 393.
- McCarthy H Derived anthropometric indices which should be used to assess nutritional status in children? 8A.
- McCarthy H & Cheetham J Assessing the nutritional status of children and adolescents attending a special needs secondary school, 24A.
- McCarthy H, Lo Piccolo R & Morabito A Nutritional outcomes of total oesaphagogastric dissociation (TOGD): a 10-year review, 13A.
- McCarthy HD Body fat measurements in children as predictors for the metabolic syndrome: focus on waist circumference, DOI: 10.1079/PNS2006514, 385.
- McCartney DMA, Younger KM & Kearney JM Socio-economic examination of Irish data from pan-EU attitudinal surveys regarding food, nutrition, physical activity, body weight and health, 30A.
- McDougall T, Hannah J, Baranidharan S & Watson R Preventing malnutrition in elderly hospitalised patients by using food as treatment, 19A.
- McGartland C, Woodside JV, Robson P, Murray L, Cran G, Watkins D, Rooney M, Savage J & Boreham C Fruit and vegetable consumption and blood pressure: The Northern Ireland Young Hearts Project, 42A.
- McGrath SP see Broadley MR, 169.
- McHoney M, Eaton S, Kiely EM, Drake D & Pierro A Endocrine response to laparoscopic compared with open surgery in children, 15A.
- McKay JA, Russi RM, Philips SR, Mathers JC & Ford D Effects of dietary zinc during pregnancy upon placental insulin-like growth factor 2 mRNA expression in C57BL/J6 mice, 79A.
- McKeeman GC, Hughes CM, McKeown PP, Woodside JV & Young IS Elevated urinary F₂-isoprostane concentrations are associated with congestive heart failure, 116A.
- McKenzie C, Aitken C & Lyon F Comparison of the Angus Nutritional Screening Tool with the Malnutrition Universal Screening Tool (MUST), 23A
- McKinlay JL & Wood ESY Does introducing enteral tube feeding guidelines in an intensive therapy unit help patients meet their nutritional requirements? 9A
- McKinley MC, Gilchrist SECM, Woodside JV, Chakravarthy U & Young IS, on behalf of the European Eye Study (EUROEYE) Investigators *Predictors of fruit, vegetable and juice intake in an elderly Northern Irish population*, 106A.
- McKinley MC, Woodside JV, Murray LJ, Robson PJ, Strain JJ, McNulty H, Boreham CAG, Whitehead AS & Young IS The relationship between riboflavin intake, serum homocysteine and thermolabile methylenetetrahydrofolate reductase genotype in young adults: The Northern Ireland Young Hearts Project, 29A.
- McNeil DA & Flynn MAT Methods of defining best practice for population health approaches with obesity prevention as an example, DOI: 10.1079/PNS2006520, 403.
- Madden J, Brunner A, Carrero JJ, Hadley J, Tan B, Dastur N, Shearman CP, Calder PC, Rainger E, Nash G, Luu T & Grimble RF Polymorphisms at IL-6–174 and TNF-α-308 and body mass index modulate the effects of fish oil supplementation on cytokine production by monocytes from healthy middle-aged men. 71A.
- Madden J, Brunner A, Carrero JJ, Hadley J, Tan B, Shearman CP, Calder PC, Rainger E, Nash G, Luu T & Grimble RF Influence of CD36 gene

- polymorphisms on the response of cardiovascular risk factors to fish oil supplementation in middle-aged men, 88A.
- Mahmoudzadeh E, Lal S & Webb AK Percutaneous gastrostomy feeding in adult patients with cystic fibrosis: a 10-year experience, 13A.
- Manios Y see Cassidy A, 76.
- Marji M, Hwalla N & Obeid OA Postprandial hepatic glycogen and lipid synthesis of rats maintained on a high-protein diet with varied fat and vitamin Bs levels. 81A.
- Marshall JA & Rogers LE Stroke, dysphagia and percutaneous endoscopic gastrostomy: a retrospective analysis of patient outcomes, 18A.
- Martins C, Morgan LM & Robertson MD Exercise induced anorexia: a role for PYY, GLP-1 and PP? 52A.
- Martins C, Truby H & Morgan L Effects of exercise on energy compensation in healthy sedentary volunteers, 51A.
- Masson LF, Cumming A, Tuya C, Wood S, Rance KA & McEill G The apolipoprotein B signal peptide insertion/deletion polymorphism and within-pair differences in lipid levels in twins, 101A.
- Mathers JC Plant foods for human health: research challenges, DOI: 10.1079/PNS2006492, 198.
- Mavroeidi A, O'Neill F, Thind C, Ormerod A, Reid DM & Macdonald HM Assessment of skin colour pigmentation in patients undergoing ultraviolet B treatment, 106A.
- Meacham MC see Broadley MR, 169.
- Meplan C, Crosley K, Nicol F, Arthur JR, Mathers JC & Hesketh JE Influences of gender and genetic variation in the 3' untranslated region of the glutathione peroxidise 4 gene on the response to selenium supplementation in healthy volunteers, 67A.
- Meplan C, Crosley K, Nicol F, Beckett GJ, Arthur JR, Mathers JC & Hesketh JE A polymorphism in the coding region of human selenoprotein P gene influences the response to selenium supplementation in healthy volunteers, 66A.
- Meynell R, Wong MCY, Mahalingam S, Fegredo JA, Arno MJ, Milligan S, Wiseman H & Preedy VR Antioxidant capacity of UK beers, 84A.
- Micha R, Forbes J, Lowes K, Rogers PJ & Nelson M Glycaemic potency of breakfast and cognitive function in school children, 57A.
- Mitra S, McCann JF, Bhojani I, Foster PC, Judd PA, Ellahi B & Lowe NM Diet, lifestyle and osteoporotic fracture risk in post-menopausal South Asian women living in Blackburn, UK, 85A.
- Moloney R, Hannon EM, Kiely M & Flynn A Sodium intakes from food sources in Irish adults aged 18-64 years and Irish children aged 5-12 years, 33A.
- Moore CS, Bryant SP, Mishra GD, Krebs JD, Browning LM & Jebb SA Impact of dietary changes in n-6:n-3 polyunsaturated fatty acid ratio on serum triacylglycerols in healthy men and women, 80A.
- Moore SE, Collinson AC, N'Gom PT, Aspinall R & Prentice AM Early immunological development and mortality from infectious disease in later life, DOI: 10.1079/PNS2006503, 311.
- Moore T, Boylan SM, Kirk SFL, Thomas JD & Cade JE Comparison of caffeine consumption in pregnancy using the Caffeine Assessment Tool and a 24h diet recall, 58A.
- Morini F, Muller W, Jaffè A, Peters MJ, Goldman A, Pierro A & Eaton S Malondialdehyde in plasma and exhaled breath condensate collected from ventilated infants. 20A.
- Mulgrew S, Goua M, Sneddon AA & Wahle KWJ The effects of conjugated linoleic acid on the surface expression of vascular cell adhesion molecule-1 and intercellular adhesion molecule-1 on TNF-α-stimulated human umbilical vein endothelial cells measured by flow cytometry, 111A.
- Mulla U, Berry SEE, Gray R & Sanders TAB Lack of effect of increased fruit and vegetable intake on plasma 8-isoprostane F2α concentrations, 50A.
- Murphy PM, Rahamim J, Wheatley T & Lewis SJ Home enteral feeding following oesophagogastrectomy for oesophageal carcinoma, 16A.
- Murray CDR, Gouveia C, Le Roux C, Emmanuel AV & Gabe S Macronutrient infusions have differential effects on ghrelin and peptide YY levels but do not acutely affect hunger and satiation in parenterally fed patients, 10A. Muscedere J see Heyland DK, 250.
- Nair S, Badreldin R, Jowett S & Thompson NP Percutaneous endoscopic gastrostomy: an audit on the impact of a nutrition team on mortality rates, 6A.

- Nematy M, Brynes AE, Hornick PI, Brett SJ & Frost GS Postprandial ghrelin suppression is exaggerated following major surgery; implications for nutritional recovery, 63A.
- Nematy M, O'Flynn JE, Wandrag L, Brynes AE, Brett S & Frost GS Role of gut hormones in acutely ill patients, 10A.
- Neville CE, Woodside JV, McKinley MC, Murray LJ, Cran GW, Boreham CAG & McCarron PG The relationship between fruit, vegetable and fruit juice consumption at adolescence and subsequent respiratory health in early adulthood: The Northern Ireland Young Hearts Project, 42A.
- N'Gom PT see Moore SE, 311.
- Nielsen IL see Cassidy A, 76.
- Normanton H, Houdijk JGM, Knox DP & Kyriazakis I Effects of changes in protein supply and demand on gastrointestinal parasitism in lactating rats, 72A.
- O'Connell MA see Jugdaohsingh R, 291.
- O'Connell OF, Ryan L & O'Brien NM An in vitro method to determine the percentage micellarisation of carotenoids in a variety of fruits, 115A.
- Oconnor EM, Mølgaard C, Michaelsen KF, Jakobsen J, Lamberg-Allardt CJE & Cashman KD Vitamin K status and bone health indices in Danish girls, 36A
- O'Dell SD, Jamshidi Y, Snieder H, Ge D & Spector TD The SH2-B gene is associated with serum leptin and body fat in normal females, 90A.
- O'Dell SD, Snieder H, Wang X, Shiri-Sverdlov R, van Vliet-Ostaptchouk JV & Spector TD TUB gene variants are associated with body mass index, weight and body fat in postmenopausal women, 71A.
- Oladipo SO An audit of the prescribing of enteral sip feeds amongst general practitioner practices in Greenwich Teaching Primary Care Trust, 16A.
- Olson DM see Brennan KA, 116.
- O'Neill JL, McCarthy SN, Quinio C, Volatier J-L & Gibney MJ Nutritional profiling schemes: evaluation using national dietary surveys, 32A.
- Ong EGP, Eaton S, Pierro A & The Baps Multicentre Research Group Are we underfeeding our surgical neonates on parenteral nutrition? 11A.
- Ong EGP, Eaton S, Pierro A & The Baps Multicentre Research Group Growth of surgical neonates requiring parenteral nutrition is blunted by sepsis. 8A.
- O'Sullivan A, Bremner D, Murison S, Horgan G, Lobley GE & Johnstone AM Fatigue during low-carbohydrate dieting in sedentary obese men, 58A.
- O'Sullivan LP, Ryan L & O'Brien NM Bioavailability of carotenoids determined by a Caco-2 cell model, 63A.
- Parkes J, Pettifer L & Bowling T A survey of home enteral tube feeding (HETF) practice across the UK, 27A.
- Paschos GK, Lucey A, Thorsdottir I, Martinez JA, Cashman KD & Kiely M Fish consumption as part of an energy-restricted diet reduces serum markers of inflammation, 44A.
- Paschos GK, Scully P, Lucey A, Galvin K, Cashman KD & Kiely M Salmon intake reduces CCR5 expression by human CD8⁺ T lymphocytes, 37A.
- Paterson J, Baxter G, Lawrence J & Duthie G Is there a role for dietary salicylates in health? DOI: 10.1079/PNS2005477, 93.
- Pedersen A see Dragsted LO, 61.
- Pennant ME, Bluck LJC & Coward WA Insulin sensitivity from an oral labelled glucose test, 75A.
- Perlas L see Gibson RS, 160.
- Philippou E, McGowan B, Brynes AE, Dornhorst A & Frost GS The effect of a 12-week low-glycaemic index diet on heart disease risk factors and 24 h glucose profile in healthy middle-aged volunteers at risk of heart disease: a pilot study, 59A.
- Philippou E, Milton JE, Brynes AE & Frost GS An exploration into the proportion of carbohydrate used in the calculation of diet glycaemic index (GI) for which GI values are published or estimated, 59A.
- Philips BJ see Baker EH, 227.
- Poletti S see Sautter C, 153.
- Powell JJ see Jugdaohsingh R, 291.
- Prentice A, Schoenmakers I, Laskey MA, de Bono S, Ginty F & Goldberg GR Nutrition and bone growth and development, DOI: 10.1079/PNS2006519, 348.
- Prentice AM see Moore SE, 311.

- Raats MM, Lumbers M & The Food in Later Life Project Team Methods used for collecting and handling multilingual qualitative data in the Food in Later Life Project, 116A.
- Rabiee F Sustainability in local public health nutrition programmes: beyond nutrition education, towards community collaboration, DOI: 10.1079/ PNS2006517, 418.
- Rana P, Anderson AS & Cummings JH Antioxidant imbalance in ulcerative colitis, 83A.
- Rasmussen SE see Dragsted LO, 61.

Ratcliffe B see Lvnn A, 135.

Ravn-Haren G see Dragsted LO, 61.

- Rayman MP, Cooper ML, Vishnubhatla I, Adami H-O, Grönberg H, Bälter K & Green FR Do functional selenoprotein SNPs predict the risk of prostate cancer? 100A.
- Rees SG see Curtis CL, 434.
- Rees WD, Hay SM, McNeil CJ & Maloney CA Folate-deficient diets fed to pregnant rats cause changes in the mRNA associated with lipid metabolism in the fetus, 79A.
- Rennie KL, Wells JCK, McCaffrey TA & Livingstone MBE The effect of physical activity on body fatness in children and adolescents, DOI: 10.1079/ PNS2006515, 393.
- Reynolds C, Draper E, Loscher CE & Roche HM Docosahexaenoic acid but not eicosapentaenoic acid mediates the anti-inflammatory effect in dendritic cells via peroxisome proliferator-activated receptor-γ-dependent pathway(s), 61A.
- Rickard AP, Stephen AM, Prynne CJ, Mander AP & Wadsworth MEJ Milk choice across social class in the MRC National Survey of Health and Development, 60A.
- Robertson S, Garvi C, Murray L, Leadbetter S & McKee RF The effectiveness of standard parenteral nutrition regimens in meeting calculated nutritional requirements, 17A.
- Rolland C, Hession M, Tuya C, Murray S, Jarrett K, Wise A & Broom J Reported weight loss from a 1-year randomised controlled trial examining three dietary interventions for obesity management: initial findings, 117A.
- Rosell MS see Key TJ, 35.
- Rungapamestry V, Duncan AJ, Fuller Z & Ratcliffe B Effect of consuming cooked broccoli along with a high- or low-protein meal on the uptake of sulforaphane in healthy human subjects, 76A.
- Russell L, Edgeway T, Woodruff N, Lawrence H, Hames C, Cottee S & Woodward J Guess my weight! An audit of hospital scales in ward areas, 14A.
- Russell WR, Duncan SH, Labat A, Scobbie L, Calder AG, Flint HJ & Duthie GG Microbial transformation of cinnamic acids in strawberries: potential inflammatory implications, 107A.
- Ryan L, O'Connell OF & O'Brien NM An in vitro method to determine the micellarisation percentage of carotenoids in a variety of vegetables, 91A.
- Samani D, Anwar T & McCarthy HD Comparisons of body-weight status in British Bangladeshi and Indian children residing in London, 43A.
- Samani D, O'Callaghan S & McCarthy HD What is the best measure of fatness during a weight-management programme in obese children?
- Sanders TAB, Talbot DCS & Theobald HE Lack of effect of moderate intakes of docosahexaenoic acid on in vivo lipid indices of lipid peroxidation, 81A.
- Sandstrom BM see Dragsted LO, 61.
- Sautter C, Poletti S, Zhang P & Gruissem W Biofortification of essential nutritional compounds and trace elements in rice and cassava, DOI: 10.1079/PNS2006488, 153.
- Schoenmakers I see Prentice A, 348.
- Seal CJ Whole grains and CVD risk, DOI: 10.1079/PNS2005482, 24. Sexton E see Johnson T. 217.
- Shaw DI, Hall WL & Williams CM Fatty acids differentially affect endothelial cell inflammatory gene expression, 74A.
- Shetty P Achieving the goal of halving global hunger by 2015, DOI: 10.1079/PNS2005479, 7.
- Silva KDRR, Liyanage CB & Munasinghe DLL Association of serum 'antioxidant power' with myocardial infarction: a case-control study, 117A.

- Silva KDRR, Thangaraja S & Kamal RJ Comparison of body composition, body fat distribution and cardiovascular risk factors in healthy pre- and postmenopausal women, 118A.
- Slater-Jefferies J, England A, Cichon B, Grimaldi K, Gill-Garrison R, Calder PC, Howell WM, Armstrong R & Grimble RF Influence of superoxide dismutase polymorphism and overweight status on clinical outcome and oxidant production and stress in healthy middle-aged men and rheumatoid patients receiving high-dose RRR-α-tocopherol supplementation, 72A.
- Soulsby CT, Romsauerova A, Yerworth R, Horesh L, Evans DF, Holder D & Powell-Tuck J Use of multi-frequency electric impedance tomography (EIT) removes the need to add sodium to enteral feed when measuring gastric emptying, 9A.
- Spencer JPE, Nguyen DT, Hernandez-Montes E, Vauzour D, Schönthal AH & Cadenas E The intracellular genistein metabolite 5,7,3',4'-tetrahydroxyi-soflavone mediates G2-M cell cycle arrest in cancer cells via modulation of the p38 signalling pathway, 70A.
- Sripanyakorn S see Jugdaohsingh R, 291.

Steiner C see Cassidy A, 76.

- Stern J Home parenteral nutrition and the psyche: psychological challenges for patient and family, DOI: 10.1079/PNS2006497, 222.
- Stevenson J Dietary influences on cognitive development and behaviour in children, DOI: 10.1079/PNS2006511, 361.
- Stratton RJ, Bowyer G & Elia M Food snacks or liquid oral nutritional supplements as a first-line treatment for malnutrition in post-operative patients? 4A.
- Stratton RJ, King CL, Teng Y & Elia M Deprivation linked to malnutrition risk using the Malnutrition Universal Screening Tool ('MUST') in hospital, 5A
- Suchner U see Heyland DK, 250.
- Surujlal-Harry A, Rees GA, Bakhshi S & Baker A Ethnic differences between questionnaire-reported and 3d dietary-recall estimations of fruit and vegetable consumption in girls aged 12–16 years, 45A.
- Symonds ME see Brennan KA, 116.
- Tarling E, Ryan K, Steenson S, Laker J, Bennett A & Salter A Effect of conjugated linoleic acid isomers on plasma lipoproteins and hepatic low-density lipoprotein receptor mRNA concentration in the hamster, 67A.
- Taylor MS, Summerbell C, Adamson A, Lang B & Crooks S Development of a computer-based tool for measuring schoolchildren's diets, 94A.

Tetens I see Cassidy A, 76.

- Thorsdottir I & Gunnarsson BS Dietary quality and adequacy of micronutrient intakes in children, DOI: 10.1079/PNS2006512, 366.
- Tighe P, Vaughan N, Brittenden J, Horgan G, Simpson WG, Mutch W, Duthie G & Thies F Effect of wholegrain food on markers of cardiovascular risk in middle-aged healthy volunteers, 120A.
- Toomey S, Browne J & Roche HM IL-1R1^{-/-} mice are resistant to obesity-induced insulin resistance following a high-fat diet, 89A.
- Trowse V, Amuna P, Zotor FB & Hill NL Glycaemic response to a highfibre, low-glycaemic index novel food product in human volunteers: possible implications for dietary management of type 2 diabetes mellitus, 74A.
- Tsofliou F, Fyfe CL, Matheson I, Sneddon AA, Jackson D, Wahle KWJ & Williams LM Plasma adiponectin levels after a high-fat meal and a standard mixed meal in lean and obese, young and older men, 98A.
- Tucker M see Broadley MR, 169.
- Tyson J, Spiers A, Caple F, Hesketh JE & Mathers JC Effects of age, body mass index and genotype on nucleotide excision repair in healthy adults, 114A.
- Ulijaszek SJ & Jones PRM Nicholas G. Norgan (1941–2006) (Appreciation), DOI: 10.1079/PNS2006506, 326.
- Vafeiadou K, Hall WL & Williams CM Does genotype and equol-production status affect response to isoflavones? Data from a pan-European study on the effects of isoflavones on cardiovascular risk markers in post-menopausal women, DOI: 10.1079/PNS2005483, 106.
- Valentine RA, Jackson KA, Mathers JC & Ford D Intracellular trafficking and functional activity of splice variants of the zinc transporter SLC30A5, 101A.

- Vallim T, Salter A & Bennett A Transcriptional regulation of the microsomal triacylglycerol transfer protein by members of the nuclear hormone receptor superfamily, 64A.
- van der Linden IJM, Afman LA, Heil SG & Blom HJ Genetic variation in genes of folate metabolism and neural-tube defect risk, DOI: 10.1079/ PNS2006495, 204.
- Vinggaard AM see Dragsted LO, 61.
- Vogel UB see Dragsted LO, 61.
- Vokes L, Gannon RHT, Millward DJ, Lovell DP, Macdonald HM, Frassetto LA, Remer T & Lanham-New SA Indirect estimates of net acid excretion and net rate of endogenous non-carbonic acid production in the young British population: analysis of the National Diet and Nutrition Survey aged 4–18 years, 96A.
- Wachtel-Galor S, Boost MV & Benzie IFF Antibiotic-enhancing effects of Ganoderma lucidum (Lingzhi) against methicillin-resistant Staphylococcus aureus, 92A.
- Wade SD & Kennedy OB Do differences exist between gym and non-gym users' nutritional knowledge and use of nutrition labels? 75A.
- Wakeford E & Fairchild RM Are low-income consumers disadvantaged by higher-priced and lower-nutritional quality fruit and vegetable availability? A preliminary study, 115A.
- Wakeling LA, McGarr EF & Ford D $\,$ The association of single nucleotide polymorphisms with β -glucosidase activity in oral epithelium, 64A.
- Walker AF Herbal medicine: the science of the art, DOI: 10.1079/ PNS2006487, 145.
- Walsh E, Hannon EM & Flynn A Contribution of nutritional supplements to micronutrient intakes in Irish children aged 5–12 years, 34A.
- Waltham KJ, Williams EA & Mathers JC Reduced maternal folate supply decreases genomic DNA methylation in the offspring of C57Bl/6J mice, 114A.
- Walton J, Hannon EM & Flynn A Dietary energy density (ED) in Irish children aged 5-12 years, 33A.
- Warnock M & McBean DE Safety and tolerance of calcium pantothenate in healthy adults, 107A.
- Wells JCK see Rennie KL, 393.
- White S, Torrance A & Matthewson K Prospective 3-month audit of gastrostomy insertion in the Northern region, 21A.
- White PJ see Broadley MR, 169.
- Williams CM & Burdge G Long-chain n-3 PUFA: plant v. marine sources, DOI: 10.1079/PNS2005473, 42.
- Williams CM see Vafeiadou K, 106.
- Williams PJ, Kurlak L, Budge H, Stephenson T, Perkins A, Symonds ME & Gardner DS The effect of maternal nutrient restriction between 30 and 80 d gestation followed by juvenile obesity on glucocorticoid receptor messenger RNA abundance and kidney function in young adult sheep, 112A.

- Williams R see Curtis CL, 434.
- Williamson G see Cassidy A, 76.
- Wilson C see Curtis CL, 434.
- Wolk A see Cassidy A, 76.
- Wong M, Tye S & Rowbotham DS Percutaneous endoscopic gastrostomy activity at a district general hospital. How do we compare with national results? 15A.
- Wong MCY, Niemela O, Parkkila S, Koivisto H, Trick K, Labbe MR, Preedy VR & Wiseman H The dietary phyto-oestrogen daidzein protects against the formation of hepatic malondialdehyde–protein adducts induced by oxidative stress, 113A.
- Wong MCY, West R, Spurr A, Lloyd C, Arno MJ, Wiseman H & Preedy VR The application of a high-throughput robotic ELISA-reader system to measure total antioxidant capacity in alcoholic and non-alcoholic beverages and wine-related compounds, 83A.
- Wood A, Baxter G, Thies F & Duthie G Inter-individual variation in the absorption of salicylic acid from food, 76A.
- Wood DM see Baker EH, 227.
- Wood K Audit of nutritional guidelines for head and neck cancer patients undergoing radiotherapy, 24A.
- Woodside JV, Gibson A, Young IS, Sharpe PC, Mercer C, Patterson CC, Kluijtmans LAJ, Whitehead AS & Evans A Effect of alcohol on homocysteine and B-vitamin concentration in healthy male volunteers, 29A. Woodward S see de Román M. 190.
- Wortley GM, Elliott RM, Harvey LJ & Fairweather-Tait SJ Copper homeostasis: use of in vitro cell systems and transcriptional analysis to detect markers of copper regulation in human subjects, 103A.
- Wrieden WL, Barton KL, Adamson AJ & Cochrane L Differences in typical food portion sizes eaten by institutionalised older adults compared with free-living, 84A.

Yao S see Zhang Y, 68.

- Zaralis K, Tolkamp BJ, Houdijk JGM, Wylie ARG & Kyriazakis I Effects of parasitic infection on anorexia and leptin levels in lambs of two different breeds, 73A.
- Zaveri S & Drummond S Role of eating frequency and macronutrient content of in-between-meal snacks in body weight control in overweight men aged 25–50 years preliminary results, 77A.
- Zevallos V, Grimble G & Herencia LI Glycaemic properties of quinoa (Chenopodium quinoa Willd.), 60A.
- Zhang P see Sautter C, 153.
- Zhang Y, Yao S & Li J Vegetable-derived isothiocyanates: anti-proliferative activity and mechanism of action, DOI: 10.1079/PNS2005475, 68.
- Zhao F-J see Broadley MR, 169.