
## **C**AMBRIDGE

## **JOURNALS**

## Behavioural and Cognitive Psychotherapy

Published for the British Association for Behavioural and Cognitive Psychotherapies (BABCP)



#### Editor

Paul M Salkovskis, Institute of Psychiatry, London, UK

Behavioural and Cognitive Psychotherapy is an international multi-disciplinary journal aimed primarily at members of the helping and teaching professions. The journal features original research papers, covering both experimental and clinical work, that contribute to the theory, practice and evolution of cognitive and behaviour therapy. Under the guidance of an international editorial team, Behavioural and Cognitive Psychotherapy aims to reflect and influence the continuing changes in the concepts, methodology and techniques of behavioural and cognitive psychotherapy. A particular feature of the journal is its broad-ranging scope - both in terms of topics and types of study covered.

### **Price information**

is available at: http://journals.cambridge.org/bcp

## Free email alerts

Keep up-to-date with new material – sign up at http://journals.cambridge.org/alerts

Behavioural and Cognitive Psychotherapy

is available online at: http://journals.cambridge.org/bcp

#### To subscribe contact Customer Services

#### in Cambridge:

Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

#### in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions\_newyork@cambridge.org

For free online content visit: http://journals.cambridge.org/bcp



#### INSTRUCTIONS FOR CONTRIBUTORS

#### SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

**REFERENCES** (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.

Cleckley HJ (1941). The Mask of Sanity, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In Olfaction and the Brain (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

**PROOFS AND OFFPRINTS** Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

# PSYCHOLOGICAL MEDICINE

## **CONTENTS**

REVIEW ARTICLE		Long-term course and outcome in schizophrenia: a 34-year	
Interleukin-6, C-reactive protein and interleukin-10 after		follow-up study in Alberta, Canada	
antidepressant treatment in people with depression: a meta-analysis		Newman SC, Bland RC & Thompson AH	2137
Hiles SA, Baker AL, de Malmanche T & Attia J	2015	Do all schizophrenia patients need antipsychotic treatment continuously throughout their lifetime? A 20-year longitudinal	
ORIGINAL ARTICLES		study	
Non-steroidal anti-inflammatory drugs and efficacy of		Harrow M, Jobe TH & Faull RN	2145
antidepressants in major depressive disorder		Facial emotion recognition in adolescents with psychotic-	
Uher R, Carver S, Power RA, Mors O, Maier W, Rietschel M,		like experiences: a school-based sample from the general	
Hauser J, Dernovsek MZ, Henigsberg N, Souery D, Placentino A, Farmer A & McGuffin P	2027	population	
Familier A & McGuillin F	2027	Roddy S, Tiedt L, Kelleher I, Clarke MC, Murphy J, Rawdon C,	
Examining variation in depressive symptoms over the life course: a latent class analysis		Roche RAP, Calkins ME, Richard JA, Kohler CG & Cannon M	2157
Mezuk B & Kendler KS	2037	Visual information processing dysfunction across the developmental course of early psychosis	
Age and birth cohort differences in depression in repeated		Perez VB, Shafer KM & Cadenhead KS	2167
cross-sectional surveys in England: the National Psychiatric		Influence of emotional distraction on working memory	
Morbidity Surveys, 1993 to 2007		Influence of emotional distraction on working memory performance in borderline personality disorder	
Spiers N, Brugha TS, Bebbington P, McManus S,	00.47	Krause-Utz, A, Oei NYL, Niedtfeld I, Bohus M, Spinhoven P,	
Jenkins R & Meltzer H	2047	Schmahl C & Elzinga BM	2181
Is there a bidirectional relationship between depressive		Internet based consisting behaviour thereon for absencing	
symptoms and cognitive ability in older people?		Internet-based cognitive behaviour therapy for obsessive- compulsive disorder: a randomized controlled trial	
A prospective study using the English Longitudinal Study of Ageing		Andersson E, Enander J, Andrén P, Hedman E, Ljótsson B, Hursti T,	
Gale CR, Allerhand M, Deary IJ, for the HALCyon Study Team	2057	Bergström J, Kaldo V, Lindefors N, Andersson G & Rück C	2193
Regionally specific alterations in functional connectivity of		Implementing a minimal intervention for chronic fatigue	
the anterior cingulate cortex in major depressive disorder		syndrome in a mental health centre: a randomized	
Davey CG, Harrison BJ, Yücel M & Allen NB	2071	controlled trial	
		Tummers M, Knoop H, van Dam A & Bleijenberg G	2205
Stability and transitions of depressive subtypes over a 2-year follow-up		The effect of counselling, graded exercise and usual	
Lamers F, Rhebergen D, Merikangas KR, de Jonge P,		care for people with chronic fatigue in primary care:	
Beekman ATF & Penninx BWJH	2083	a randomized trial	
		Ridsdale L, Hurley M, King M, McCrone P & Donaldson N	2217
Why do anxious children become depressed teenagers?  The role of social evaluative threat and reward processing		Adults with attention deficit hyperactivity disorder: an	
Silk JS, Davis S, McMakin DL, Dahl RE & Forbes EE	2095	investigation of age-related differences in behavioural	
,	2000	symptoms, neuropsychological function and co-morbidity	
War and first onset of suicidality: the role of mental disorders		Bramham J, Murphy DGM, Xenitidis K, Asherson P,	2225
Karam EG, Salamoun MM, Mneimneh ZN, Fayyad JA, Karam AN,	0400	Hopkin G & Young S	2225
Hajjar R, Dimassi H, Nock MK & Kessler RC	2109	BOOK REVIEWS	
Objective predictors of delayed-onset post-traumatic stress		Autism Spectrum Disorders	
disorder occurring after military discharge		Brugha TS	2235
Brewin CR, Andrews B, Hejdenberg J & Stewart L	2119		
Executive dysfunction and memory impairment in		Autism Spectrum Disorders Through the Life Span	0000
schizoaffective disorder: a comparison with bipolar disorder,		Brugha TS	2236
schizophrenia and healthy controls		Schizophrenia, 3rd edition	
Amann B, Gomar JJ, Ortiz-Gil J, McKenna P, Sans-Sansa B,		MacCabe JH	2237
Sarró S, Moro N, Madre M, Landin-Romero R, Vieta E, Giokolea JM. Salvador R & Pomerol-Clotet E	2127	Corrigendum	2136





