(Contents continued from back cover)

(Comonis Communa from Cuen Cover)	
Effect of short-chain fructooligosaccharide-enriched energy-restricted diet on weight	
loss and serum haptoglobin concentration in Beagle dogs. R. Ricci, I. Jeusette, JM. Godeau, B. Contiero & M. Diez	S120-S123
The impact of home-prepared diets and home oral hygiene on oral health in cats and dogs.	G104 G105
C. Buckley, A. Colyer, M. Skrzywanek, K. Jodkowska, G. Kurski, J. Gawor & M. Ceregrzyn Effect of dietary water intake on urinary output, specific gravity and relative supersaturation for calcium oxalate	S124-S127
and struvite in the cat.	
C. M. F. Buckley, A. Hawthorne, A. Colyer & A. E. Stevenson	S128-S130
Unexpected depletion of plasma arachidonate and total protein in cats fed a low arachidonic acid diet due to peroxidation.	
A. Chamberlin, Y. Mitsuhashi, K. Bigley & J. E. Bauer	S131-S134
Maintenance energy requirement determination of cats after spaying. Y. Mitsuhashi, A. J. Chamberlin, K. E. Bigley & J. E. Bauer	S135-S138
Evaluation of breed effects on <i>n</i> -3 PUFA metabolism with dietary flaxseed oil supplementation	3133-3136
in dogs.	0120 0141
D. Purushothaman, W. Y. Brown, SB. Wu & B. Vanselow Factors that modify the effect of excess calcium on skeletal development in puppies.	S139-S141
B. Dobenecker	S142-S145
Identification of intra- and inter-individual metabolite variation in plasma metabolite profiles	
of cats and dogs. A. Colyer, M. S. Gilham, B. Kamlage, D. Rein & D. Allaway	S146-S149
Characteristics of ageing pets and their owners: dogs v. cats.	0150 0150
R. Heuberger & J. Wakshlag Haematology and plasma chemistry of the red top ice blue mbuna cichlid	S150-S153
(Metriaclima greshakei).	
D. L. Snellgrove & L. G. Alexander	S154-S157
Energy expenditure and water turnover in hunting dogs in winter conditions. Ø. Ahlstrøm, P. Redman & J. Speakman	S158-S161
Preliminary study: voluntary food intake in dogs during tryptophan supplementation.	
V. Fragua, G. González-Ortiz, C. Villaverde, M. Hervera, V. M. Mariotti, X. Manteca & M. D. Baucells	S162-S165
Physical activity level of adult cats with varied feeding frequency.	5102-5105
P. Deng, R. W. Grant & K. S. Swanson	S166-S169
Genetic differences in the serum proteome of horses, donkeys and mules are detectable by protein profiling.	
A. Henze, F. Aumer, A. Grabner, J. Raila & F. J. Schweigert	S170-S173
Nitrogen metabolism of four raw meat diets in domestic cats.	S174-S177
K. R. Kerr, A. N. Beloshapka, C. L. Morris & K. S. Swanson Voluntary ingestion of wood shavings by obese horses under dietary restriction.	31/4-31//
G. C. Curtis, C. F. Barfoot, A. H. A. Dugdale, P. A. Harris & C. McG. Argo	S178-S182
Faecal IgA concentration is influenced by age in dogs. L. Zaine, C. Ferreira, M. d. O. S. Gomes, M. Monti, L. Tortola, R. S. Vasconcellos	
& A. C. Carciofi	S183-S186
Old beagle dogs have lower faecal concentrations of some fermentation products and	
lower peripheral lymphocyte counts than young adult beagles. M. d. O. S. Gomes, M. C. Beraldo, T. C. Putarov, M. A. Brunetto, L. Zaine,	
M. B. A. Glória & A. C. Carciofi	S187-S190
Management of struvite uroliths in dogs. S. Calabrò, R. Tudisco, S. Bianchi, M. Grossi, A. De Bonis & M. Isabella Cutrignelli	S191-S193
The intravenous glucose tolerance and postprandial glucose tests may present different	5171-5175
responses in the evaluation of obese dogs.	
M. A. Brunetto, F. C. Sá, S. P. Nogueira, M. d. O. S. Gomes, A. G. Pinarel, J. T. Jeremias, F. J. A. de Paula & A. C. Carciofi	S194-S197
Effect of citrus polyphenol- and curcumin-supplemented diet on inflammatory state	
in obese cats. V. Leray, B. Freuchet, J. Le Bloc'h, I. Jeusette, C. Torre & P. Nguyen	S198-S201
Water content of faeces is higher in the afternoon than in the morning in morning-fed	5170 5201
dogs fed diets containing texturised vegetable protein from soya.	C202 C205
R. C. Hill, C. F. Burrows, G. W. Ellison, M. D. Finke, J. L. Huntington & J. E. Bauer Lipid profile and insulin sensitivity in rats fed with high-fat or high-fructose diets.	S202-S205
MQ. Zaman, V. Leray, J. Le Bloc'h, C. Thorin, K. Ouguerram & P. Nguyen	S206-S210
Influence of different levels and sources of resistant starch on faecal quality of dogs of various body sizes.	
R. Goudez, M. Weber, V. Biourge & P. Nguyen	S211-S215

British Journal of Nutrition

Directions to Contributors - Concise Version

(Revised August 2007)

The *British Journal of Nutrition* is an international peer-reviewed journal that publishes original papers, review articles, technical notes and short communications in English in all branches of nutritional science. **Prospective authors should note that they (or their institutions) now retain the copyright of their material published in the** *British Journal of Nutrition***. As a contributor you are asked to follow the guidelines set out below. For detailed information on the presentation of the technical content of your paper please see the full version of the Directions to Contributors**, which can be downloaded from the Nutrition Society website (http://www.nutritionsociety.org). Prospective authors may also contact the Publications Office directly on + 44 (0)20 7605 6555 (telephone), +44 20 7602 1756 (fax), or edoffice@nutsoc.org.uk (email).

Papers should be accompanied by a statement to the effect that the conditions laid down in the full Directions to Contributors are accepted. The statement should affirm that the submission represents original work that has not been published previously and which is not currently being considered by another journal. It should also confirm that each author has seen and approved the contents of the submitted paper. At the time of acceptance the authors should provide a completed copy of the 'Licence to Publish' (in lieu of copyright transfer). The Licence to Publish is available on the Nutrition Society website (http://www.nutrition society.org). All relevant financial interests should be declared.

Text. Papers should be submitted with 1.5 line spacing and margins of at least 2 cm on each side. Text should be printed without underlining, bold or italics (except for scientific names). Standard abbreviations (e.g. Fig. and Figs.) and SI units should be used. Typescripts can be submitted as Word, WordPerfect, EPS, Text, Postscript or RTF files. A Word processing format is required for production purposes once papers have been accepted. When substantial revisions are required to typescripts, authors are given the opportunity to do this once only, the need for any further changes should at most reflect any minor issues.

Title Page. The first page should include a concise, informative title together with the names and addresses of the authors. A contact name for correspondence should be given and telephone, fax and email addresses provided. Authors should supply three or four key words or phrases (each containing up to three words). A short title of up to 45 characters is required as a running head.

Abstract. Each paper should commence with an accurate and informative abstract, written as a single paragraph. It should be complete in itself and intelligible without reference to the text or figures, and should not exceed 250 words.

Tables. Tables should be reduced to the simplest form, and should not duplicate information in the text or figures. They should be typed on separate pages, one page for each Table, at the end of the article and carry headings describing their content.

Illustrations. The original illustrations should accompany the submitted typescript. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds. Half-tone photographs are acceptable where they clearly contribute to the text. All figures should be numbered and legends should be provided.

Note that authors will be charged 350 GBP for the publication of colour figures. Authors from countries entitled to free journal access through HINARI will be exempt from these charges.

References. References should be based on the numbered (Vancouver) system. When an article has more than ten authors, only the names of the first three should be given followed by *et al.*; give abbreviated journal titles and conform to the following styles:

Goel V, Cheema SK, Agellon LB, Ooraikul B & Basu TK (1999)
Dietary rhubabrb (*Rheum rhaponticum*) stalk fibre stimulates cholesterol 7α-hydroxylase gene expression and bile acid excretion in cholesterol-fed C57BL/6J mice. *Br J Nutr* **81**, 65–71

Jenkins DJ, Kendall CW, Marchie A, *et al.* (2003) The effect of combining plant sterols, soy protein, viscous fibres, and almonds in treating hypercholesterolemia. *Metabolism* **52**, 1478–1483

Brandtzaeg P (2003) Role of local immunity and breast-feeding in mucosal homoeostasis and defence against infections. In *Nutrition and Immune Function*, pp. 273–320 [PC Calder, CJ Field and HS Gill, editors]. Wallingford, Oxon: CAB International.

Stock M & Rothwell NJ (1982) *Obesity and Leanness: Basic Aspects*. London: John Libbey.

Citations should be numbered consecutively in the order in which they first appear in the text using superscript Arabic numerals in parentheses, e.g. 'The conceptual difficulty of this approach has recently been highlighted^(1,2-4). If a reference is cited more than once the same number should be used each time.

Referees. Authors are asked to submit the names of up to four scientists who would be well-qualified to review the paper; however, no more than one such reviewer will be used. The email addresses and institutions of the named reviewers should be given.

Proofs. PDF page proofs will be emailed to authors for checking, and should be returned within 3 days (by fax or Express mail) to the BJN Production Editor, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, UK; fax +44 1223 325802, email bjnproduction@cambridge.org

Typescripts. The *British Journal of Nutrition* operates an on-line submission and reviewing system (eJournalPress). Authors should submit to the following address: http://bjn.msubmit.net/ If any difficulties are encountered please contact the Publications Office (details above) immediately.

Professor Philip Calder Editor-in-Chief British Journal of Nutrition The Nutrition Society 10 Cambridge Court 210 Shepherds Bush Road London W6 7NJ UK

Tel: +44 (0)20 7605 6555 Fax: +44 20 7602 1756 Email: edoffice@nutsoc.org.uk

Volume 106 Supplement 1 October 2011



Contents

Oral Presentations	
Advances in comparative genetics: influence of genetics on obesity.	
W. F. Mathes, S. A. Kelly & D. Pomp	S1-S10
The effects of weight loss on adipokines and markers of inflammation in dogs.	
J. J. Wakshlag, A. M. Struble, C. B. Levine, J. J. Bushey, D. P. Laflamme & G. M. Long	S11–S14
Plasma oestrogen changes in adult male cats after orchiectomy, body-weight gain and low-dosage oestradiol	
administration.	
R. Backus	S15–S18
Effects of neutering on food intake, body weight and body composition in growing female kittens.	610 602
L. G. Alexander, C. Salt, G. Thomas & R. Butterwick	S19–S23
Challenges in developing nutrient guidelines for companion animals.	624 621
R. F. Butterwick, J. W. Erdman Jr, R. C. Hill, A. J. Lewis & C. T. Whittemore	S24–S31
Birth weight and postnatal growth of pure-bred kittens. K. Moik & E. Kienzle	S32-S34
Estimation of the dietary nutrient profile of free-roaming feral cats: possible implications for nutrition of	332-334
domestic cats.	
E. A. Plantinga, G. Bosch & W. H. Hendriks	S35-S48
Five-week dietary exposure to dry diets alters the faecal bacterial populations in the domestic cat	555 516
(Felis catus).	
E. N. Bermingham, S. Kittelmann, G. Henderson, W. Young, N. C. Roy & D. G. Thomas	S49-S52
Intake of minerals, trace elements and vitamins in bone and raw food rations in adult dogs.	
N. Dillitzer, N. Becker & E. Kienzle	S53-S56
Correlation of a feline muscle mass score with body composition determined by dual-energy X-ray	
absorptiometry.	
K. E. Michel, W. Anderson, C. Cupp & D. P. Laflamme	S57–S59
Cross-sectional study to investigate the association between vitamin D status and cutaneous mast cell	
tumours in Labrador retrievers.	
J. J. Wakshlag, K. M. Rassnick, E. K. Malone, A. M. Struble, P. Vachhani, D. L. Trump & L. Tian	S60-S63
Effects of two commercially available feline diets on glucose and insulin concentrations, insulin sensitivity	
and energetic efficiency of weight gain.	064 077
M. Coradini, J. S. Rand, J. M. Morton & J. M. Rawlings	S64–S77
Pet food safety: a shared concern.	S78-S84
R. L. Buchanan, R. C. Baker, A. J. Charlton, J. E. Riviere & R. Standaert	3/0-304
Poster Presentations	
Use of pedometers to measure the relationship of dog walking to body condition score in obese and	
non-obese dogs.	
B. S. Warren, J. J. Wakshlag, M. Maley, T. J. Farrell, A. M. Struble, M. R. Panasevich & M. T. Wells	S85-S89
A diet with a struvite relative supersaturation less than 1 is effective in dissolving struvite stones <i>in vivo</i> .	
D. M. Houston, H. E. Weese, M. D. Evason, V. Biourge & I. van Hoek	S90-S92
Low-maintenance energy requirements of obese dogs after weight loss.	
A. J. German, S. L. Holden, N. J. Mather, P. J. Morris & V. Biourge	S93-S96
Do feeding practices of obese dogs, before weight loss, affect the success of weight management?	
A. J. German, S. L. Holden, L. J. Gernon, P. J. Morris & V. Biourge	S97-S100
Postprandial glucose and insulin profiles following a glucose-loaded meal in cats and dogs.	
	S101–S104
The effect of dietary starch level on postprandial glucose and insulin concentrations in cats and dogs.	0105 0100
	S105–S109
Whole-body amino acid composition of adult fancy ranchu goldfish (<i>Carassius auratus</i>).	C110 C112
D. L. Snellgrove & L. G. Alexander A pilot study of the body weight of pure-bred client-owned adult cats.	S110–S112
E. Kienzle & K. Moik	S113–S115
Increased antioxidant capacity in the plasma of dogs after a single oral dosage of tocotrienols.	2117-0117
	S116–S119
7 - 1 - 1 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1	- ~/

(Contents continued facing inside back cover)

