

SUBJECT INDEX VOLUME 42, 2000

- Absolute activity, 227–239
Accelerator mass spectrometry (AMS), 127–35, 323–33
Accuracy, 9–16, 221–222
Activity (^{14}C), 227–239
Activity ratio, 227–239
Aerosol, 115–26, 285–94
Allerød, 335–48, 423–35
Alps (French), 423–35
Amino acid separation, 281–4
Antarctica, 51–74
Anthropogenic, 69–80, 81–98, 115–26, 235–48
Aquifer, 235–48
Atmospheric radiocarbon, 370–81, 383–401
Australia, 229–34, 295–308
Austria, 183–198, 285–94
- Baltic Sea, 323–33
Basketry, 309–313
Bayesian statistics, 181, 183–98, 199–202
Bellows Dun (Hawaii), 203–17
Benzene, 295–303
Beta counting, 137–50, 281–4
Biomass, 115–26
Biostratigraphic analysis, 301–10
Black Sea, 271–80
Bølling Warm Episode, 137–50
Bones, 257–69
Borehole, 235–48
- Calibration, 23–39, 99–114, 137–50, 313–22, 323–33, 335–48, 349–53, 355–68, 383–401, 415–22, 423–35, 437–52
Carbon cycle, 81–98
Cariaco basin, 335–48, 415–22
Chronometric scale, 1–21
Clovis culture, 301–10
Collagen, 281–4
Comparison, 313–22
Corals, 249–56, 383–401
Cosmogenic isotopes, 41–8
- Data base, 41–8
Decadal time scale, 137–50
Dendrochronology, 137–50, 335–68
- EDTA treatment, 49–52
- Foraminifera, 415–22, 437–52
Fossil, 115–26
- German pine calibration curve, 335–48
Germany, 349–53, 355–68
Greenhouse gases, 69–80
Groundwater, 99–114
- Hawaii, 203–17
Heinrich Event, 437–52
Holocene, 229–34, 423–35
Hydrogeology, 99–114
- Iceland Sea, 423–35, 437–52
Ireland, 235–48
Israel, 415–22
- Japan, 370–81
- Kra, Renee, v–xx(1)
- Lake Gościąg (Poland), 335–48
Lake Holzmaar (Germany), 349–53, 355–68
Lake Lisan (Glacial Dead Sea), 415–22
Lake Meerfelder Maar (Germany), 355–68
Lake Perespilno (Poland), 335–48
Lake Soppensee (Switzerland), 349–53
Lake Suigetsu (Japan), 335–48, 370–81, 415–22
Laschamp, 415–22, 437–52
Lisan aragonite, 415–22
- Macrofossils (terrestrial), 335–348
Mammoths, 257–69, 281–4
Maya, 1–21
Mediterranean Sea, 271–80
Mexico, 301–10
Mono Lake, 437–52
- New World, 1–21, 257–69
- Ocean circulation, 81–98, 249–56, 383–401
Old World, 23–39
- Pacific Ocean, 249–56
Paleomagnetic field, 437–52
Particulate carbon (black), 115–26
Phenolic compounds, 219–27
Planktonic reservoir age, 437–52
Pleistocene, 281–4
Poland, 335–48
Preparative capillary gas chromatography (PCGC), 219–27
- Radiative balance, 69–80, 115–26
Radiocarbon method (history), 127–35, 173–8
Radiocarbon time scale, 137–50, 383–401
Radiometric dating, 257–69
Radionuclides, 151–72
Red Sea, 271–80
Reservoir ages, 271–80
River Ångermanälven (northern Sweden), 323–33

- Sample selection, 203–17
Scandinavian ice sheet, 323–33
Scintillator solution, 295–303
Sediment, 323–33, 335–68, 415–22, 437–52
Shells, 229–34, 271–80
Snail, 229–34
Solar cosmic rays, 151–72
Sonnblick (Austria), 285–94
Spectrum, 295–303
Speleothems, 335–48, 403–14
Stratigraphy, 229–34
Subboreal, 423–35
Sweden, 323–33
Swedish Time Scale, 323–33
Switzerland, 349–53
- Tephra, 301–10
Terrestrial biosphere, 69–80
Thermohaline, 137–50
Time measurement, 257–69
Total dissolved inorganic carbon (TDIC), 235–48
Tufa, 415–22
- U-series dating, 383–401, 403–14, 415–22
- Varangerfjord, 49–52
Varve, 323–33, 335–48, 349–53, 355–68, 370–81,
403–14