
- 9 Cowen PJ. Panorama: secrets of seroxat. BMJ 2002; 325: 910.
- 10 Anon. Eli Lilly: correction and apology. BMJ 2005; 330: 211.
- 11 Britten N, Riley R, Morgan M. Resisting psychotropic medicines: a synthesis of qualitative studies of medicine-taking. Adv Psychiatr Treat 2010; 16: 207–18.
- 12 Tyrer P, Kendall T. The spurious advance of antipsychotic drug therapy. *Lancet* 2009; 373: 4–5.
- 13 Gerlach J. Life is not so easy: individualisation in clinical psychopharmacology. *Psychopharmacology* 2002; **162**: 1–2.
- 14 Goodwin GM, Geddes JR. What is the heartland of psychiatry? Br J Psychiatry 2007: 191: 189–91.
- 15 The BALANCE Investigators and Collaborators. Lithium plus valproate combination therapy versus monotherapy for relapse prevention in bipolar 1 disorder (BALANCE): a randomised open label trial. *Lancet* 2010; 375: 385–95.
- 16 Harmer CJ, Goodwin GM, Cowen PJ. Why do antidepressants take so long to work? A cognitive neuropsychological model of antidepressant drug action. Br J Psychiatry 2009; 195: 102–8.
- 17 Elliott R, Zahn R, Deakin JFW, Anderson IM. Affective cognition and its disruption in mood disorders. *Neuropsychopharmacology* 2011; 36: 153–82

## psychiatry in pictures

## Shrink-wrapped asylum

Jeff Clarke



The imposing façade of Bootham Park Hospital in York, shrouded behind builder's plastic during repairs to the roof (above), and (below) as it more usually appears. Bootham Park is the oldest purpose-built psychiatric hospital in England which is still used for its original purpose, providing 21st-century services in an 18th-century building.

Although the times and terminology (right) may have changed – until 1904 the building was called the York Lunatic Asylum – the need for skilled and compassionate care and treatment for people with mental illness remains the same.

BUILDING WAS ERECTED

SU

GENERAL SUBSCRIPTION

IN THE YEAR

1774.

FOR THE RECEPTION AND RELIEF

OF THE C.

Jeff Clarke is a consultant Old Age Psychiatrist in Selby and York, North Yorkshire, UK.



The British Journal of Psychiatry (2011) 198, 335. doi: 10.1192/bjp.198.5.335