PRELIMINARY STUDY OF THE STELLAR POPULATIONS AND DENSITY PROFILE OF NGC 6624 USING HST

PURAGRA GUHATHAKURTA

Univ. of California, Lick Obs., Santa Cruz, CA 95064, USA

BRIAN YANNY

Fermi National Accelerator Lab., Batavia, IL 60510, USA

JOHN N. BAHCALL

Inst. for Advanced Study, Princeton, NJ 08540, USA

AND

DONALD P. SCHNEIDER.

Dept. of Astronomy & Astrophysics, Pennsylvania State Univ., University Park, PA 16802, USA

We present preliminary results from an ongoing study of the central 5 arcmin² of NGC 6624 based on short F336W, F439W, and F555W (UBV) Hubble Space Telescope WFPC2 exposures (Yanny et al. 1996). NGC 6624 is a dense, metal rich, post core collapse globular cluster at a distance of 8.1 kpc. Nearly 5000 stars with $V \leq 21$ (1.5 mag below the turnoff) are detected within the $34'' \times 34''$ area of the PC1 CCD which imaged the cluster center. Individual stars brighter than V=20 are easily identifiable in the central image section shown in Fig. 1. Image simulations and similar data on the denser cluster M15 indicate that the effects of incompleteness and photometric error are negligible on the V < 19.5 sample of stars in NGC 6624. The stellar surface density profile derived from such a sample is well approximated by a power law of index $\alpha = -0.85$ (Fig. 2). The density profile shows no hint of flattening towards smaller radii in the radial range over which it is reliably measured ($r \gtrsim 0$ "3). A B vs. U-V color-magnitude diagram of the r < 15'' region (Fig. 3) shows a well defined blue straggler sequence. Our preliminary findings are consistent with an earlier study of this cluster by Sosin and King (1995) using pre-repair FOC images.

References

Sosin, C. and King, I.R. (1995) A. J. 109, 639.




Figure 1. A 2".5×2".5 section of a U band HST WFPC2 exposure of NGC 6624, centered on the X-ray source 4U 1820-30 (marked by line segments). The cluster centroid lies about 0".5 south of this object. Individual stars are easily resolved in this 0".1-resolution image. The number density of stars is high enough to permit reliable determination of the density distribution on subarcsecond scales.

Figure 2. The projected density profile of V < 19.5 stars in NGC 6624. The solid line shows an $\alpha = -0.85$ power law and it is a good fit to the data. The data do not require a finite core; the 99% upper limit on the core radius is about 2" (0.08 pc).

Figure 3. A (B, U-V) color-magnitude diagram of over 4500 stars within r < 15'' of NGC 6624's center. The sample is complete down to $B \sim 21.5$ which is about 1.5 mag below the main sequence turnoff. Note the clear sequence of blue stragglers in the region 18 < B < 19.75 and 0.4 < U-V < 0.9. The bold box near the left edge of the plot marks the X-ray bright object 4U 1820-30.

Yanny, B., Guhathakurta, P., Schneider, D.P. and Bahcall, J.N. (1996) A. J. in prep.