PROCEEDINGS

OF THE

EDINBURGH MATHEMATICAL SOCIETY.

VOLUME XXII.

SESSION 1903-1904.

Reprinted with permission of Edinburgh Mathematical Society by KRAUS REPRINT LTD Vaduz

PROCEEDINGS

OF THE

EDINBURGH MATHEMATICAL SOCIETY.

VOLUME XXII.

SESSION 1903-1904.

Reprinted with permission of Edinburgh Mathematical Society by KRAUS REPRINT LTD Vaduz

Printed in Germany

INDEX.

		
BUTTERS, JOHN W.		PAGE
On the Use of Symmetry in Geometry,	-	54
Collignon, Edouard.		
Remarques sur l'intégration des fonctions		
$a^n \cos a da, a^n \sin a da,$	-	2
DAVIS, R. F.		
On the quadrilateral circuminscribed to two circles,	-	13
Gibson, Professor.		
Note on M. Collignon's Paper on the Integration of		
a*cosa da and a* sina da,	-	11
Note on the Treatment of Tangents in recent To	ext-	
books of Elementary Geometry,	-	64
HOLM, ALBXANDER.		
Some Points in Diophantine Analysis,	-	40
Jackson, F. H.		
On some Algebraic Identities [Title],	-	12
On a form of Maclaurin's Theorem [Title], -	•	12
A Basic-sine and cosine with symbolical solutions	of	
certain differential equations,		28
Note on a Theorem of Lommel,	-	80
Maclagan-Wedderburn, J. H.		
Note on the Linear Matrix Equation,	-	49

1 Vol. 22

MUIRHEAD, R. F.
On the Use of the term Power in Geometry, and on the
treatment of the "doubtful sign," -
Solution of a Geometrical Problem,
Minimum Deviation through a Prism, etc.,
Office-Bearers,
PICKEN, D. K.
On the Fractional Infinite Series for
cosecx, secx, cotx, and tanx,
Note on the method of finding the particular integral of
the differential Equation $f(D)y = \sum_{1}^{n} a_{r}x^{r}$,
Pinkerton, Peter.
Note on Mr Tweedie's Theorem in Geometry (page 22),
The Turning Values of a Cubic Function and the nature of the roots of a Cubic Equation,
Note on the Problem: To draw through a given point a transversal to (a) a given triangle (b) a given quadrilateral so that the intercepted segments may have (a) a given ratio (b) a given cross ratio [Title]
Thomson, W. L.
Note on a Theorem in Double Series [Title],
Tweedie, Charles.
Inequality Theorem regarding the lines joining corres-
ponding vertices of two equilateral, or directly
similar, triangles,
Note on Newton's Theorem of Symmetric Functions.