The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

AUDIOLOGY CLINIC IN NON-TEACHING HOSPITAL IN	GAVIN LIVINGSTONE
SUBURBAN AREA	H. M. PARSONS
POSITIONAL NYSTAGMUS OF THE SO-CALLED "BENIGN	
PAROXYSMAL TYPE" AND THE CHORDA	
Tympani Nerve	A. C. ARULPRAGASAM
Non Chromaffin Paraganglioma of the Ear with a	
REPORT OF SIX CASES WITH ABNORMAL	
FEATURES	M. Hashem
BILATERAL RECURRENT LARYNGEAL NERVE PARALYSIS	
Associated with Upper Respiratory Infec-	
TION	
THE TREATMENT OF CARCINOMA OF THE EPIGLOTTIS BY	
IRRADIATION	W. Duncan and J. E. Dalby
CLINICAL RECORDS—	
A Case of Chronic Pharyngo-Laryngeal	
ŒDEMA, ASSOCIATED WITH A DEPOSIT OF	
BIREFRINGENT CRYSTALS IN THE TISSUES,	
PROBABLY DUE TO AN UNKNOWN INDUSTRIAL	
HAZARD	G. J. RICE
TONSILLECTOMY AND FENESTRATION OF THE OVAL	
WINDOW IN HÆMOPHILIC PATIENTS	A. Coyas,
	T. MANDALAKI and H. TSEVRENIS
RETROPHARYNGEAL CELLULITIS FOLLOWING A	II. ISEVRENIS
Wound of the Pharynx	J. ADAMS and
WOORD OF THE PHARMA	A. W. DAVIES
PERFORATION OF THE NASAL SEPTUM IN A SEVERE	
Diabetic	JOHN HALL-JONES
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

Annual Subscription f.4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

t. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s, od. each; copies of parts up to Vol.

LXIII which are available may be purchased at 7s. 6d. each.
10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to Stechert-Hafner, Inc., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

D Journal of Laryngology and Otology, 1062

First clinical audiometer to provide 100% accurate audiograms



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and all the other tests essential to proved pure tone audiometry.

AMPLIVOX LTD

Medical Acoustic Division 80 New Bond St, London W.1. Tel: HYDe Park 9888



SEND FOR THIS DESCRIPTIVE BROCHURE

Containing full information on the latest audiometric techniques in air and bone conduction,

'PETERS' NEW CLINIC AUDIOMETER

FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES:

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to I db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd. 152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd.

VICTORIA WORKS, GELL STREET, SHEFFIELD 3

* For the widest possible choice of hearing aids at lowest prices RELY ON SHIPTON'S

Shipton's are independent suppliers of a superb range of hearing aids which are selected from the finest available in the world. Your patients can compare the various makes and receive a genuinely impartial, thoroughly competent service.

At Shipton's, <u>all</u> aids are carefully selected to meet with Specialists' findings and are carefully fitted to individual requirements. Prices are generally below those of competitive instruments.

Domiciliary visits throughout the country are part of the Shipton Service for those of your patients outside London.

E. SHIPTON & CO.


(Hearing Aids) LTD.

4 Dering Street (off Oxford Street, near New Bond Street), LONDON, W.1

Telephone: HYDe Park 1221

YOU GAN RELY ON SHIPTON'S SERVICE

THE MODERN WAY WITH EAR WAX



The results that have been obtained in hospitals and general practices throughout the country confirm that Cerumol is safe and reliable and is the modern way of dealing with ear wax. It avoids discomfort to the patient, inconvenience to the doctor and saves time for everyone. Indeed, in most cases patients can easily instil the drops themselves. The loosened wax then runs out of its own accord and further visits to the surgery are unnecessary.





Active constituents per 100 ml: p-dichlorobenzene B.P.C. 2 G., Benzocaine B.P. 2.7 G., Chlorbutol B.P. 5 G., Ol. Terebinth 10 ml.

Pack for surgery use—dropper vial. Basic N.H.S. cost 2/8. Hospital Pack—2 oz. bottles. Literature will be gladly supplied on request.

LABORATORIES FOR APPLIED BIOLOGY LTD.
91 AMHURST PARK, LONDON, N.16. Telephone: STAmford 2252/3



NO COST OR OBLIGATION!



Conduct the tests yourself or let us make them for you—RIGHT IN YOUR OFFICE!

Now . . . to acquaint you with the latest Zenith development in audiometers, we'll deliver the new Zenith ZA-100T to your office for your professional appraisal. Completely portable, fully transistorized and battery powered, the Zenith ZA-100T can be carried anywhere with ease . . . used anywhere for actual diagnostic testing of hearing loss.

Zenith ZA-100T offers top output accuracy; improved complex masking. Neat carrying case and handle. No tubes to replace. Batteries last up to 120 hours.

See for yourself, or let us show you how the ZA-100T performs these important clinical tests:


- 1. Pure tone air in either headphone
- 2. Pure tone air in either headphone with masking in the opposite headphone
- 3. Pure tone bone
- 4. Pure tone bone with masking in headphone
- 5. Audiometer Weber test
- 6. Audiometer Rinné test

CALL OR WRITE Mr. Adam R. Ramsey. Phone: GROsvenor 4901-3 • 13-14 Queen St., Mayfair, London, W. 1

,	-SEND LITERATURE
Mr. Adam R. Ramsey, Zenith Head	ring Aid Centre, 13-14 Queen St., Mayfair, London, W. 1 Please mail additional information on the New Zenith Portable Diagnostic Audiometer.
	NAME
"LIVING SOUND"	ADDRESS
TIEARING AIDS	CITY DISTRICT

AND NOW

in sinus infections, head-colds, ear-aches, catarrhal congestion presenting with pain



TRIOGESIC

FOR DECONGESTION WITH ANALGESIA

FORMULA PER TABLET
'Triominie'....25 mg. P.1
Paracetamol....500 mg.
per 4 ml. Suspension:
'Triominie'....12.5 mg. P.1
Paracetamol....250 mg.
'Triominie'....12.5 mg. P.1
Paracetamol....250 mg.
'Triominie' contains
50% phenylpropanolamine—HCl,
25% mepyramine maleate and
25% pheniramine maleate.
DOSAGE
Adults:
1 Tablet every
three to four hours.
Children:
1 teaspoonful every
three to four hours.
PACKS & BASIC N.H.S. PRICES
30 Tablets 3/6+P.T.
4 fl. oz. Suspension 3/6+P.T.

'Triogesic' gives prompt symptomatic relief by associating the established decongestant with antihistaminic actions of 'Triominic' with the reliable and safe analgesic action of paracetamol.


'Triogesic' is available both as scored tablets and in flavoured suspension.



A. WANDER LTD., 42 Upper Grosvenor St., London W.1.

Please mention The Journal of Laryngology and Otology when replying to advertisements

M426



And the reply was $\mu\alpha\rho\nu\delta\iota\alpha$ which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes—the largest selection in the country—for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.



Domiciliary visits in any part of the country

CONTENTS

	PAGE
THE OTOLOGIST AND THE DEAF COMMUNITY. Gavin Livingstone	.6.
(Oxford)	469
Audiology Clinic in Non-Teaching Hospital in Suburban Area.	
H. M. Parsons (London)	488
Positional Nystagmus of the so-called "Benign Paroxysmal	
Type" and the Chorda Tympani Nerve, A. C. Arulpragasam	
(Jaffna, Ceylon)	490
Non Chromaffin Paraganglioma of the Ear with a Report of	
SIX CASES WITH ABNORMAL FEATURES. Lewis Labib Samy	
and M. Hashem (Cairo)	499
BILATERAL RECURRENT LARYNGEAL NERVE PARALYSIS ASSOCIATED	
WITH UPPER RESPIRATORY INFECTION. Malcolm D. Graham	
(Iowa City)	535
THE TREATMENT OF CARCINOMA OF THE EPIGLOTTIS BY IRRADIATION.	000
W. Duncan and J. E. Dalby (Manchester)	539
CLINICAL RECORDS—	00-
A Case of Chronic Pharyngo-Laryngeal Œdema, Associated	
WITH A DEPOSIT OF BIREFRINGENT CRYSTALS IN THE TISSUES,	
Probably due to an Unknown Industrial Hazard.	
G. J. Rice (Birmingham)	549
TONSILLÉCTOMY AND FENESTRATION OF THE OVAL WINDOW IN	
Нæморніlic Patients. A. Coyas, T. Mandalaki and H.	
Tsevrenis (Athens, Greece)	554
RETROPHARYNGEAL CELLULITIS FOLLOWING A WOUND OF THE	
Pharynx. J. Adams and A. W. Davies (Exeter)	559
Perforation of the Nasal Septum in a Severe Diabetic.	
John Hall-Jones (New Zealand)	563
GENERAL NOTES	568

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor:

GEORGE E. SHAMBAUGH, JR. 40 South Clay Street, Hinsdale, Ill.

The Archives of Otolaryngology is published monthly by the American Medical Association and is an official publication of the Association.

The yearly rate of the Archives of Otolaryngology is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.