

CAMBRIDGE

JOURNALS

BJN

BRITISH JOURNAL OF NUTRITION

Editor-in-Chief

G C Burdge, *University of Southampton, UK*



British Journal of Nutrition is a leading international peer-reviewed journal covering research on human and clinical nutrition, animal nutrition and basic science as applied to nutrition. The journal recognises the multi-disciplinary nature of nutritional science and includes material from all of the specialities involved in nutrition research, including molecular and cell biology, and the emerging area of nutritional genomics.

journals.cambridge.org/bjn

Submit your article online
bjn.msubmit.net

Register for free content alerts
journals.cambridge.org/bjn-alerts



Impact Factor
3.302

Ranked **18/76**
Nutrition and Dietics

2012 Journal Citation Reports®
Thomson Reuters

To subscribe contact
Customer Services

Cambridge:
Phone +44 (0)1223 326070
Fax +44 (0)1223 325150
journals@cambridge.org

New York:
Phone +1 (845) 353 7500
Fax +1 (845) 353 4141
subscriptions_newyork@cambridge.org



Go Mobile

CJO Mobile (CJOm) is a streamlined
Cambridge Journals Online (CJO)
for smartphones and other
small mobile devices



- Use CJOm to access all journal content including *FirstView* articles which are published online ahead of print
- Access quickly and easily thanks to simplified design and low resolution images
- Register for content alerts or save searches and articles – they will be available on both CJO and CJOm
- Your device will be detected and automatically directed to CJOm via: journals.cambridge.org



CAMBRIDGE
UNIVERSITY PRESS

THE JOURNAL OF AGRICULTURAL SCIENCE

OBITUARY – PROFESSOR STEPHEN BISHOP	957
<i>NITROGEN WORKSHOP SPECIAL ISSUE PAPER</i>	
• Modelling the interplay between nitrogen cycling processes and mitigation options in farming catchments P. DURAND, P. MOREAU, J. SALMON-MONVIOLA, L. RUIZ, F. VERTES and C. GASCUEL-ODOUX	959
<i>CROPS AND SOILS RESEARCH PAPERS</i>	
• Iron and zinc concentrations in peanut (<i>Arachis hypogaea</i> L.) seeds and their relationship with other nutritional and yield parameters PASUPULETI JANILA, S. N. NIGAM, R. ABHISHEK, V. ANIL KUMAR, S. S. MANOHAR and R. VENUPRASAD	975
• Longer defoliation interval ensures expression of the 'high sugar' trait in perennial ryegrass cultivars in cool temperate Tasmania, Australia L. R. TURNER, D. J. DONAGHY, K. G. PEMBLETON and R. P. RAWNSLEY	995
• Morpho-phenological diversity among Tunisian natural populations of <i>Brachypodium hybridum</i> M. NEJI, F. GEUNA, W. TAAMALLI, Y. IBRAHIM, M. SMIDA, M. BADRI, C. ABDELLY and M. GANDOUR	1006
• Multi-phase variety trials using both composite and individual replicate samples: a model-based design approach A. B. SMITH, D. G. BUTLER, C. R. CAVANAGH and B. R. CULLIS	1017
• Genotype differences in photosynthetic characteristics and nitrogen efficiency of new-type oilseed rape responding to low nitrogen stress G. L. WANG, G. D. DING, F. S. XU, H. M. CAI, J. ZOU and X. S. YE	1030
• Distribution and analysis of the mechanisms of resistance of barnyardgrass (<i>Echinochloa crus-galli</i>) to imidazolinone and quinclorac herbicides F. O. MATZENBACHER, E. D. BORTOLY, A. KALSING and A. MEROTTO Jr	1044
• Yield stability of soybean cultivars in response to sowing date in the lower latitude Brazilian Savannah Highlands C. R. SPEHAR, E. R. FRANCISCO and E. A. PEREIRA	1059
• Hotspots and gaps in the world collection of subterranean clover (<i>Trifolium subterraneum</i> L.) K. GHAMKHAR, P. G. H. NICHOLS, W. ERSKINE, R. SNOWBALL, M. MURILLO, R. APPELS and M. H. RYAN	1069
• Effectiveness and persistence of arbuscular mycorrhizal fungi on the physiology, nutrient uptake and yield of Crimson seedless grapevine E. NICOLÁS, J. F. MAESTRE-VALERO, J. J. ALARCÓN, F. PEDRERO, J. VICENTE-SÁNCHEZ, A. BERNABÉ, J. GÓMEZ-MONTIEL, J. A. HERNÁNDEZ and F. FERNÁNDEZ	1084
<i>ANIMAL RESEARCH PAPERS</i>	
• Comparison of fermentation characteristics and bacterial diversity in the rumen of sheep and in batch cultures of rumen microorganisms I. MATEOS, M. J. RANILLA, C. SARO and M. D. CARRO	1097
• Replacing starch with fat in the diet is more effective at enhancing overall performance in finisher than grower pigs G. BROOKE, A. C. EDWARDS, J. R. PLUSKE, G. S. HOWARTH, R. G. CAMPBELL and F. R. DUNSHEA	1107
• Feeding increasing concentrate to Tifton 85 hay ratios modulated rumen fermentation and microbiota in Nellore feedlot steers C. S. RIBEIRO, Y. T. GRANJA-SALCEDO, J. D. MESSANA, A. J. NETO, R. C. CANESIN, G. FIORENTINI, M. F. F. ALARCON and T. T. BERCHIELLI	1116
• Effect of breed and pasture type on methane emissions from weaned lambs offered fresh forage M. D. FRASER, H. R. FLEMING, V. J. THEOBALD and J. M. MOORBY	1128
• Apparent digestibility, rumen fermentation and nitrogen balance in Tibetan and fine-wool sheep offered forage-concentrate diets differing in nitrogen concentration J. W. ZHOU, J. D. MI, A. A. DEGEN, X. S. GUO, H. C. WANG, L. M. DING, Q. QIU and R. J. LONG	1135
FORTHCOMING EVENTS	1146

Submit your paper online

<http://mc.manuscriptcentral.com/jagricsci>

Register to receive the latest news and content from the journal

<http://journals.cambridge.org/ags-alerts>

Cambridge Journals Online

For further information about this journal

please go to the journal web site at:

journals.cambridge.org/ags



MIX
Paper from
responsible sources
FSC® C007785

CAMBRIDGE
UNIVERSITY PRESS