CAMBRIDGE

JOURNALS

Psychological Medicine Online Submissions

From 8th February 2011, the journal will be accepting submissions via a newly launched dedicated online system, managed by the same editorial teams in the US and UK.

http://www.editorialmanager.com/psm/


Psychological Medicine is a leading international journal in the fields of psychiatry, clinical psychology and the related basic sciences. There are twelve issues a year, each featuring original articles reporting key research being undertaken worldwide, together with literature reviews and shorter editorials by distinguished scholars.

Contributors to Psychological Medicine benefit from:

- Impact Factor increase to 5.012*
- Ranked 4/93 in Clinical Psychology, 6/71 in Psychology and 13/117 in Psychiatry*
- Papers are published online under *FirstView* before they are assigned to an issue, allowing for research to be disseminated faster
- Global dissemination of your paper
- State-of-the-art online hosting, including forward reference linking and extensive content alert options
- Permanent digital object identifier (doi) record maintained by CrossRef
- Liberal copyright transfer policies, compliant with the requirements of all major funding bodies

Submit your manuscript now at: http://www.editorialmanager.com/psm/

*2009 Journal Citation Reports ®



Psychological Medicine is available online at: http://journals.cambridge.org/psm

To subscribe contact Customer Services

in Cambridge: Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York:

Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org

Price information is available at: http://journals.cambridge.org/psm



CAMBRIDGE

JOURNALS

Behavioural and Cognitive Psychotherapy

Editor

Paul M Salkovskis, Institute of Psychiatry, London, UK

Behavioural and Cognitive Psychotherapy is an international multi-disciplinary journal aimed primarily at members of the helping and teaching professions. The journal features original research papers, covering both experimental and clinical work, that contribute to the theory, practice and evolution of cognitive and behaviour therapy. Under the guidance of an international editorial team, *Behavioural and Cognitive Psychotherapy* aims to reflect and influence the continuing changes in the concepts, methodology and techniques of behavioural and cognitive psychotherapy. A particular feature of the journal is its broad-ranging scope - both in terms of topics and types of study covered.

Price information

is available at: http://journals.cambridge.org/bcp

Free email alerts

Keep up-to-date with new material – sign up at http://journals.cambridge.org/alerts

> For free online content visit: http://journals.cambridge.org/bcp



Behavioural and Cognitive Psychotherapy is available online at: http://journals.cambridge.org/bcp

To subscribe contact Customer Services

in Cambridge: Phone +44 (0)1223 326070 Fax +44 (0)1223 325150 Email journals@cambridge.org

in New York: Phone +1 (845) 353 7500 Fax +1 (845) 353 4141 Email subscriptions_newyork@cambridge.org



INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: Altman DG, Gore SM, Gardner MJ & Pocock SJ (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179.
Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In Olfaction and the Brain (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/ Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour mode:** CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLE A meta-analysis of the risk for psychotic disorders among first- and second-generation immigrants Bourque F, van der Ven E & Malla A	897	The association of personality disorders with the prospective 7-year course of anxiety disorders Ansell EB, Pinto A, Edelen MO, Markowitz JC, Sanislow CA, Yen S, Zanarini M, Skodol AE, Shea MT, Morey LC, Gunderson LG, McGlashan TH & Grilo CM	1019
ORIGINAL ARTICLES Social world interactions: how company connects to paranoia		Associations between diurnal preference, sleep quality and externalizing behaviours: a behavioural genetic analysis Barclay NL, Eley TC, Maughan B, Rowe R & Gregory AM	1029
Collip D, Oorschot M, Thewissen V, Van Os J, Bentall R & Myin-Germeys I Concomitants of paranoia in the general population Freeman D, McManus S, Brugha T, Meltzer H, Jenkins R & Bebbington P	911 923	Borderline personality disorder co-morbidity: relationship to the internalizing–externalizing structure of common mental disorders Eaton NR, Krueger RF, Keyes KM, Skodol AE, Markon KE, Grant BF & Hasin DS	1041
Face emotion recognition is related to individual differences in psychosis-proneness Germine LT & Hooker Cl	937	Relationship of monoamine oxidase A binding to adaptive and maladaptive personality traits Soliman A, Bagby RM, Wilson AA, Miler L, Clark M, Rusjan P, Sacher J, Houle S & Meyer JH	1051
Administrative incidence of psychosis assessed in an early intervention service in England: first epidemiological evidence from a diverse, rural and urban setting Cheng F, Kirkbride JB, Lennox BR, Perez J, Masson K, Lawrence K, Hill K, Feeley L, Painter M, Murray GK, Gallagher O, Bullmore ET & Jones PB	949	Five-year outcome of cognitive behavioral therapy and exposure with response prevention for bulimia nervosa McIntosh VVW, Carter FA, Bulik CM, Frampton CMA & Joyce PR The role of mental disorders in the risk and speed of	1061
Electrophysiological and diffusion tensor imaging evidence of delayed corollary discharges in patients with schizophrenia Whitford TJ, Mathalon DH, Shenton ME, Roach BJ, Bammer R, Adcock RA, Bouix S, Kubicki M, De Siebenthal J, Rausch AC,		transition to alcohol use disorders among community youth Behrendt S, Beesdo-Baum K, Zimmermann P, Höfler M, Perkonigg A, Bühringer G, Lieb R & Wittchen H-U Impact of impairment in instrumental activities of daily living	1073
Relationship between cognitive functioning and 6-month clinical and functional outcome in patients with first manic episode bipolar I disorder	959	and mild cognitive impairment on time to incident dementia: results of the Leipzig Longitudinal Study of the Aged Luck T, Luppa M, Angermeyer MC, Villringer A, König H-H & Riedel-Heller SG	1087
Torres IJ, DeFreitas CM, DeFreitas VG, Bond DJ, Kunz M, Honer WG, Lam RW & Yatham LN	971	The pathway from glandular fever to chronic fatigue syndrome: can the cognitive behavioural model provide the map?	
Contrasting patterns of deficits in visuospatial memory and executive function in patients with major depression		Moss-Morris R, Spence MJ & Hou R	1099
with and without ECT referral Tsaltas E, Kalogerakou S, Papakosta V-M, Kontis D, Theochari E, Koutroumpi M, Anyfandi E, Michopoulos I, Poulopoulou C, Papadimitriou G & Oulis P	983	BOOK REVIEW Next Generation Antidepressants. Moving Beyond Monoamines to Discover Novel Treatment Strategies for Mood Disorders	1109
Epigenetic and inflammatory marker profiles associated with depression in a community-based epidemiologic sample Uddin M, Koenen KC, Aiello AE, Wildman DE, de los Santos R & Galea S	997	Walsh ND Correspondence	1113
Attenuated responses to emotional expressions in women with generalized anxiety disorder	1000		

Palm ME, Elliott R, McKie S, Deakin JFW & Anderson IM 1009

Cambridge Journals Online For further information about this jour please go to the journal web site at: journals.cambridge.org/psm



Mixed Sources Product group from well-managed forests and other controlled sources www.fsc.org Cert no. SA-COC-1527 © 1996 Forest Stewardship Council

