Index of Subjects

Abattoirs, a minimal apparatus method for counting bacteria: comparison with reference method in surveying beef carcasses at three commercial, 459

(Acanthamoeba palestinensis), interaction of L. pneumophila and a free living amoeba, 167

Actinomycetes, exposure of water consumers to mesophilic, 535

Aerosols, the generation of, by accidents which may occur during plant-scale production of micro-organisms, 81

Air, microbial investigation of the, in an apartment building, 277

Alpha-chlorhydrin, efficacy of, in sewer rat control, 359

Amoeba, interaction of L. pneumophila and a free living, (Acanthamoeba palestinensis), 167

Antimicrobial agents, resistance of Escherichia coli in faeces and the use of, in the treatment of hospital patients, 491

Antineuraminidase antibodies, the importance of, in resistance to influenza A and immunologic memory for their synthesis, 131

Beef, studies on the growth and survival of Staphylococcus aureus in corned, 467

Beef carcasses, a minimal apparatus method for counting bacteria: comparison with reference method in surveying, at three commercial abattoirs, 459

BHV 1, epidemiology of, virus infections in dairy herds, 309

Campylobacter, milk-borne, enteritis in a rural area, 227

Campylobacters, a comparison of procedures for the isolation of, from seagull faeces, 445

Campylobacter jejuni as a bacterial cause of diarrhoea in Ile-Ife, Nigeria, 77

Campylobacter jejuni, the isolation of, from flies, 223

Calves, Salmonella saint-paul infection in, 259

Calves, the excretion of Salmonella typhimurium in the faeces of, fed milk substitute, 33

Cephalosporin, a, active in vitro against Nocardia: efficacy of cefotaxime in murine model of acute pulmonary nocardiosis, 421

Chlorhexidine diacetate, the sterilizing capacity of propylene oxide and, solutions upon pre-injection swabs saturated with propan-2-ol, 287

Cholera, epidemiological features of an outbreak of gastroenteritis/, in Katsina, Northern Nigeria, 101

Dairy herds, epidemiology of BHV 1 virus infections in, 309

Dairy herds, Salmonella saint-paul infection in two, 243

Dermatology, gentamicin-resistant staphylococci: genetics of an outbreak in a, department, 7 Diarrhoea, Campylobacter jejuni as a bacterial cause of, in Ile-Ife, Nigeria, 77

Drug inhibition method, evaluation and use of the, of measuring intracellular killing in differentiating between staphylococci grown in vivo and in vitro, 211

Enteropathogen carriage by healthy individuals living in an area with poor sanitation, 499 Enterotoxin production, phage typing and serotyping of Staphylococcus aureus strains isolated from clinical materials and food, 235

Epidemiology, the new hospital, 1

Escherichia coli, resistance of, in faeces and the use of anti-microbial agents in the treatment of hospital patients, 491

Ethylene oxide sterilization, a standardized monitor for the control of, cycles, 93

Faeces, resistance of Escherichia coli in, and the use of antimicrobial agents in the treatment of hospital patients, 491

Flies, the isolation of Campylobacter jejuni from, 223

Foot-and-mouth disease, aerosol exposure of cattle to, virus, 319

Foot-and-mouth disease, antibody response in pig nasal fluid and serum following, infection or vaccination, 329

Gastroenteritis, an outbreak of food-borne, in two hospitals associated with a Norwalk-like virus, 343

Gastroenteritis, epidemiological features of an outbreak of, /cholera in Katsina, Northern Nigeria, 101

Gastroenteritis, infectious, in Norfolk Island and recovery of viruses from drinking water, 139 Gentamicin-resistant staphylococci: genetics of an outbreak in a dermatology department, 7

Glomerulonephritis, type 49 Streptococcus pyogenes: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis, 71

Haemagglutination-inhibition, comparison of, and single radial haemolysis techniques for detecting antibodies to influenza A and B viruses, 157

Hepatitis A, an outbreak of, caused by consumption of raw oysters, 163

Herring gull, the, Larus argentatus as a carrier of salmonella, 429

Herring gull, the, Larus argentatus as a likely transmitting agent of Salmonella montevideo to sheep and cattle, 437

Hospital, the new, epidemiology, 1

Influenza, recognition of historic, epidemics from parish burial records: a test of prediction from a new hypothesis of influenza epidemiology, 293

Influenza A, comparison of haemagglutination-inhibition and single radial haemolysis techniques for detecting antibodies to, and B viruses, 157

Influenza A, the importance of antineuraminidase antibodies in resistance to, and immunologic memory for their synthesis, 131

Influenza A, the use of a radial haemolysis test for neuraminidase antibodies in the diagnosis of, infection, 147

Influenza B, comparison of haemagglutination-inhibition and single radial haemolysis techniques for detection antibodies to influenza A, and, 157

Intracellular killing, evaluation and use of the drug inhibition method of measuring, in differentiating between staphylococci grown in vivo and in vitro, 211

Kenyan foot-and-mouth disease, a serological evaluation of 1979-1982, type SAT 2 viruses, 335

Larus argentatus, the herring gull, as a carrier of salmonella, 429

Laras argentatus, the herring gull, as a likely transmitting agent of Salmonella montevideo to sheep and cattle, 437

Legionella pneumophila, isolation of, from water supplies: comparison of methods based on the guinea-pig and culture media, 179

L. pneumophila, interaction of, and a free living amoeba (Acanthamoeba palestinensis), 167

Meningitis, bacterial, in Nottingham, 189

Meriones shawi, laboratory tests of seven rodenticides for the control of, 351

Milk, a cost benefit study of, -borne salmonellosis, 17

Milk-borne campylobacter enteritis in a rural area, 227

Milk, the excretion of Salmonella typhimurium in the faeces of calves fed, substitute, 33

Monoclonal, diagnostic assays with, antibodies for the human serum parvovirus-like virus (SPLV), 113

Neuraminidase antibodies, the use of a radial haemolysis test for, in the diagnosis of influenza A infection, 147

Newborn, hygiene for the, - to bath or to wash? 529

Nigeria, Campylobacter jejuni as a bacterial cause of diarrhoea in Ile-Ife, 77

Nigeria, epidemiological features of an outbreak of gastroenteritis/cholera in Katsina, Northern, 101

Nocardia, a cephalosporin active in vitro against: efficacy of cefotaxime in murine model of acute pulmonary nocardiosis, 421

Nocardial, a simple view of, taxonomy, 369

Nocardial, clinical and clinical laboratory, aspects of, infection, 377

Nocardial infection of the skin, 385

Nocardia in naturally acquired and experimental infections in animals, 393

Norfolk Island, infectious gastroenteritis in, and recovery of viruses from drinking water, 139 Norwalk-like virus, an outbreak of food-borne gastroenteritis in two hospitals associated with a 343

Operating theatres, a comparison between tracer gas and tracer particle techniques in evaluating the efficiency of ventilation in, 509

Oysters, an outbreak of hepatitis A caused by consumption of raw, 163

Parvovirus, diagnostic assays with monoclonal antibodies for the human serum, -like virus (SPLV), 113

Phage typing, enterotoxin production, and serotyping of Staphylococcus aureus strains isolated from clinical materials and food, 235

Pigs, further research into the possibility of salmonella-free fattening and slaughter of, 59

Pre-injection swabs, the sterilizing capacity of propylene oxide and chloridine diacetate solutions upon, saturated with propan-2-ol, 287

Propylene oxide, the sterilizing capacity of, and chlorhexidine diacetate solutions upon pre-injection swabs saturated with propan-2-ol, 287

Radial haemolysis, the use of a, test for neuroaminidase antibodies in the diagnosis of influenza A infection, 147

Rappaport's enrichment medium, a comparison of two modifications of, (R25 and RV) for the isolation of salmonellas from sewage polluted natural water, 451

Rat, efficacy of alpha-chlorhydrin in sewer, control, 359

Rodenticides, laboratory tests of seven, for the control of Meriones shawi, 351

Salmonella, a comparison of, serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the sewage, 47

Salmonella, the herring gull Larus argentatus as a carrier of, 429

Salmonellae, a comparison of enrichment media for the isolation of, from seagull cloacal swabs,

Salmonella, effect of stool storage at room temperature on, isolation from faeces, 267

Salmonella, further research into the possibility of, -free fattening and slaughter of pigs, 59

Salmonella isolation from reptilian faeces: A discussion of appropriate cultural techniques, 25 Salmonella montevideo, the herring gull Larus argentatus as a likely transmitting agent of, to sheep and cattle, 437

Salmonellas, a comparison of two modifications of Rappaport's enrichment medium (R25 and RV) for the isolation of, from sewage polluted natural water, 451

Salmonella saint-paul infection in calves, 259

Salmonella saint-paul infection in two dairy herds, 243

Salmonella typhimurium, the excretion of, in the faeces of calves fed milk substitute, 33

Salmonellosis, a cost benefit of milk-borne, 17

Seagull, a comparison of procedures for the isolation of campylobacters from, faeces, 445

Seagulls, a comparison of enrichment media for the isolation of salmonellae from, cloacal swabs, 53

Seagulls, a comparison of salmonella serotypes found in the faeces of, feeding at a sewage works with serotypes present in the sewage, 47

Serotyping, enterotoxin production, phage typing and, of Staphylococcus aureus strains isolated from clinical materials and food, 235

Sewage, a comparison of salmonella serotypes found in the faeces of gulls feeding at a sewage works with serotypes present in the, 47

Shigella sonnei, colicine, production as an epidemiological marker for, 273

Single radial haemolysis, comparison of haemagglutination-inhibition and, techniques for detecting antibodies to influenza A and B viruses, 157

Skin, nocardial infection of the, 385

Skin, assessment of the remanent antibacterial effect of a 2% triclosan-detergent preparation of the, 521

Skin sepsis, type 49 Streptococcus pyogenes: Phage subtypes as epidemiological markers in isolates from, and acute glomerulonephritis, 71

Staphylococci, evaluation and use of the drug inhibition method of measuring intracellular killing in differentiating between, grown in vivo and in vitro, 211

Staphylococcus aureus, incidence and properties of, associated with turkeys during processing and further-processing operations, 479

Staphylococcus aureus, enterotoxin production, phage typing and serotyping of, strains isolated from clinical materials and food, 235

Staphylococcus aureus, studies on the growth and survival of, in corned beef, 467

Staphylococci, gentamicin-resistant: genetics of an outbreak in a dermatology department, 7 Streptococcus pyogenes, type 49: Phage subtypes as epidemiological markers in isolates from skin sepsis and acute glomerulonephritis, 71

Tracer gas, a comparison between, and tracer particle techniques in evaluating the efficiency of ventilation in operating theatres, 509

Tracer particle, a comparison between tracer gas and, techniques in evaluating the efficiency of ventilation in operating theatres, 509

Triclosan-detergent, assessment of the remanent antibacterial effect of a 2%, preparation on the skin, 521

Turkeys, incidence and properties of Staphylococcus aureus associated with, during processing and further-processing operations, 479

Ventilation, a comparison between tracer gas and tracer particle techniques in evaluating the efficiency of, in operating theatres, 509

Water, infectious gastroenteritis in Norfolk Island and recovery of viruses from drinking, 139 Water, isolation of *Legionella pneumophila* from, supplies: comparison of methods on the guinea-pig and culture media, 179