JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM


PUBLISHED BY THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1 American Branch: 32 East 57th Street, New York, N.Y. 10022

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Printing House, Cambridge

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 53 1973

CAMBRIDGE AT THE UNIVERSITY PRESS 1973

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

	Number 1, pp	. 1-235, 1	3 Februar	y 1973	3						
	Number 2, pp	. 236–469,	16 May	1973							
	Number 3, pp	. 471-748,	17 Augu	st 1973	3						
	Number 4, pp	. 749-1027	7, 21 Nov	ember	1973						
											PAGE
Report of the Council: 1972-	·73 · ·	• •	• •	•	·	·	٠	•	•	•	991
Income and Expenditure Acc	ount and Bala	nce Sheet			•		•		•		1027
Abdullah, M. I., Dunlop, H Chemical and hydrographi			stol Chan	nel du	ring /	April	and J	une 1	971		299
ANGEL, M. V. and FASHAM, I SOND Cruise 1965: Facto	-	inalyses of	the plan	kton re	sults,	, a gei	neral	sumn	nary		185
BACKUS, R. H. see HARBISON,	SMITH and BA	ACKUS .									615
Baker, A. de C., Clarke, M. The N.I.O. combination n			her devel	opmen	ts of :	rectar	ıgular	traw	ls		167
BANOUB, M. W. and LEB. WI Seasonal changes in the or- the English Channel dur	ganic forms of	carbon, n	itrogen ar	nd pho	sphor	rus in	sea w	vater :	at E1	in	695
BAYNE, B. L.											
Physiological changes in M see also GABBOTT and BA		induced 1	by temper	rature :	and n	utriti	ve str	ess	•	•	39 269
BLAXTER, J. H. S. Monitoring the vertical mo	ovements and 1	ight respo	nses of he	erring a	and p	laice I	larvae				635
Bone, Q.											
A note on the buoyancy of	some lantern-	fishes (My	ctophoid	ei).	•	•	•	•	•		619
BONE, Q. and BROOK, C. E. F On Schedophilus medusophia		romateoid	ei) .							•	753
Bone, Q. and RYAN, K. P. The structure and innervat	tion of the loco	motor mu	scles of s	alps (7	^runica	ata: T	halia	cea)	•		873
BONEY, A. D. Observations on the silicoff	agellate Dictyd	ocha specul	um ehren	b. fron	n the	Firth	of C	lyde			263
BROOK, C. R. see BONE and E	ROOK .										753
BRYAN, G. W. The occurrence and season Chlamys opercularis (L.).		f trace me	tals in th	e scalle	ops P	ecten	maxii	mus (L.) a	nd	145
BRYAN, G. W. and HUMMERS	TONE, L. G.										
Brown seaweed as an indic Adaptation of the polychae	ator of heavy i								ncenti	ra-	705
tions of zinc and cadmiu											839
Adaptation of polychaete N	Nereis diversicol	lor to man	ganese in	estuar	ine se	edime	nts	•	•	•	859
BURROWS, ELSIE M. see DE S	ILVA and BURR	ows .							•		895

	PAGE
CHEN, L. C-M., MCLACHLAN, J., NEISH, A. C., F.R.S. and SHACKLOCK, P. F. The ratio of kappa- to lambda-carrageenan in nuclear phases of the rhodophycean algae, <i>Chondrus</i> crispus and <i>Gigartina stellata</i> .	11
CHRETIENNOT, MARIE-JOSÈPHE The fine structure and taxonomy of <i>Platychrysis pigra</i> Geitler (Haptophyceae)	
	905
CLARKE, M. R. see BAKER, CLARKE and HARRIS	167
CORNELIUS, P. F. S. A taxonomic appraisal of the two species of <i>Stygiomedusa</i> [Coelenterata, Scyphozoa], with the first southern ocean records	609
CORNER, E. D. S., KILVINGTON, C. C. and O'HARA, S. C. M. Qualitative studies on the metabolism of naphthalene in <i>Maia squinada</i> (Herbst)	. 819
Corriel, R. see Lesh-Laurie and Corriel	885
DALY, J. M.	005
Behavioural and secretory activity during tube construction by <i>Platynereis dumerilii</i> Aud & M. Edw. [Polychaeta: Nereidae].	521
DANDO, P. R. see HAMOIR, PIRONT, GERDAY and DANDO	763
DAVIES, J. M., FERRIER, N. C. and JOHNSTON, C. S.	, ,
The ultrastructure of the meristoderm cells of the hapteron of Laminaria	237
DUNLOP, H. M. see Abdullah, DUNLOP and GARDNER	299
EDWARDS, C. The hydroid Trichydra pudica and its medusa Pochella polynema	87
The medusa Modeeria rotunda and its hydroid Stegopoma fastigiatum, with a review of Stegopoma and Stegolaria	573
The medusa Mitrocomella polydiademata and its hydroid	601
ENNIS, G. P. Endogenous rhythmicity associated with larval hatching in the lobster <i>Homarus gammarus</i> .	531
ETTL, H. and Green, J. C.	
Chlamydomonas reginae sp. nov. (Chlorophyceae), a new marine flagellate with unusual chloroplast	
differentiation	975
FASHAM, M. J. R. see ANGEL and FASHAM	185
FERGUSON, C. F. see MORRIS, FERGUSON and RAYMONT.	657
FERRIER, N. C. see DAVIES, FERRIER and JOHNSTON	237
FINCHAM, A. A. The association of amphipods in the shallow-water sand habitat of Strangford Lough, Co. Down	119
Fogg, G. E. See Shah and Fogg. See Ignatiates and Fogg.	321 937
FORSTER, G. R. Line fishing on the continental slope. The selective effect of different hook patterns	749
GABBOTT, P. A. and BAYNE, B. L. Biochemical effects of temperature and nutritive stress on <i>Mytilus edulis</i> L.	269
GARDNER, D. see ABDULLAH, DUNLOP and GARDNER	299
GATTEN, R. R. see SARGENT, GATTEN and MCINTOSH	-99 649
,,,,,,,,,, , , , , , , , , , , , , , , , , , , ,	

	PAGE
GEORGE, J. D. and SOUTHWARD, EVE C. A comparative study of the setae of Pogonophora and Polychaetous Annelida	403
GERDAY, CH. see HAMOIR, PIRONT, GERDAY and DANDO	763
GIBBS, P. E. On the genus <i>Golfingia</i> (Sipuncula) in the Plymouth area with a description of a new species .	73
GIBBS, P. E. and PROBERT, K. Notes on <i>Gyptis capensis</i> and <i>Sosane sulcata</i> [Annelida: Polychaeta] from the benthos off the South Coast of Cornwall	397
GOLDSPINK, G. see JOHNSTON and GOLDSPINK	17
GREEN, J. C. see ETTL and GREEN.	975
HALCROW, W., MACKAY, D. W. and THORNTON, I. The distribution of trace metals and fauna in the Firth of Clyde in relation to the disposal of sewage sludge	
HAMOIR, G., PIRONT, A., GERDAY, CH. and DANDO, P. R. Muscle proteins of the coelacanth Latimeria chalumnae Smith	763
HANNANT, P. J. see HOLLAND and HANNANT.	833
HARBISON, G. R., SMITH JR., K. L. and BACKUS, R. H. Stygiomedusa fabulosa from the North Atlantic: its taxonomy, with a note on its natural history	615
HARRIS, M. J. see BAKER, CLARKE and HARRIS	167
HARRIS, R. P. Feeding, growth, reproduction and nitrogen utilization by the Harpacticoid copepod, Trigiopus brevicornis	785
HAYWARD, J. see PARRY and HAYWARD	915
HELM, M. M., HOLLAND, D. L. and STEPHENSON, R. R. The effect of supplementary algal feeding of a hatchery breeding stock of Ostrea edulis L. on larval vigour.	673
HERON, A. C. A new type of heart mechanism in the invertebrates	425
tunicate Thalia democratica	429
HERRING, P. J. Depth distribution of the carotenoid pigments and lipids of some oceanic animals. 2. Decapod crustaceans	539
HOLLAND, D. L. and HANNANT, P. J. Addendum to a micro-analytical scheme for the bio-chemical analysis of marine invertebrate larvae	833
HOLLAND, D. L. and SPENCER, B. E. Biochemical changes in fed and starved oysters, Ostrea edulis L. during larval development, metamorphosis and early spat growth.	°33 287 673
HUMMERSTONE, L. G. See BRYAN and HUMMERSTONE See BRYAN and HUMMERSTONE See BRYAN and HUMMERSTONE See BRYAN and HUMMERSTONE	705 839 859

vii

Hunt, S.									PAGE
Fine structure of the secretory epithelium in the hypobran mollusc Buccinum undatim L.	nchial	gland	of th	e pros	obrai	nch g	astrop	od	59
IGNATIADES, L. Studies on the factors affecting the release of organic m Cleve in field conditions	atter	by Sk	eleto:	nema	costat	um (Grevil	le)	923
IGNATIADES, L. and FOGG, G. E. Studies on the factors affecting the release of organic m	atter	by Sk	eleto	nema	costat	um (Grevil	le)	
Cleve in culture	•	•	•	•	•	•	•	•	937
JOHNSTON, C. S. see DAVIES, FERRIER and JOHNSTON .	•	•	•	•	•	•	•	•	237
JOHNSTON, I. A. and GOLDSPINK, G. A study of glycogen and lactate in the myotomal muscles a during sustained swimming	and li	ver of	the (Coalfis	sh (Ca	adus e	virens I)	17
Joyce, J. R. An improved bottom-water sampler									741
KILVINGTON, C. C. see CORNER, KILVINGTON and O'HARA								•	819
LESH-LAURIE, GEORGIA E. and CORRIEL, R. Scyphistoma regeneration from isolated tentacles in Aur		urita							885
MACKAY, D. W. see HALCROW, MACKAY and THORNTON									721
MAUCHLINE, J. Inter-moult growth of species of Mysidacea [Crustacea]	.				•				569
The broods of British Mysidacea [Crustacea] .	·	·	·	•	•	·	•	·	801
McINTOSH, R. see SARGENT, GATTEN and McINTOSH .	•	·	•	•	•	•	·	•	649
MCINTYRE, A. D. and MURISON, D. J. The meiofauna of a flatfish nursery ground					•	•			93
McLachlan, J. see Chen, McLachlan, Neish and Shack	LOCK	•	•	•	•	•	•	•	11
McLaughlin, Patsy Remarks on the presumed example of hybridization betw Decapoda: Paguridae]	ween	two s <u>ı</u>	pecies	s of <i>P</i>	aguru	ıs [Cr	ustace	ea:	563
MORRIS, R. J. Relationships between the sex and degree of maturity compositions	of n	narine	cru:	stacea	ns ar	nd th	eir lip	oid	27
MORRIS, R. J., FERGUSON, C. F. and RAYMONT, J. E. G. Preliminary studies on the lipid metabolism of <i>Neom</i> experiments	iysis 1	nteger	, inv	olvin	g lab	elled	feedi	ng	657
MURISON, D. J. see MCINTYRE and MURISON									93
NEISH, A. C. see CHEN, MCLACHLAN, NEISH and SHACKLOO	CK								11
NOTT, J. A. Settlement of the larvae of <i>Spirorbis spirorbis</i> L.									437
O'HARA, S. C. M. see CORNER, KILVINGTON and O'HARA		•	•	•	•	•	•	•	437 819
PARRY, G. D. R. and HAYWARD, J.	·	•	•	•	•	•	•	•	019
The uptake of ⁶⁵ Zn by <i>Dunaliella tertiolecta</i> Butcher.		•							915

Ξ.		
	Ľ	LX

		PAGE
PENTREATH, R. J. The accumulation from water of ⁶⁵ Zn, ⁵⁴ Mn, ⁵⁸ Co and ⁵⁹ Fe by the mussel, <i>Mytilus edu</i>	ılis.	. 127
PILGRIM, R. L. C. Axial skeleton and musculature in the thorax of the hermit crab, Pagurus berhardus [4]	\nomura	ı:
Paguridae]	•	. 363
PIRONT, A. see HAMOIR, PIRONT, GERDAY and DANDO	•	. 763
Ports, G. W. Cleaning symbiosis among British fish with special reference to Crenilabrus melops (La	bridae)	. 1
PROBERT, K. see GIBBS and PROBERT		· 397
RAYMONT, J. E. G. see Morris, Ferguson and RAYMONT		. 657
Reay, P. J.		
Some aspects of the biology of the sandeel, Ammodytes tobianus L., in Langstone Hampshire		r, . 325
RUSSELL, F. S., F.R.S. A summary of the observations on the occurrence of planktonic stages of fish off	Plymout	h
1924–1972	•	· 347
RYAN, K. P. see BONE and RYAN	•	. 873
SARGENT, J. R., GATTEN, R. R. and MCINTOSH, R. The distribution of neutral lipids in shark tissues		. 649
SHACKLOCK, P. F. see CHEN, MCLACHLAN, NEISH and SHACKLOCK		. 11
SHAH, N. M. and FOGG, G. E. The determination of glycollic acid in sea water		. 321
Shale, D. see Fretter and Shale		. 471
DE SILVA, M. W. R. N. and BURROWS, ELSIE M. An experimental assessment of the status of the species Enteromorpha intestinalis (L.)	Link and	
Enteromorpha compressa (L.) Grev.	•	. 895
SMITH, D. A. S. The population biology of Lacuna pallidula (Da Costa) and Lacuna vincta (Montagu)	in North	L-
East England	•	· 493
SMITH JR., K. L. see HARBISON, SMITH JR. and BACKUS	•	. 615
SOUTHWARD, EVE C. The distribution of glycogen in the tissues of Siboglinum atlanticum [Pogonophora] .	•	. 665
see also GEORGE and SOUTHWARD	•	· 4º3
SPENCER, B. E. see HOLLAND and SPENCER	•	. 287
STEBBING, A. R. D. Competition for space between the epiphytes of <i>Fucus serratus</i> L		. 247
STEPHENSON, R. R. see HELM, HOLLAND and STEPHENSON		. 673
STEVENS, J. D. Stomach contents of the blue shark (<i>Prionace glauca</i> L.) off South-West England .		
THORNTON, I. see HALCROW, MACKAY and THORNTON	•	· 357 . 721
WALKER, G.	•	. /21
Frontal horns and associated gland cells of the nauplii of the barnacles Balanus hameri balanoides and Elminius modestus (Crustacea: Cirripedia)	, Balanu	ıs • 455

х

									PAGE
WHITFIELD, M.									
Procedures for calculating the osmotic coefficient of artif	icial	sea w	aters			•	•		685
WILLIAMS, P. J. LEB. see BANOUB and WILLIAMS		•				•		•	695
WIMPENNY, the late R. S.									
The size of diatoms. V. The effect of animal grazing	·	•	·	•	•	•	·	•	957

ABSTRACTS OF MEMOIRS

RECORDING WORK DONE IN THE PLYMOUTH LABORATORY	
BAKER, P. F., HODGKIN, A. I. & RIDGWAY, E. B., 1971. Depolarization and calcium in squid giant axons	233
BAKER, P. F. & CRAWFORD, A. C., 1972. Mobility and transport of magnesium in squid giant axons	987
BONE, Q., 1972. Some notes on histological methods for peripheral nerves	234
BONE, Q., 1972. The dogfish neuromuscular junction: dual innervation of vertebrate striated muscle fibres?	234
	1 65
CORKETT, C. J., 1972. Development rate of copepod eggs of the genus Calanus	745
	233
CORNER, E. D. S., 1973. Phosphorus in marine zooplankton	745
DAVIES, A. G., 1973. The kinetics of and a preliminary model for the uptake of radio-zinc by <i>Phaeodactylum tricornutum</i> in culture	987
DENTON, E. J., GILPIN-BROWN, J. B. & WRIGHT, P. G., 1972. The angular distribution of the light produced by some mesopelagic fish in relation to their camouflage	165
DILLY, P. N. & MESSENGER, J. B., 1972. The branchial gland: a site of haenocyanin synthesis in Octopus	465
GIBBS, P. E., 1972. Polychaete annelids from the Cook Islands	466
GIBBS, P. E. & BRYAN, G. W., 1972. A study of strontium, magnesium, and calcium in the environ- ment and exoskeleton of decapod crustaceans, with special reference to <i>Uca burgersi</i> on Barbuda, West Indies	234
	1 66
GREEN, J. C., 1973. Studies in the fine structure and taxonomy of flagellates in the genus <i>Pavlova</i> . II. A freshwater representative, <i>Pavlova granifera</i> (Mack) comb. nov.	987
	234
HUGHES, G. M., 1972. The relationship between cardiac and respiratory rhythms in the dogfish,	745
IZZARD, C. S., 1973. Development of polarity and bilateral asymmetry in the palleal bud of Botryllus	746
KRESS, A., 1972. Veränderungen der Eiakapselvolumina während der Entwicklung versiedener Opisthobranchier-Arten (Mollusca, Gastropoda). Changes in egg-capsule volumes during the development of different opisthobranch species (Mollusca, Gastropoda)	88
NICOL, J. A. C., ARNOTT, H. J. & BEST, A. C. G., 1973. Tapeta lucida in bony fishes (Actino- pterygii): a survey	746

	PAGE
PINGREE, R. D., 1972. Mixing in the deep stratified ocean	466
POTTS, G. W., 1973. The ethology of Labroides dimidiatus (Cuv. & Val.) (Labridae, Pisces) on	
Aldabra	988
ROBERTS, B. L. & RUSSELL, I. J., 1972. The activity of lateral-line efferent neurones in stationary	
and swimming dogfish	466
RUSSELL, I. J. & ROBERTS, B. L., 1972. Inhibition of spontaneous lateral-line activity by efferent	
nerve stimulation	467
$\label{eq:SMALDON, G., 1973. Osmoregulation in \textit{Pisidea longicornis} (L.) and \textit{Porcellana platycheles} (Pennant)$	
(Decapoda, Anomura) subjected to reduced salinities	746
SOUTHWARD, A. J. & SOUTHWARD, E. C., 1972. Observations on the role of dissolved organic com- pounds in the nutrition of benthic invertebrates. III. Uptake in relation to organic content of the	
habitat	467
STANFIELD, P. R., 1972. Electrical properties of white and red muscle fibres of the elasmobranch	
fish Scyliorhinus canicula	233
STODDART, D. R., BRYAN, G. W. & GIBBS, P. E., 1973. Inland mangroves and water chemistry,	
Barbuda, West Indies	746
WHITFIELD, M., 1972. Progress towards a chemical model for sea water	747

BOOKS RECEIVED

The Cichlid Fishes of the Great Lakes of Africa; their Biology and Evolution. By G. FRYER & T. D. ILES	235
The Gulf Stream. By T. F. GASKELL	235
Carotenoids. Edited by O. Isler	235
Trawling and New Methods of Continuous Fishing. By YU. N. KOSTYUNIN, I. V. NIKONOROV, B. KUTAKOV, N. KUDRYAVTSEV & V. SAVRASOV	235
A Guide to Marine Coastal Plankton; With Emphasis on the Monterey, Tomales and Bodega Bays of California. By D. L. SMITH	235
Physiology of Echinoderms. By J. BINYON	469
The Whale: Mighty Monarch of the Sea. By JY. COUSTEAU & P. DIOLÉ	469
Conservation and Productivity of Natural Waters. Edited by R. W. EDWARDS & D. J. GARROD	469
Atlas of the Living Resources of the Seas. By the FOOD AND AGRICULTURAL ORGANIZATION OF THE UNITED NATIONS, DEPARTMENT OF FISHERIES	469
Nemerteans. By R. GIBSON	469
A Guide to Marine Pollution: Seminar in Conjunction with the FAO Technical Conference on Marine Pollution and its effects on Resources and Fishing, Rome, 9–18 December 1970. Edited by E. D.	
	469
Functional Morphology and Classification of Teleostean Fishes. By W. A. GOSLINE	469
The Biology of Lampreys. Edited by M. W. HARDISTY & I. C. POTTER	469
Problems of Relative Growth. By SIR JULIAN HUXLEY	469
Evolution of the Metazoan Life Cycle: A Comprehensive Theory. By G. JAGERSTEN	469
Fish-watching and Photography. By K. McDONALD	469

xi

		PAGE
Invertebrate Zoology. By P. A. MEGLITSCH	•	• 469
The Oxford Book of Vertebrates: Cyclostomes, Fish, Amphibians, Reptiles and Mammals. By	M. Nixo	N
& D. WHITELEY	•	• 469
Methods in Aquatic Microbiology. By A. G. RODINA	•	. 469
Ecology and Palaeoecology in Marine Environments. By W. SCHĂFER		. 469
Elements of Marine Ecology. By R. V. TAIT	•	. 469
Biodeterioration of Materials. Edited by A. H. WALTERS & E. H. HUECK-VAN DER PLAS	•	. 469
Growth and Ecology of Fish Populations. By A. H. WEATHERLEY	•	. 469
Oceanography and Marine Biology: An Annual Review. Edited by H. BARNES		. 748
Research Methods in Marine Biology. Edited by C. SCHLIEPER	•	. 748
The Phyla Sipuncula and Echiura. By A. C. STEPHEN & S. J. EDMONDS	•	. 748
Seventy Years Agrowing: A History of the International Council for the Exploration of	f the Sea	a,
1902–1972. By A. E. J. WENT	•	. 748
Octopus and Squid; The Soft Intelligence. By JY. COUSTEAU & P. DIOLÉ		. 989
Whales, Dolphins and Seals; With Special Reference to the New Zealand Region. By D. E.	. Gaskin	. 989
A Life between Tidemarks on Rocky Shores. By T. A. STEPHENSON & A. STEPHENSON .		. 989
Introduction to Marine Environments. By R. ZOTTOLI		. 989

CORRIGENDA

Page 5, Table 3, for pranzia read praniza	
Page 139, line 3, for 1/12k ² read 1/12K ²	
Page 347, Summary, 3rd paragraph, for planktonic-rich read plankton-rich	
Page 354, References, for Allen, E., 1917 read Allen, E. J., 1917	
Page 596, References, BONNEVIE, K., 1899b, for (Zoologie) read (Zoologi)	
Volume 53, No. 3, back page of cover, List of Contents, titles of papers should read:	
FRETTER, VERA and SHALE, D. Seasonal changes in population density and vertical distribution	AGE 471
SMITH, D. A. S. The population biology of <i>Lacuna pallidula</i> (Da Costa) and <i>Lacuna vincta</i> (Montagu) in North-East England	493
DALY, JOHN M. Behavioural and secretory activity during tube construction by <i>Platynereis dumerilii</i> Aud & M. Edw. [Polychaeta: Nereidae]	521
ENNIS, G. P. Endogenous rhythmicity associated with larval hatching in the lobster Homarus gammarus.	531
HERRING, P. J. Depth distribution of the carotenoid pigments and lipids of some oceanic animals. 2. Decapod crustaceans	539
McLAUGHLIN, PATSY A. Remarks on the presumed example of hybridization between two species of <i>Pagurus</i> [Crustacea: Decapoda: Paguridae]	563
MAUCHLINE, J. Inter-moult growth of species of Mysidacea [Crustacea]	569
EDWARDS, C. The medusa Modeeria rotunda and its hydroid Stegopoma fastigiatum with a review of Stegopoma and Stegolaria.	573
	601
CORNELIUS, P. F. S. A taxonomic appraisal of the two species of Stygiomedusa [Coelenterata,	609
HARBISON, G. R., SMITH JR., K. L. and BACKUS, R. H. Stygiomedusa fabulosa from the North Atlantic: its taxonomy, with a note on its Natural History	615
BONE, Q. A note on the buoyancy of some lantern-fishes (Myctophoidei)	619
BLAXTER, J. H. S. Monitoring the vertical movements and light responses of herring and plaice larvae	635
	649
MORRIS, R. J., FERGUSON, C. F. and RAYMONT, J. E. G. Preliminary studies on the lipid metabolism	657
SOUTHWARD, EVE C. The distribution of glycogen in the tissues of Siboglinum atlanticum [Pogono- phora]	665
HELM, M. M., HOLLAND, D. L. and STEPHENSON, R. R. The effect of supplementary algal feeding	- б73
	585
BANOUB, M. W. and WILLIAMS, P. J. LEB. Seasonal changes in the organic forms of carbon, nitrogen	595

	PAGE						
BRYAN, G. W. and HUMMERSTONE, L. G. Brown seaweed as an indicator of heavy metals in estuaries							
in South-West England	705						
HALCROW, W., MACKAY, D. W. and THORNTON, I. The distribution of trace metals and fauna in the							
Firth of Clyde in relation to the disposal of sewage sludge	721						
JOYCE, J. R. An improved bottom-water sampler	741						
Page 859, Materials and Methods, line 5, for (cf. p.) read (cf. p. 862)							
Page 901, Fig. 3, Captions, for Rock surface – Rock pools read (a) Rock surface (b) Rock pools							
Page 949, bottom line, for $(50 \text{ mg}^{-1}) \text{ read} (59 \text{ mg}^{-1})$							

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

r

										T -	
Annual Mem	bers,	receiv	ving t	he Jo	urnal		per a	nnur	n	5.00	
Annual Mem	bers,	withc	out th	e Jou	rnal	•	per a	innui	n	1.05	
Junior Memb	ers, r	eceivi	ing th	e Jou	rnal		per a	nnu	n	2.00	
Life Member	\$					Com	positi	ion fe	æ	60.00	
Founders		•		•				•		100.00	
Governors	•	•	•	•	•			•		500.00	

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

CONTENTS

The second	PAGE
FORSTER, G. R. Line fishing on the continental slope. The selective effect of different hook patterns .	749
BONE, Q. and BROOK, C. E. R. On Schedophilus medusophagus (Pisces: Stromateoidei) .	753
HAMOIR, G., PIRONT, A., GERDAY, CH. and DANDO, P. R. Muscle proteins of the coelacanth Latimeria chalumnae Smith	763
HARRIS, R. P. Feeding, growth, reproduction and nitrogen utilization by the Harpacticoid copepod, <i>Trigiopus brevicornis</i> .	785
MAUCHLINE, J. The broods of British Mysidacea (Crustacea)	801
CORNER, E. D. S., KILVINGTON, C. C. and O'HARA, S. C. M. Qualitative studies on the metabolism of naphthalene in <i>Maia squinado</i> (Herbst)	819
HOLLAND, D. L. and HANNANT, P. J. Addendum to a micro-analytical scheme for the bio- chemical analysis of marine invertebrate larvae	833
BRYAN, G. W. and HUMMERSTONE, L. G. Adaptation of the polychaete Nereis diversicolor to estuarine sediments containing high concentrations of zinc and cadmium	839
BRYAN, G. W. and HUMMERSTONE, L. G. Adaptation of the polychaete Nereis diversicolor to manganese in estuarine sediments	859
BONE, Q. and RYAN, K. P. The structure and innervation of the locomotor muscles of salps (<i>Tunicata: Thaliacea</i>)	873
LESH-LAURIE, GEORGIA E. and CORRIEL, R. Scyphistoma regeneration from isolated tentacles in Aurelia aurita	885 8
DE SILVA, M. W. R. N. and BURROWS, ELSIE M. An experimental assessment of the status of the species <i>Enteromorpha intestinalis</i> (L.) Link and <i>Enteromorpha compressa</i> (L.) Grev.	. 895
CHRETIENNOT, MARIE-JOSÈPHE. The fine structure and taxonomy of <i>Platychrysis pigro</i> Geitler (Haptophyceae)	905
PARRY, G. D. R. and HAYWARD, J. The uptake of ⁶⁵ Zn by Dunaliella tertiolecta Butcher	915
IGNATIADES, L. Studies on the factors affecting the release of organic matter by Skeletonema costatum (Greville) Cleve in field conditions	923
IGNATIADES, L. and FOGG, G. E. Studies on the factors affecting the release of organic matter by <i>Skeletonema costatum</i> (Greville) Cleve in culture.	937
WIMPENNY, the late R. S. The size of diatoms. V. The effect of animal grazing.	957
ETTL, H. and GREEN, J. C. Chlamydomonas reginae sp.nov. (Chlorophyceae), a new marine flagellate with unusual chloroplast differentiation	975
Abstracts of Memoirs	987
LIST OF BOOKS RECEIVED	989
REPORT OF THE COUNCIL FOR 1972-73	991
BALANCE SHEET 1972–73	1027
	102/

© Copyright by the Marine Biological Association of the U.K. 1973

The 1973 subscription price of the Journal to non-members of the Association is $\pounds 22.00$ net a volume of four parts, post free, or US\$70.00 in U.S.A. and Canada, payable in advance. Subscriptions may be sent to any bookseller or to the Cambridge University Press, and in U.S.A. and Canada to the Cambridge University Press American Branch.

CAMBRIDGE UNIVERSITY PRESS BENTLEY HOUSE, 200 EUSTON ROAD, LONDON NW1 2DB AMERICAN BRANCH: 32 EAST 57TH STREET, NEW YORK, N.Y.10022

Printed in Great Britain at the University Printing House, Cambridge