The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

/	relationship to the perception of language .	G. A. W. Sharrard	947
	Electrogustometry II, part I: The spread of the stimulating current	M. Føns, P. Aabo Osterhammel and H. Nissen-Petersen	
1	Electrogustometry II, part II: The electrode polarization	M. Føns	
7	Electrogustometry III: Adaptation in electrical	and P. Aabo OSTERHAMMEL	965
	taste	M. Føns	973
5	Ventricle rupture of temporal lobe abscess	J. D. K. Dawes, H. F. Marshall,	
	Decannulation in Infancy	and F. C. Robson R. F. MacLachlan	
	Sarcoidosis of the upper respiratory tract	J. R. PAGE and S. M. SETH	
	Adenoid-cystic carcinoma of the larynx	RUSSELL DALLACHY	
	Clinical records—		
	Granular cell myoblastoma of laryngopharynx .	D. S. SARDANA and Y. C. YADAV	
	Neurofibroma of the middle ear and mastoid (an unusual presentation)	P. Chatterji, M. L. Sharma, and S. K. Sogani	
	Post tonsillectomy haemorrhage in a carrier of		
	Haemophilia A	J. A. S. CARRUTH	
	Retropharyngeal haematoma	W. G. B. CLARK	
	General notes	and C. J. Monks	1039

Headley Brothers Ltd

Ashford, Kent

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net, post free

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

- 1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.
- 2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) Journal of Laryngology and Otology, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.


- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology and Otology, c/o HEADLEY BROTHERS LTD., The Invicta Press, Ashford, Kent.
- 7. As from January 1970, the annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$20 post free, and payable in advance.
- 8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each.
- All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.

HEADLEY BROTHERS LTD.

The Invicta Press ASHFORD Kent

Dournal of Laryngology and Otology Ltd., 1969

Thought reader!!



With the complex tests that are being done today clinical audiometry can become altogether too complicated.

By switching only one knob, the model 103 Clinical Audiometer will do the thinking for you, and enable you to select up to 18 different functions:

- Pure Tone Air Conduction
- Pure Tone Bone Conduction
- Narrow Band Masking
- Wide Band (White Noise) Masking
- Alternative Binaural Loudness Balance
- Simultaneous Binaural Loudness Balance
- Speech, Live Voice
- Speech, Recorded
- Speech with Masking
- SISI Test
- Lüscher DL Test
- Audiometer Weber Test
- SAL Test
- Rainville Test
- Shifting Voice
- Stenger Test
- Modified Stenger Test
- Tone Decay Test

The model 103 is functional engineering with the operator in mind. We believe the audiometer should do the thinking ... and this one does just that.

To: Amplivox Hearing Conservation Ltd., Beresford Avenue, Wembley, Middlesex. Tel: 01-902 8991		
Name		
Address		
Please send demonstrator Please send leaflet	JLO 10	

Refer your patients to INDEPENDENT HEARING AID SUPPLIERS

Ingrams have the different makes to choose from

LONDON 2 Shepherd Street, London, W.1. (2 minutes from Green Park) Hyde Park 9041

BIRMINGHAM 20 Auchinleck Sq. Broad St, Birmingham, 15. (In the Five Ways Shopping Centre)

Midfand 4314

BRIGHTON 5 Duke Street, Brighton, 1,

(First turning off West Street)

Brighton 28699

CROYDON 11 Essex House, College Road, Croydon. (Opposite the Technical College)

Crovdon 4663

MANCHESTER Mansfield Chambers (Rooms 21 & 22), 17 St. Anne's Square, Manchester, 2. (Off Deansgate)

Blackfriars 4104 (STD Code 061-834 4104)

and in SCOTLAND it's BONOCHORD-INGRAMS...

ABERDEEN 461 Union Street, Aberdeen.

Aberdeen 29632

(Near Holborn Junction) EDINBURGH 17 Stafford Street, Edinburgh.

Caledonian 1942

(Corner of Alva Street)

GLASGOW 38 Bath Street, Glasgow, C.2.


Douglas 7710

(Next door to Glasgow Corporation Transport Office)

Domiciliary visits in EVERY part of the country.

INGRAMS FOR THE LARGER RANGE OF HEARING AIDS—

Subscribers to the Code of Ethics of the Hearing Aid Industry Association.




*calgitex

Calgitex calcium alginate E.N.T. Gauze is made from highly purified specially processed calcium alginate, derived from seaweed. This product is used extensively by E.N.T. surgeons throughout the world, it has a slow absorption rate, and can be easily removed from the nose without effecting or damaging the tissue.

In the field of aural surgery Calgitex is highly suitable for packing procedures due to its solubility, soft texture, and discouragement of haemorrhage.

Packed in vials containing one metre of ribbon gauze. Obtainable from your usual Surgical or Pharmaceutical Supplier

MEDICAL ALGINATES LTD.
Wadsworth Road, Perivale, Middlesex. Tel. 01-997 4441
A member of the Optrex Group
*Reg'd Trade Mark



PETERS CLINIC AUDIOMETERS AND BÉKÉSY


ARE THE IDEAL TOOLS FOR MORE ADVANCED AUDIOMETRY

The Audiometers offer:

- Two continuously variable attenuators accurate to I db.
- SISI Test (built-in) and automatic alternate loudness balance switching.
- Maximum attenuation of 120 db for loudness discomfort level tests.
- Narrow band SYNCHRONOUS masking (a new semi-automatic masking technique).
- Full speech test facilities with white noise masking.
- Plug-in circuit boards and operator output checks.
- Conversion to a true BÉKÉSY AUDIOMETER at will.
- Extra features not listed are offered by the AP/6 compared to the AP/5 AUDIOMETER.

write for full details to:

ALFRED PETERS AND SONS LTD GELL STREET SHEFFIELD 3



Clinicians have frequently testified to the success of Orbenin in the treatment of Gram-positive infections. World Literature now contains over 400 references to Orbenin.

Pneumonia 🗌 Lung Abscess 🗌 Tonsillitis 🗍 Pharyngitis 🗎 Acute bronchitis		
Septicaemia		
Boils Carbuncles Infected dermatoses		
Osteomyelitis Osteitis		
Post-operative wound infections 🔲 Burns 🗍 Skin graft protection		
Acute endocarditis		
Staphylococcal enterocolitis Staphylococcal urinary tract infections Staphylococcal meningitis		

Dosage

Adults: 500mg (2 capsules) four times daily, by mouth. 250mg (1 vial) by intramuscular injection, four times daily.

Children: Under 2 years—quarter adult dose. **2-10** years—half adult dose.

In severe infections the dosage may be increased.

Contra-indications

Orbenin should not be given to patients with a penicillin allergy or administered by subconjunctival injection.

Side-effects

As with other penicillins.

Additional information is available on request.



Orbenin (Regd.) (cloxacillin sodium BP) is a product of British research at **Beecham Research Laboratories** Brentford, England. originators of the new penicillins.



Specifically designed for you and your patients. Precision-engineered, functionally-built equipment for the Ear, Nose and Throat and other Specialists.

S.M.R. keeps you and your patients' comfort and satisfaction in mind. Whatever your needs . . . whether they be for one unit or a completely equipped treatment room, you are assured of the finest . . . a room that reflects professional good taste.



Picture shows what can be done with small treatment room areas. The rooms are complete from the compact treatment unit to the physician's stool. Yet, this equipment fits easily and functionally into a small area. This is just one of many room arrangements available from S.M.R.




STAINLESS STEEL POLISH


SMR Stainless
Steel Polish
cleans and preserves with
superior results
—ends fingerprints,
watermarks and
surface stains.
22 oz. economy
size \$2.50

SURGICAL MECHANICAL RESEARCH INC.

P.O. Box 1185, Newport Beach, Calif. 92663 FACTORY DIRECT SALES



Please send for our new catalog Direct factory sales, F.O.B. Newport Beach, Calif.



the drop that soothes and clears infected ears

soothes by reducing inflammation with hydrocortisone clears by rapidly destroying virtually all bacteria commonly found in ear infections

OTOSPORIN drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone in a bland suspension designed to facilitate penetration. Supplied in dropper bottles of 5 ml. Full information is available on request.

OTOSPORIN



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Dartford, Kent

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. **EDITOR**

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.



P. C. WERTH LTD. Contractors to H.M. Government and Local Authorities

Specialist Supply, Maintenance, Calibration Services for Audiological Test and Teaching Equipment

17 STRATFORD PLACE, OXFORD ST., LONDON W1N ODH

Telephone: 01-629 5559

Clinical, Diagnostic, Screening and Bekesy Audiometers. Acoustic Impedance Apparatus. Stereo Auditory Trainers. Visible Speech Apparatus. Artificial Mastoid, etc.

Kamplex DA11 Twin-Channel Clinical Audiometer

Our latest model with many new features:


Probably the most keenly priced twin-channel audiometer currently available.

Fowler, Sisi, Luscher and Rainville tests.

Complete speech facilities.

Narrow band and white noise masking to 100 db.

Pure tone attenuation to 120 db.



eliminate the cross infection risk



Opulets sterile, single dose eye and ear preparations

To overcome the risk of contamination in eye and ear infections, Opulets have been developed as sterile, single dose eye and ear drop tubes and ointment capsules. Each is packed in a film sachet and sterilized by gamma radiation, ensuring effective sterilization, with no loss of activity – the strict criteria of efficacy and safety being met in full.

After each application, these single dose units are discarded, eliminating cross infection risks – each treatment administered by either medical staff or the patient is thus under the most sterile conditions possible in practical medicine.

Opulets provide the lowest unit price available compared with all other preparations of a similar nature. Presentations available at present are:

Amethocaine Eye Drops Amethocaine Hydrochloride BP 1.000 w/v Atropine Eye Ointment Atropine Sulphate BP 0.5% w/w Chloramphenicol Eye and Ear Drops Chloramphenicol BP 0.5% w/v Chloramphenicol Eye and Ear Ointment Chloramphenicol BP 1.0% w/w Fluorescein Eve Drops Fluorescein Sodium BP 1% w/v Hydrocortisone/Neomycin Eye and Ear Ointment Hydrocortisone Acetate BP 1.5% w/w Neomycin BP 0.5% w/w Physostigmine Eye Drops Physostigmine (Eserine) Sulphate BPC 0.50 w/v Sulphacetamide Eye Drops Sulphacetamide Sodium BP 10% w/v Sulphacetamide Eye Ointment

Sulphacetamide Sodium BP 6% w/w

full descriptive technical literature is available on request Pharmax Limited Thames Road Crayford Kent



Travelling Fellowships

offered by the

MEDICAL RESEARCH COUNCIL

for the

ACADEMIC YEAR 1970-71

MEDICAL GRADUATES aged 28-40, with several years' postgraduate experience in ophthalmology or otology are invited to apply for 2 Alexander Pigott Wernher Memorial Trust Fellowships for the academic year 1970-71.

Successful applicants will be those who are likely to profit from a period of work at an overseas research centre before taking up appointments for higher teaching or research in the United Kingdom.

Tenure

Fellowships are normally tenable for 12 months but applications for a lesser period will be considered.

Stipend

Fellowships held in the United States provide a basic maintenance allowance of £2,775 a year. Comparable stipends are paid in other parts of the world. In addition certain dependants' allowances are paid. Fellowships also include a travel allowance for the Fellow and his dependants.

Location

Fellows may work at research centres anywhere in the world.

Eligibility

Candidates must be:

Normally aged 28-40.

Medical graduates with several years' postgraduate experience. British Subjects who are normally resident in the United Kingdom.

BUT Fellowships are also open to British Commonwealth graduates who wish to study in the U.K.

Application

If you are interested in these Fellowships please write to The Training Awards Section for further particulars and an application form quoting reference TF/APW. Telephone enquiries may be made to 01-636 5422, Ext. 326 or 327. Completed forms should be returned not later than 7 October 1969.

MEDICAL RESEARCH COUNCIL 20 PARK CRESCENT LONDON W.1