


# Cambridge Core

Explore today at cambridge.org/core

Cambridge Core





### The Association for marine professionals

## The Marine Biological Association



"The future now is in the hands of those who understand the real importance of the blue part of the planet"

Dr Sylvia Earle Hon.MBA



## PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

#### CAMBRIDGE UNIVERSITY PRESS

Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

# **JMBA**

# JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM VOLUME 100.5 AUGUST 2020

#### **CONTENTS**

	DT	101	FC
Λ	КII	11	F١

Hereu, C.M., Arteaga, M.C., Galindo-Sánchez, C.E., Herzka, S.Z., Batta-Lona, P.G. and Jiménez-Rosenberg, S.P.A. Zooplankton summer composition in the southern Gulf of Mexico with emphasis on salp and hyperiid amphipod assemblages	665
Kuplik, Z. and Angel, D.L. Diet composition and some observations on the feeding ecology of the rhizostome Rhopilema nomadica in Israeli coastal waters	68
Behera, P.R., Jishnudev, M.A., Saravanan, R., Roul, S.K., Ghosh, S., Mahesh, V.U. and Joshi, K.K. Redescription of the enigmatic jellyfish, Crambionella annandalei (Cnidaria: Scyphozoa) from Indian waters	69
Kondo, Y., Suzuki, Y., Ohtsuka, S., Nagai, H., Tanaka, H., Srinui, K., Miyake, H. and Nishikawa Jun. Differences in the cnidomes and toxicities of the oral arms of two commercially harvested rhizostome jellyfish species in Thailand	701
Yamazaki, D., Aota, T. and Chiba, S. The genetic structure of the marine flatworm <i>Stylochoplana pusilla</i> (Rhabditophora: Polycladida) and its use of intertidal snails	713
Arias, A. and Paxton, H. First record of the rare deep-sea polychaete <i>Rhamphobrachium (Rhamphobrachium) agassizii</i> (Annelida: Onuphidae) in European waters	719
Matos, A.S., Matthews-Cascon, H. and Chaparro, O.R. Morphometric analysis of the shell of the intertidal gastropod	/1/
Echinolittorina lineolata (d'Orbigny, 1840) at different latitudes along the Brazilian coast  Sørensen, C.G., Rauch, C., Pola, M. and Malaquias, M.A.E. Integrative taxonomy reveals a cryptic species of the nudibranch genus	72!
Polycera (Polyceridae) in European waters	733
Shiozaki, Y. and Itani, G. Behavioural strategy of the ectosymbiotic crab ( <i>Sestrostoma</i> sp.) during ecdysis of the crab and its upogebiid shrimp host	753
Chagas, G.C.S., Alitto, R.A.S., Serrano, H., Granadier, G., Guilherme, P.D.B. and Borges, M. New diagnostic characters for Amphiodia and Ophiophragmus (Amphiuridae, Ophiuroidea, Echinodermata)	759
Maichak de Carvalho, B., Pupo, D.V., Volpedo, A.V., Pisonero, J., Méndez, A., Avigliano, E. Spatial environmental variability of natural markers and habitat use of <i>Cathorops spixii</i> in a neotropical estuary from otolith chemistry	783
Mendes, C., Ramos, S., Elliott, M. and Bordalo, A.A. Feeding strategies and body condition of juvenile European flounder	
Platichthys flesus in a nursery habitat Lustosa-Costa, S.Y., Nascimento Duarte, M.R., Vasconcelos Araújo, P.R. and Pessanha, A.L.M. Resource partitioning among	79!
juvenile snappers in a semi-arid estuary in north-eastern Brazil	807
Sandoval-Lugo, A.G., Espinosa-Carreón, T.L., Seminoff. J.A., Hart, C.E., Ley-Quiñónez, C.P., Aguirre, A.A., Jones, T.T. and  Zavala-Norzagaray, A.A. Movements of loggerhead sea turtles ( <i>Caretta caretta</i> ) in the Gulf of California: integrating satellite	
telemetry and remotely sensed environmental variables Solana-Arellano, E., Ramírez-Delgado, D. and Santacruz-López, E.   Allometric models for sex ratio determination in all stages	817
of ontogeny of <i>Chelonia mydas</i> from Bahía de los Ángeles, México Romeo, T., Battaglia, P., Macaluso, D., Tagliavia, G., Vicchio, T.M., Falautano, M., Serena, F. and Andaloro, F. When prey becomes killer:	825
does a double lethal attack on a blue shark reveal a precise defensive strategy in young swordfish?	831
Calle-Morán, M.D. and Galván-Magaña, F. Diet composition and feeding habits of the pelagic thresher shark <i>Alopias pelagicus</i> in Eastern Central Pacific Ocean, Ecuadorian waters	837
Olaya Meza, C., Akkaya, A., Affinito, F., Öztürk, B. and Öztürk A.A. Behavioural changes and potential consequences	847
of cetacean exposure to purse seine vessels in the Istanbul Strait, Turkey  Cobarrubia-Russo, S.E., Barreto-Esnal, G.R., Molero-Lizarraga, A.E. and Mariani-Di Lena, M.A. Individual home ranges of <i>Tursiops truncatus</i>	
and their overlap with ranges of <i>Stenella frontalis</i> and fishermen in Aragua, Venezuela, South Caribbean	857

Cambridge Core

For further information about this journal please go to the journal web site at: cambridge.org/mbi



