

INDEX OF SUBJECTS

- Abell clusters of galaxies 9, 15, 82–89, 253–254
see Catalogues of clusters of galaxies; Groups and clusters of galaxies; Clusters of galaxies
Richness classes as X-ray emitters 15, 25
- Abell and Eastmond, method of 52
- Age of Galaxy 35, 38–39, 53, 56
from geological evidence 53, 56
compared with age of Universe 59
- Alfvén-Klein symmetric cosmology 341–345, 361
see Antimatter cosmologies
- Anisotropy of local velocity field of galaxies 51–52
- Anisotropy of Universe at large times 283–286
see Isotropy of Universe
Limits to shear and rotation of Universe 283–286
As validation of Mach's principle 284
Removal of anisotropy by viscosity or particle creation 284
Isotropy as the result of the anthropic principle 285–286
- Anisotropic cosmological models
see Anisotropy of Universe at large times; Isotropization of homogeneous cosmological models
- Bianchi Types I 274, 284–285; V 274, 284, 286; VII 275, 276, 282; VII_h 284, 285; VII_n 284, 285; VIII 275, 282; IX 275–277, 282, 283, 286
- Antimatter cosmologies
Baryon Symmetric Big Bang Cosmology 246, 247, 335–339, 361
Phase transition leading to separation 335, 338
Coalescence 335–336
Evolution of Baryon Symmetric Universe 336–339
Recombination and Galaxy formation 337–338
Turbulence from 247
Origin of Magnetic Fields 337–338
Comparison with observation 338
 γ -ray background 337–338
Distortions of Microwave background 248, 338
Fluctuations of matter/antimatter 339
Low Density Symmetric Cosmology 341–345, 361
Theories of Alfvén and Klein 341–345
Dynamics 341–342
Separation of matter and antimatter 342–343
Energy generation through annihilation 343–344
Faraday rotation 344–345
Critique of Antimatter cosmologies 347–356
Indirect evidence 350–352
Faraday rotation 350
Annihilation neutrinos 351
Diffuse γ -rays 351–352
Sources of γ -rays 352
Symmetric hot big-bang 353
Symmetric Steady State 353–354
Alfvén-Klein 354
Distortions of microwave background 248
- Anthropic Principle in Cosmology 291–298, 361–362
see Large Number Coincidences and Arrow of time 268–269
- Assumptions in cosmology 3–11
see Isotropy of Universe; Cosmology, Survey of problems of
Cosmological Principle, 3–11, 291–298
for the substratum 3–11
for the geometry 3–11
Observational validation of 6–11
Foundations of inhomogeneous Universe 121–128
- Baade-Wesselink method 52
- Background Radiation
see Microwave Background Radiation, γ -ray background and matter-antimatter cosmologies 213, 337–338, 351–352
Energy densities in 144
Optical, unexpectedly large flux 74–75
Optical, as a limit on number of young galaxies at large redshifts 254–255
Radio, and the distances of radio sources 102
- Baryon Symmetric Big-Bang Cosmology 335–339, 361
see Antimatter cosmologies
- Bautz-Morgan types of clusters 53
- Black Holes, 264–272, 330, 348
Black hole entropy 269–270, 272
Formation in evolving Universe 249
Presence in clusters of galaxies 252
- Brans-Dicke theory 298
- Brightest stars in spiral galaxies 48

- Bulk viscosity and initial singularity 287–288
- Calibrators, fundamental 50
- Catalogues of clusters of galaxies
Abell 9, 82–89, 91, 253–254
Zwicky 9, 62, 82–89, 121
- Censorship, Hypothesis of Cosmic 266–272
- Clusters of galaxies
see Formation of galaxies and clusters of galaxies; Catalogues of clusters; Groups and clusters of galaxies
Virial mass 16, 18, 27, 55, 252–253
Missing mass in 22, 27, 34, 55–56, 239, 251–253, 308–310
Relaxation of, in expanding Universe 251–253
Epoch of formation of 214, 251
Diffuse optical emission in 16, 29
Velocity dispersion in 10, 16, 25, 308–310
Origin of 213–225, 227–240
- CO absorption bands in spectra of galaxies 54
- Confrontation of antimatter cosmologies with observational data 347–356
- Cosmic Rays, abundances of antiparticles 348–350
- Cosmological Constant 31–46
see Lemaitre models
Meaning of 31–32
Einstein's regret concerning 32
Energy density of vacuum and vacuum polarisation 32–33
Effect of, on Schwarzschild metric 33–34
Limits to, 31–46, 329
from age of galaxy 35–36
from quasars with large redshifts 36
from anthropic principle 286
- Cosmological Evolution of quasars
see Quasars, distribution in space of; Redshifts, non-cosmological; Redshifts, evidence for cosmological
- Cosmological Evolution of radio source population 93–109, 363
see Counts of radio sources
- Cosmological Models, structure of
see Assumptions in cosmology
Rigging vector fields 3, 4
Lemaitre Universes 31–46
Foundation of inhomogeneous Universe 121–128
- Cosmology, Survey of problems of ix, 359–365
- Counts of Radio Sources, 93–120
Use of differential counts 93–120
Theoretical expectation 93, 102–103
Observed counts at
178 MHz 94–95
408 MHz 95–96, 112
1420 MHz 96–97, 121, 125–128
2700 MHz 97–98, 101
5000 MHz 98–99, 101, 111–119
- Corrections to 94–99, 111–112
Convergence of 95–99, 118
Deficiency of sources to account for steep slope 41, 114
Anisotropies in 97, 99–101, 106–107, 116–117, 124–128
Isotropy of 4C sources 99, 125
GA-GB surveys 97, 99, 117
Slopes of source counts 99–100, 112–113, 116–117
Spectral index distributions 99–101, 125–128
Interpretation of 101–106, 108–109, 117–119
local hypothesis 101–102, 114, 118–119
Evolutionary cosmologies 102–106, 222, 363
Superclustering of radio sources 107, 109
Cutoff in distribution of sources at large redshifts 108
In Lemaitre models 40–41
Nature of unidentified sources 114
- Creation of particles in Cosmology 329–333, 361
see Quantum descriptions of singularities leading to pair creation
Quantum corrections to general relativity 329–330
'Elasticity' and 'Viscosity' of space-time 329–330
Quantum corrections and black and white holes 330
Prohibition of anisotropies due to 331
Model for 331–333
Origin of specific entropy of matter and primordial fluctuations 332–333
Conservation laws 333
Fluctuations for equation of state $p = \epsilon$ 333
- Deceleration Parameter 47–59, 362
Survey of, and present best estimates of 47–59
Comparison with observation in Lemaitre models 40
Use of brightest galaxies in clusters 53–56
Corrections 53–56
Luminosity evolution of galaxies 53, 54, 59
From redshift-angular diameter relation 71
From comparison of H_0 in Virgo cluster and the general field 55, 74
From arguments concerning infall of intergalactic gas 23, 54
- Density of matter in Universe 362–363
see Intergalactic gas; Formation of galaxies and clusters of galaxies
In form of diffuse gas 13–30
In form of gas in clusters 27, 56
In galaxies 55, 56
Missing mass as non-interacting particles 74
- Deuterium, Primordial
see Synthesis of Elements, Cosmological
- de Vaucouleurs' groups of galaxies 13, 25

- X-ray emission of gas in 25–28
- Dicke's anthropic principle 292–293
- Diffuse optical emission in clusters of galaxies 16, 29
- Dirac theory 291–298
- Distance, methods of determining
 - see* Hubble's constant; Deceleration parameter; redshift-magnitude relation
 - survey of 7, 50–51
 - ranges of usefulness of 8
 - by angular sizes of galaxies and clusters 8
 - from van den Bergh's luminosity classes 49, 59
- Distance Indicators, changes with galaxy type 48–50
 - Brightest stars 48
 - H II regions 49
 - Globular clusters 49
 - Cepheid variables 50
- Distortions of spectrum of Microwave Background
 - see* Microwave Background, Distortions of Spectrum
- 'Elasticity' of space-time 329–330
- Element Synthesis
 - see* Synthesis of Elements, Cosmological
- Energy density of vacuum 32, 33
- Epoch of galaxy formation 255
 - see* Formation of galaxies and clusters of galaxies
 - Search for young galaxies at large redshift 255
 - limits from optical background 255
 - relation to epoch of quasar formation 256
- Extended radio trails in clusters of galaxies 16, 19, 29
- Field galaxies and cluster galaxies
 - Abundances of morphological types and corresponding luminosity functions 129–140
 - Statistical techniques 129–140
 - Selection effects 129–140
 - Homogeneous classes 129–140
 - Fundamental theorems 131–132
 - Space luminosity functions 132–136
 - Space Abundances of morphological types 136–137
 - Indirect validation of statistical theory 137–140
- Formation of Galaxies and clusters of Galaxies
 - see* Seed fluctuations; Self-similar gravitational condensation
- In Friedmannian Universes 213–225, 360
 - Facts to be explained 213
 - General picture 213–214
 - Initial spectrum and its evolution 214–216
 - Dissipation of fluctuations 215
 - Non-linear stages of formation 216–220
- Rotation of galaxies 217–219
- Origin of magnetic fields 220
- Heating of intergalactic gas 220–221
- Comparison with observation 221–223
- Brightness of young galaxies 222
- Whirl Theory of 227–240, 360
 - History of 227
 - Evolution before recombination 228–232
 - Kolmogorov spectrum 228–232, 247–248, 251
 - Post-recombination evolution 232–236
 - Comparison with observation 233–239
 - 'Rumbling' and 'Silent' evolution 235–238
 - Generation of magnetic field 235
 - Distortion of Microwave Background 236–237
 - Origin of primaeval whirls 237–240, 245–246, 247
 - Damping of fluctuations 240
 - Epoch of galaxy formation 240, 247
 - Orientation of galaxies in clusters 240
- Whirl theory and antimatter cosmologies 247
- Comparison of Whirl Theory and Primaeval Fluctuation theory 245–257
 - Problems of Primordial Fluctuations 246
 - Problems of Primordial Turbulence 223
- Generation of Sound from primaeval turbulence 241–243, 245
- Lighthill-Crighton theory 241–243
- Spectrum of density perturbations in expanding Universe 175–193, 360
 - Types of initial condition 175, 183–184
 - Dynamical equations for evolution of 176–180
 - Adiabatic fluctuations 180–183
 - in Radiation dominated era 181–182
 - in Matter dominated era 182–183
 - Photon Dissipation and 184–187
 - Damping during decoupling epoch 187–190, 193
 - Comparison with observation 190–192
- 'Fundamental Particles' of cosmology 5–6
- Galaxies, discussed
 - Ho I 50, 51
 - Ho II 50
 - IC 1613 50, 51
 - IC 1746 63, 64
 - IC 1767 64
 - IC 2574 50
 - Large Magellanic Cloud 49, 50
 - Mayall's Peculiar Object 64
 - Markarian 132 64
 - Markarian 205 63
 - M 31 48–49, 53–54, 62
 - M 33 49–50
 - M 81 50
 - M 87 49

- M 101 49, 51, 59
- NGC 1265 16, 19
- NGC 2366 50
- NGC 2403 50
- NGC 3067 64
- NGC 3079 64
- NGC 4138 64
- NGC 4236 50
- NGC 4319 63
- NGC 4651 64
- NGC 4869 16
- NGC 5195 54
- NGC 5832 64
- NGC 6822 50
- NGC 7003 65
- NGC 7318 64
- NGC 7319 65, 69
- NGC 7320 64–65, 69
- NGC 7331 64–65, 69
- NGC 7413 63–64
- NGC 7603 72
- Small Magellanic Cloud 49, 50
- γ -ray background 213, 337–338, 351–352
- Generation of sound from *primaeva* turbulence 241–243, 245
- Gödel Universe 7
- Gowdy cosmological models 319–326
- Gravitational Waves
 - Experiments to detect 299
 - Low frequency, in cosmology 299–315
 - Astrophysical consequences of 299–315
 - Random gravitational wavefields, Theory of 300–303
 - Predicted variations in Microwave background 304–305
 - Limits for observation 304–305
 - Fluctuations in redshift due to 306–308
 - Anomalous redshifts due to 306–308
 - Mass discrepancy in clusters of galaxies due to 308–310
 - Systematic Redshifts in chains due to 310
 - Origin of anisotropy and non-linearity of *m-z* relation in local Supercluster 310–312
 - Redshift periodicities and clustering due to 312
 - Scintillation effects due to 312–314
 - Quantised models containing, as model for pair creation in early Universe 319–327
- Groups and clusters of galaxies
 - see de Vaucouleurs' groups of galaxies;*
 - Catalogues of clusters; Clusters of galaxies
 - Abell 801 91
 - Abell 1132 91
 - Abell 1656 91
 - Abell 2199 91, 309
 - Abell 2249 310
 - Coma 15–30, 52, 55, 80, 91, 138–140, 166, 172–173, 308–309, 358
 - Corona Borealis 138–140, 309
 - Hercules 15, 138, 240, 309
 - Local group 59, 62, 79–80
 - M81 group 59
 - NGC 247, around 65
 - NGC 6166, around 135, 138–140
 - Pegasus I 22
 - Pegasus II 138–140
 - Perseus 15–17, 22, 138, 309
 - Stephan's quintet 64–65, 69
 - Ursa Major cloud 80
 - Virgo 15–17, 25, 51–52, 80, 138–140
 - VV-150 65
 - Zwicky 0152 + 33 310
 - Zwicky 1609 + 82°12 310
- Helium, Primordial
 - see* Synthesis of Elements, Cosmological
- Hierarchical structures in distribution of galaxies
 - non-existence of 124, 128
- Hubble's constant 47–59, 213, 362, 364
 - Causes of successive revisions 48–49
 - Steps in calibrating the distance scale 50–51
 - Comparison of H_0 in Virgo cluster and the general field 51
 - Mapping anisotropies in local velocity field 51–52, 55
 - Use of supernovae, Baade-Wesselink method 52
 - Method of Abell and Eastmond 52
 - Lower limit to 53, 59
- Humason, Mayall and Sandage catalogue of galaxies 129–140
- Hyades 50
- Infall of gas into clusters of galaxies 22–25, 28, 54
- Inhomogeneous cosmological models 261, 273, 361
 - Foundations of 121–128
 - Light propagation in 54, 59
- Intelligent life, as a parameter in observable Universes 285–286, 288–289, 291–298
- Intergalactic Dust 14, 54, 82, 314
- Intergalactic Gas 13–30, 351, 362–364
 - see* Intracluster gas
 - Positive evidence for 13
 - Limits to density of hot gas from X-ray background 13–14
 - Clumpiness of 13–30
 - Limits on density of smooth cool gas 13–14
 - Heating mechanism for 14
- Interstellar extinction
 - affecting distribution of galaxies on the sky 9, 82, 92
- Intracluster gas

- Limits to density, temperature and clumpiness of, in Coma cluster 15–18, 22–23, 173
- Limits to density, temperature and clumpiness of, in Virgo cluster 17, 25
- Correlation of X-ray luminosity with velocity dispersion of galaxies 18, 21, 25
- Distortion of Microwave background by Compton scattering of hot, 20–21, 29, 166, 172
- Due to infall 22–25, 28, 54
- Limits to density parameter 23, 54
- Expulsion by quasars 23
- Expulsion as a cluster wind 24
- Evolution of intracluster gas 23–24
- Extended radio trails 14, 19, 29
- Comparison of radio source dimensions inside and outside clusters 16–18, 20, 29–30
- Ram pressure of intracluster gas 30
- Diffuse optical emission 16, 29
- Isotropization of Homogeneous Cosmological models 273–282, 361
 - see* Isotropy of Universe; Creation of particles in Cosmology
 - Behaviour of models near singularities 261, 273–282
 - by fluxes of weakly interacting particles 274–275
 - Rate of decay of anisotropy 275–282
 - Observational consequences of lack of complete isotropization 278–282
 - limits to epoch of isotropization from isotropy of microwave background 280, 282
 - relation to quantum cosmology 281
 - problem of last scattering surface of microwave background radiation 281–282
- Isotropy of Universe
 - see* Microwave Background Radiation; Background Radiation; Counts of Radio sources, anisotropies in Anisotropy of Universe at large times; Isotropisation of homogeneous cosmological models; Superclustering of Galaxies
 - from galaxy counts 9
 - limits on motion of observers 4
- Jagiellonian Field 9, 121–124
- Jordan theory 291–298
- Kolmogorov spectrum of turbulence 228–232, 247–248, 251
- Large Number Coincidences and the Anthropic Principle
 - in Cosmology 285–286, 288–289, 291–298, 361–362
 - Cosmological Principle 291–298
 - Theories of Dirac and Jordan 291–298
 - as evidence for Big Bang models 291–298
 - Anthropic principle 288–289, 291–298
 - Traditional use 292
 - Weak anthropic principle (Dicke's version) 292–293
 - Strong anthropic principle 293–295
 - Sensitivity of convective/radiative stars to gravitational constant 288–289, 295–298
 - World ensembles 295–298
 - and Everett doctrine in quantum mechanics 298
- Lemaître models 31–46
 - see* Cosmological constant
 - Confrontation with observation 31–46
 - Multiple images in 37–38
 - Age and formation of galaxies in 38–39
 - Redshift-magnitude relation in 39–40
 - Radio source counts in 40–41
 - Redshift distribution of quasars in 42–44
 - Presence of absorption lines at $z = 1.95$ 42
- Lick astrographic plates
 - Galaxy counts on 79, 87–89, 92
- Light Propagation in inhomogeneous models 54, 59
- Lighthill-Crighton theory
- Low Density Symmetric Cosmology 341–345
 - see* Antimatter cosmologies
- Luminosity functions for field and cluster galaxies 129–140
 - see* Field galaxies and cluster galaxies
- Mach's principle
 - non-satisfaction in general relativity 3
 - Validation from isotropy of microwave background 284, 362
- Magnetic fields, origin of 220, 235, 337–338
- Malmquist correction 50, 51, 52
- Mass-luminosity relation for galaxies 55–56
- Microwave Background Radiation
 - Energy density of 143–155, 195, 359
 - Survey of all measurements at short wave-lengths (< 1 cm) to 1973 143–155
 - Problems of measurement 143–155
 - Limits from optical absorption lines 144
 - Limits from X-ray background and cosmic ray electron spectrum 144
 - Limits from interstellar molecules 155
 - Problems for future observations 154–155
 - Isotropy of microwave background radiation 4, 99, 359
 - Large-scale 157–162, 195–196, 213
 - Origin of anisotropies 157–158
 - Absence of measurements on scale of superclusters 158
 - Early measurements 158
 - Recent measurements 158–159
 - Comparison with anisotropy in local

- Hubble flow 158
- Problems of measurement 158–161
- Evidence for motion of galaxy in super-cluster 52, 159
- Polarisation of microwave background 159
- Contribution from the Galaxy 161
- Summary of measurements 160
- Fine-scale 163–166, 195, 213
- Origin of fine scale fluctuations 163, 166
- Observations of 164–165
- Limits to numbers of discrete sources contributing to microwave background 164–165, 166
- Contribution of discrete sources to fluctuations 166
- Problems of observation 166
- Dip in direction of clusters of galaxies 20–21, 166, 172
- Interpretation of Isotropy of Microwave Background Radiation
 - see* Anisotropy of Universe at Large Times 283–286
 - Isotropization of homogeneous cosmological models 273–282
 - Fluctuations due to primordial gravitational waves 166, 303–305
 - Relation to fluctuations associated with galaxy formation 213, 222
 - Large scale isotropy and the very early stages of the Universe 162, 278–282
- Spectrum of Microwave Background Radiation 143–155
- Distortions of 167–173, 359
 - Causes of 167
 - Theoretical predictions of 167–173
 - Limits to Energy injection 167–173, 213, 248, 338
- Morphological types of galaxies 129–140
 - see* Field galaxies and cluster galaxies
- Naked singularities 264–272
- Neoether 3–6
- Neutrinos, limits to rest masses of relic 357–358
- Nucleosynthesis
 - see* Synthesis of Elements, Cosmological
- Organisers of Symposium No. 63, Tributes to XI, 369
- Pancakes 216–223, 236
 - burning of 220
- Penrose-Hawking Theorem 263, 281, 287, 288
- Period-luminosity relation for Cepheid variables 48–49
- Phase transitions in primordial matter 249
 - leading to separation of matter and antimatter 335, 338
- Quantum descriptions of Singularities leading to pair creation 319–327, 362
 - see* Creation of particles in Cosmology
 - Gowdy cosmological models 319–326
 - Analysis of Universe prior to $t = 10^{-43}$ s 319–326, 333
 - ADM quantisation methods 319–326
 - Dissipation of anisotropy through particle creation 320
 - Model quantisation 321–326
 - Quantum singularity theorems 321
 - Klein-Gordon like equation for gravitational waves in Gowdy universes 322–326
 - S-matrix approach 325–326
 - Mixmaster models 326
- Quantum effects in gravitation
 - see* Quantum descriptions of singularities leading to pair creation; Creation of particles in cosmology
 - Limitation on range of applicability of general relativity 32, 329–330
 - Seed fluctuations 248–249
 - Statistical bootstrap model 205–208
- Quantum Singularity Theorems 321
- Quasars
 - see* Redshifts, Non-cosmological; Redshifts, evidence for cosmological
 - Distribution in space of
 - Lemaître models 42–44
 - Evolutionary models 108, 222
 - Cut-off at large redshifts 108, 255
 - Observability at large redshifts 255–256
 - Effects of inverse Compton scattering on 256
 - Apparent magnitudes of, in Northern and Southern galactic hemispheres 119
 - Absorption spectra of, with the largest redshifts 256
 - Epoch of formation of 214, 222, 255
 - Relation to epoch of galaxy formation 256
- Quasars, discussed
 - OH 471 256
 - OQ 172 256
 - PHL 957 256
 - PHL 1226 63, 64
 - PKS 0159-11 64
 - 3C 232 64
 - 3C 254 64
 - 3C 268.4 64
 - 3C 270.1 64
 - 3C 273 255
 - 3C 275.1 64
 - 3C 309.1 64
 - 3C 455 63, 64
- Quotations, literary and scientific
 - Arzymovich X
 - Einstein 32
 - Galsworthy X–XI

- Rogers, W. 365
- Radio Sources, comparison of dimensions inside and outside clusters of galaxies 16–18, 20, 29–30
- Radio Source Counts
see Counts of radio sources
- Radio Sources, discussed
 OH 471 256
 OQ 172 256
 PKS 0159-11 64
 PKS 2020-370 63, 64
 3C 83.1B 16, 19
 3C 232 64
 3C 254 64
 3C 268.4 64
 3C 270.1 64
 3C 273 255
 3C 275.1 64
 3C 309.1 64
 3C 455 63, 64
- Radio Spectral Indices
 Distributions of 103–106, 114–116
 Variation of, with flux density 103–106, 116
 Use of, in predicting counts at different frequencies 105, 113, 114–116, 117
 Spectral index function 103–106
- Radio trails 16, 19, 29
- Redshifts
 Evidence for cosmological 69–71, 363
 galaxies as standard candles 70
 quasars at cosmological distances 71
 periodicities in quasar redshift distribution 71
 associations of quasars and nearby galaxies 73
- Redshifts, Non-cosmological
 Evidence for 61–67, 69–70, 363–364
 Association of quasars and compact galaxies with nearby galaxies 61–64
 Statistical Evidence 61–63, 73–74
 Individual examples 63–64
 Bridges between quasars and nearby galaxies 63–66
 Evidence of interactions 63–66
 Close pairs of quasars 67
 Case of Stephan's quintet 70
 H I determination of distances 65, 69–70
 Limits to distances from radio data 67, 101–102, 106
 Luminosity function for radio sources and 103, 108, 109
 Interpretation of anisotropies in source counts by 108
 Inexplicability in present-day physics 61, 66–67
 Luminosity-redshift hypothesis 62–63
 Intrinsic 7
 Dependence on compactness of object 7
- Redshift-angular size relation
 Baum technique 71
 for galaxies 70, 71
 for extended radio sources 54, 70
- Redshift-magnitude relation 47–59, 362
see Deceleration parameter; Hubble's constant in Lemaitre models 39–40
 evidence for cosmological interpretation of redshift 70
 extension to very large distances for galaxies 71–72, 362
- Redshift-surface brightness relation 251–253
see Relaxation of clusters in Evolving Universe
- Redshift bands in Coma cluster 308, 314
- Relaxation of clusters in Evolving Universe 251–253
 as a cosmological tool 251–253
 redshift-surface brightness relation for world models 251–253
 for tired-light models 251–252
 inferred presence of massive black holes in clusters from 252
- Rotation of galaxies 213, 214, 217–219, 223, 238–239
see Formation of galaxies and clusters of galaxies
 Generation of vorticity in shock waves 225
 Whirl theory 227–240
 Orientation of axes of, in superclusters 240
- Rotation of Universe
 Possibility of 7
 Limits to 283–286, 362
- RR Lyrae stars, as distance indicators 50
- Seed fluctuations 248–249
 in theory of Carlitz, Frautschi and Nahm 248–249
 production of excess black holes 249
- Self-similar gravitational condensation
 formation of galaxies by 250
 non-linear interactions 250
 as a cascade process 250
 wager made concerning spectrum resulting from 250
 difficulties with 251
- Singularities in Cosmology 263–272
see Quantum descriptions of singularities leading to pair creation; Isotropization of Homogeneous Cosmological models
 Penrose-Hawking Theorem 263, 281, 287, 288
 Definition of singularity 264
 White holes, black holes, naked singularities 264–272
 Hypothesis of cosmic censorship 266–272
 Decay of white holes by particle creation 267, 268, 271
 Arrow of time 268–269

- Entropy 269, 272
- Black hole entropy 269–270, 272
- Open cosmological models 271
- Spectral Index Distributions, Functions
 - see* Counts of Radio sources; Radio spectral indices
- Spectrum of density perturbations in Expanding Universe 175–193
 - see* Formation of galaxies and clusters of galaxies
- Spectrum of Microwave Background Radiation 143–155
 - see* Microwave Background Radiation
- Statistical Bootstrap Theory of Carlitz, Frautschi and Nahm 205–208, 248–249
- Steady State theory 140
- Sun, rate of velocity change and of change in direction of motion 7
- Superclustering of galaxies 79–92, 213, 253–254
 - Problems of definition 79
 - Local supercluster 80–81
 - Statistical techniques 82–89, 122–128, 253–254
 - Evidence for general superclustering 82–89
 - Average population of superclusters 88–89, 253–254
 - Dynamical properties of 90–91
 - Catalogue of superclusters 92
 - Statistical techniques applied to stars 92
 - Interlocking superclusters 254
- Supercluster, Local 4, 80–81
 - Extinction associated with 9
 - Anisotropy of Hubble flow in 55
 - Orientation of axes of galaxies in 240
- Surveys of Radio Sources
 - 3CR 94–95, 99, 124–125
 - 4C 94–95, 99, 124–125
 - North Polar Survey 94–95
 - 5C surveys 95–96, 99–100, 106, 121
 - Parkes 408 MHz 95–96
 - Parkes 2700 MHz 97–98, 108
 - Parkes 5000 MHz 98–99
 - Molongo 408 MHz 96
 - Greenbank GA 96–97, 99, 121, 125–128
 - Greenbank GB 96–97, 99, 121, 125–128
 - Greenbank high flux density survey 1420 MHz 96–97
 - Preliminary Westerbork 1420 MHz 96–97
 - Jodrell Bank 2700 MHz 98
 - Greenbank 5 GHz (SI, SII, SIII, SIV, D) 98–99, 111–119, 121
- Synthesis of the Elements, Cosmological 195–210, 213, 261, 360–361
 - Assumptions about early Universe 195–196
 - Processes of Nucleosynthesis 196–197
 - Observed abundances of helium and deuterium 197–200
 - Comparison of theory with observation 200–208
- Statistical Bootstrap theory of Carlitz, Frautschi and Nahm 205–208
 - Summary of scenarios for element synthesis 208–209
- Thermal history of Universe 167–173
 - see* Distortions of spectrum of microwave background
- Tidal interactions between galaxies 72–73
- UHURU catalogue of X-ray sources 15
- Universe, definition of 6
- Variation of physical constants with time 298
- 'Viscosity' of space time 329–330
- Whirl theory of formation of galaxies and clusters of galaxies 227–240
- White holes 264–272, 330, 348
 - Decay of 267, 268, 271
- X-ray background 13–14, 364
 - soft 13
 - overall spectrum of 15, 26
 - origin in thermal emission of clusters and groups of galaxies 25–28
 - Isotropy of 27
 - Break in spectrum of 27
 - Other possible origins 27, 29
- X-ray emission of clusters
 - see* Intracluster gas
 - Inverse Compton interpretation of 14, 20