The Journal of Agricultural Science

SENIOR EDITOR

W. J. Whittington

EXECUTIVE EDITOR

N. M. Boston

Journal of Agricultural Science, University of Nottingham, Faculty of Agricultural and Food Sciences, Sutton Bonington Campus, Loughborough, Leicestershire LE12 5RD, UK

EDITORIAL BOARD

E. J. Allen
University of Cambridge, UK

B. W. Bache University of Cambridge, UK

P. S. Cocks University of Western Australia, Nedlands, Australia

P. Day Rutgers University of New Jersey, New Brunswick, USA

W. Day Silsoe Research Institute, UK

R. N. Edmondson Horticulture Research International, Wellesbourne, UK

W. v. Engelhardt Physiologisches Institut der Tierärztliche Hochschule Hannover, Germany

W. Erskine ICARDA, Aleppo, Syria

M. F. Franklin Biomathematics & Statistics Scotland, Rowett Research Institute, Aberdeen, UK

M. F. Fuller Rowett Research Institute, Aberdeen, UK

M. D. Gale Cambridge Laboratory, JI Centre, Norwich, UK K. E. Giller Wye College, University of London, UK

J. C. Gower Wheathampstead, UK

J. F. D. Greenhalgh Conwy, UK

A. E. Johnston IACR-Rothamsted, UK

T. Komiyama Shirakawa Institute of Animal Genetics, Fukushima, Japan

T. Lewis IACR-Rothamsted, UK

D. B. Lindsay Cambridge, UK

J. S. Macfarlane Centre for Tropical Veterinary Medicine, University of Edinburgh, UK

G. M. O. Maloiy Institute of Animal Physiology and Biotechnology Research, Nairobi, Kenya

G. F. J. Milford IACR-Rothamsted, UK

T. R. Morris
University of Reading, UK

J. B. Owen University College of North Wales, Bangor, UK C. J. Pollock Institute of Grassland and Environmental Research, Aberystwyth, UK

T. J. Riggs Horticulture Research International, Wellesbourne, UK

J. A. Rooke Scottish Agricultural College, Aberdeen, UK

G. Rothschild IRRI, Manila, Philippines

P. E. Russell AgrEvo UK Limited, Chesterford Park, Saffron Walden, UK

R. K. Scott University of Nottingham, Sutton Bonington, UK

S. K. Sinha Indian Agricultural Research Institute, New Delhi, India

R. Thompson IACR-Rothamsted, UK

J. H. Topps
University of Zimbabwe,
Harare, Zimbabwe

D. Wilman University of Wales, Aberystwyth, UK

VOLUME 126

CAMBRIDGE UNIVERSITY PRESS

Cambridge

New York Port Chester Melbourne Sydney

1996

CAMBRIDGEUNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP, 40 West 20th Street, New York, NY 10011-4211, USA 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1996

Printed in Great Britain by the University Press, Cambridge

CONTENTS

PART I (FEBRUARY 1996)

Instructions to Authors	PAGE
CROPS AND SOILS PILBEAM, C. J. Variation in harvest index of maize (Zea mays) and common bean (Phaseolus vulgaris) grown in a marginal rainfall area of Kenya CONE, J. W., VAN GELDER, A. H. and MARVIN, H. J. P. Influence of drying method and ageing on chemical and physical properties and in vitro degradation characteristics of grass and maize samples AMIN, MD R. and THOMAS, H. Growth and water relations of diverse populations of Lolium perenne exposed to drought in field, glasshouse and controlled environment TALLOWIN, J. R. B. and BROOKMAN, S. K. E. The impact of differences in nitrogen content, nitrogen utilization and loss from laminae on competition between four grass species in an old pasture BROCK, J. L., HUME, D. E. and FLETCHER, R. H. Seasonal variation in the morphology of perennial ryegrass (Lolium perenne) and cocksfoot (Dactylis glomerata) plants and populations in pastures under intensive sheep grazing	1 7 15 25 37
McGRATH, S. P. and ZHAO, F. J. Sulphur uptake, yield responses and the interactions between nitrogen and sulphur in winter oilseed rape (<i>Brassica napus</i>)	53
SHEPHERD, M. A. and SYLVESTER-BRADLEY, R. Effect of nitrogen fertilizer applied to winter oilseed rape (<i>Brassica napus</i>) on soil mineral nitrogen after harvest and on the response of a succeeding crop of winter wheat to nitrogen fertilizer	63
DAVIES, D. B., GARWOOD, T. W. D. and ROCHFORD, A. D. H. Factors affecting nitrate leaching from a calcareous loam in East Anglia	75
ANIMALS WANG, Y., DOUGLAS, G. B., WAGHORN, G. C., BARRY, T. N., FOOTE, A. G. and PURCHAS, R. W. Effect of condensed tannins upon the performance of lambs grazing Lotus corniculatus and lucerne	
(Medicago sativa) SUTOH, M., OBARA, Y. and MIYAMOTO, S. The effect of sucrose supplementation on kinetics of nitrogen,	87
ruminal propionate and plasma glucose in sheep ROSE, M. T. and OBARA, Y. Effect of growth hormone on the response to insulin and glucose turnover in sheep	99 107
ABSTRACTS Proceedings of the Twenty-Seventh Meeting of the Agricultural Research Modellers' Group	117
BOOK REVIEWS	123
PART 2 (MARCH 1996)	
Instructions to Authors	PAGE
CROPS AND SOILS SEN, S. and CHALK, P. M. Stimulation of root growth and soil nitrogen uptake by foliar application of urea to wheat and sunflower ORPHANOS, P. I. Direct and residual effect of phosphorus on dryland barley SAHRAWAT, K. L., MULBAH, C. K., DIATTA, S., DELAUNE, R. D., PATRICK, W. H., JR, SINGH, B. N. and JONES, M. P. The role of tolerant genotypes and plant nutrients in the management of iron toxicity in lowland rice	127 137
WONG, C. C. and STÜR, W. W. Persistence of tropical forage grasses in shaded environments PORQUEDDU, C., LOI, A. and COCKS, P. S. Hardseededness and pattern of hard seed breakdown in Sardinian populations of <i>Medicago polymorpha</i> under field conditions	151 161
GUTIÉRREZ BOEM, F. H. and LAVADO, R. S. The effects of soil sodicity on emergence, growth, development and yield of oilseed rape (<i>Brassica napus</i>)	169
LINNEMANN, A. R. Phenological development in bambara groundnut (Vigna subterranea) transferred from 14 to 11 h photoperiods	175

SIVAKUMAR, M. V. K., NTARE, B. R. and ROBERTS, J. M. Growth, yield and plant-water relations of four cowpea (Vigna unguiculata) cultivars in the Sahel	183
THOMSEN, I. K. and CHRISTENSEN, B. T. Availability to subsequent crops and leaching of nitrogen in ¹⁵ N-labelled sugarbeet tops and oilseed rape residues	191
ANIMALS	
PIKE, D. J., OWEN, E. and SAID, A. N. The dacron bag technique for comparing rumen degradability of untreated and ammonia-treated barley straw – effect of particle size and degree of replication	201
MARAIS, J. P., FIGENSCHOU, D. L., ESCOTT-WATSON, P. L. and WEBBER, L. N. Administration in suspension-form of n-alkane external markers for dry matter intake and diet selection studies	207
DIVERIO, S., GODDARD, P. J. and GORDON, I. J. Physiological responses of farmed red deer to management practices and their modulation by long-acting neuroleptics	211
SEMIADI, G., HOLMES, C. W., BARRY, T. N. and MUIR, P. D. Effects of cold conditions on heat production by young sambar (<i>Cervus unicolor</i>) and red deer (<i>Cervus elaphus</i>)	221
ROOK, A. J. and HUCKLE, C. A. Sources of variation in the grazing behaviour of dairy cows	227
NSAHLAI, I. v. and UMUNNA, N. N. Comparison between reconstituted sheep faeces and rumen fluid inocula and between <i>in vitro</i> and <i>in sacco</i> digestibility methods as predictors of intake and <i>in vivo</i> digestibility	235
	240
BOOK REVIEWS	249
PART 3 (MAY 1996)	
Instructions to Authors	PAGE
CROPS AND SOILS	
RAMOS, J. M., GARCÍA DEL MORAL, L. F., BOUJENNA, A., SERRA, J., INSA, J. A. and ROYO, C. Grain yield, biomass and leaf area of triticale in response to sowing date and cutting stage in three contrasting Mediterranean environments	253
JENKYN, J. F., TODD, A. D., BAINBRIDGE, A. and DYKE, G. V. Effects of inoculum sources on the accuracy and precision of experiments testing different times of applying fungicides to control powdery mildew	
(Erysiphe graminis f.sp. hordei) on spring barley	259
WILMAN, D., MTENGETI, E. J. and MOSELEY, G. Physical structure of twelve forage species in relation to rate of intake by sheep	277
MTENGETI, E. J., WILMAN, D. and MOSELEY, G. Differences between twelve forage species in physical breakdown when eaten	287
EVANS, D. R., HUMPHREYS, M. O. and WILLIAMS, T. A. Forage yield and quality interactions between white clover and contrasting ryegrass varieties in grazed swards	295
THOMPSON, D. J. and STOUT, D. G. Influence of sowing rate on dry matter yield, plant density and survival of lucerne (<i>Medicago sativa</i>) under dryland and irrigated conditions	301
COLLINSON, S. T., AZAM-ALI, S. N., CHAVULA, K. M. and HODSON, D. A. Growth, development and yield of bambara groundnut (<i>Vigna subterranea</i>) in response to soil moisture	307
FREITAS, B. M. and PAXTON, R. J. The role of wind and insects in cashew (Anacardium occidentale) pollination in NE Brazil	319
CASTELLANOUS, J. Z., PEÑA-CABRIALES, J. J. and ACOSTA-GALLEGOS, J. A. ¹⁵ N-determined dinitrogen fixation capacity of common bean (<i>Phaseolus vulgaris</i>) cultivars under water stress	327
ERSKINE, w. Seed-size effects on lentil (<i>Lens culinaris</i>) yield potential and adaptation to temperature and rainfall in West Asia	335
MISSLEBROOK, T. H., SHEPHERD, M. A. and PAIN, B. F. Sewage sludge applications to grassland: influence of sludge type, time and method of application on nitrate leaching and herbage yield	343
ANIMALS	
WANG, Y., DOUGLAS, G. B., WAGHORN, G. C., BARRY, T. N. and FOOTE, A. G. Effect of condensed tannins in <i>Lotus corniculatus</i> upon lactation performance in ewes	353
HOCKING EDWARDS, J. E., BIRTLES, M. J., HARRIS, P. M., PARRY, A. L., PATERSON, E., WICKHAM, G. A. and McCutcheon, S. N. Pre- and post-natal wool follicle development and density in sheep of five genotypes	363
BOOK REVIEWS	371

PART 4 (JUNE 1996)

Instructions to Authors	PAGE
CROPS AND SOILS	
GRUNDY, A. C., BOATMAN, N. D. and FROUD-WILLIAMS, R. J. Effects of herbicide and nitrogen fertilizer application on grain yield and quality of wheat and barley	379
MOOT, D. J., JAMIESON, P. D., HENDERSON, A. L., FORD, M. A. and PORTER, J. R. Rate of change in harvest index during grain-filling of wheat	387
WANG, X. W., LAI, J. R., FAN, L. and ZHANG, R. B. Effects of recurrent selection on populations of various generations in wheat by using the Tai Gu single dominant male-sterile gene	397
SLAFER, G. A. Differences in phasic development rate amongst wheat cultivars independent of responses to photoperiod and vernalization. A viewpoint of the intrinsic earliness hypothesis	403
CHRISTIANSEN, S., ABD EL MONEIM, A. M., COCKS, P. S. and SINGH, M. Seed yield and hardseededness of two amphicarpic pasture legumes (<i>Vicia sativa</i> ssp. <i>amphicarpa</i> and <i>Lathyrus ciliolatus</i>) and two annual medics (<i>Medicago rigidula</i> and <i>M. noeana</i>)	421
HIDE, G. A., WELHAM, S. J., READ, P. J. and AINSLEY, A. E. The yield of potato plants as affected by stem	
canker (<i>Rhizoctonia solani</i>), blackleg (<i>Erwinia carotovora</i> subsp. <i>atroseptica</i>) and by neighbouring plants BROWN, J., DALE, M. F. B. and MACKAY, G. R. General adaptability of potato genotypes selected in the UK	429
for the Mediterranean region	441
OWUSU, E. O., KIM, CS., HORIIKE, M. and HIRANO, C. Comparative biological and enzymatic studies on some host-adapted populations of melon and cotton aphid, <i>Aphis gossypii</i> (Homoptera: Aphididae)	449
ESECHIE, H. A., ELIAS, S., RODRIGUEZ, V. and AL-ASMI, H. S. Response of sunflower (<i>Helianthus annuus</i>) to planting pattern and population density in a desert climate	455
EL-SAYED, S. F., BADAWI, M. A., MAHMOUD, I. M. and MOTAWA, M. H. Some morphological characters and yield of broad bean (<i>Vicia faba</i>) as affected by pesticide treatments	463
KNOTT, C. M. The effect of cover crops on the establishment and yield of vining peas and on nitrate leaching	471
RUBÆK, G. H., HENRIKSEN, K., PETERSEN, J., RASMUSSEN, B. and SOMMER, S. G. Effects of application technique and anaerobic digestion on gaseous nitrogen loss from animal slurry applied to ryegrass (Lolium	.,,
perenne)	481
ANIMALS	
BORTOLUSSI, G., TERNOUTH, J. H. and McMENIMAN, N. P. Dietary nitrogen and phosphorus depletion in cattle and their effects on liveweight gain, blood metabolite concentrations and phosphorus kinetics	493
TERNMOUTH, J. H., BORTOLUSSI, G., COATES, D. B., HENDRICKSEN, R. E. and McLEAN, R. W. The phosphorus requirements of growing cattle consuming forage diets	503
NEUTZE, S. A., GOODEN, J. M. and ODDY, V. H. Uptake of labelled phenylalanine into different blood fractions in the portal vein and cranial mesenteric vein of lambs	511
BOOK REVIEWS	519
INDEX	523

Announcing...

Environmental Conservation

An International Journal of Environmental Science

Editor: Nicholas V. C. Polunin *University of Newcastle, UK*

Published by Cambridge University Press from 1996, Environmental Conservation is the longest-standing and most authoritative of the journals which deal comprehensively with the science underpinning environmental conservation concerns at the global level. This is essential reading for all environmentalists, managers and scientists wishing to keep abreast of current developments in environmental science.

Features

- · Published quarterly
- Rapid publication
- Includes short papers and comments as well as longer articles
- Book reviews, subject reviews and meeting reports are also welcomed

Recent and Forthcoming Papers

Hydroelectric dams in the Brazilian Amazon as sources of 'greenhouse' gases

P. M. FEARNSIDE

Rain-forest policies and United States NGOs – Targets and tactics of influence

R. B. MOHD & J. G. LAARMAN

Natural resource exploitation and the role of new technology: a case-history of the UK herring industry

D. J. WHITMARSH ET AL.

Proposing a new mechanism to strengthen the equitable and sustainable use of biodiversity

A. F. Krattiger & W. H. Lasser

Coverage includes:

- human institutions and attitudes
- biodiversity, species losses and introductions
- industry, pollution and habitat degradation
- · energy and materials sources
- dynamics of populations and ecosystems
- atmospheric and oceanic processes
- international environmental law
- environmental economics

Subscription Information

Environmental Conservation is published quarterly in March, June, September and December. Volume 23 in 1996 costs £150 for institutions and £68 for individuals; delivery by airmail is £18 extra. ISSN 0376-8929.

Further Information Please send me further information on Environmental Conservation Name Address Send completed coupon to: Journals Marketing Department, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU. Tel: +44 (0)1223 325806 Fax: +44 (0)1223 315052 Email:journals_marketing@cup.cam.ac.uk



The Journal of Agricultural Science (ISSN 0021-8596) is published eight times a year in February, March, May, June, August, September, November and December. Four parts form a volume. The subscription price (excluding VAT) of Volumes 126 and 127 (1996) (which includes postage) is £268 net (US \$495 in the USA, Canada and Mexico). Single parts are £37 net (US \$67 in the USA, Canada and Mexico). Back issues are also available.

Orders, which must be accompanied by payment, may be sent to a bookseller, subscription agent or direct to the publisher: Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, UK; or in the USA, Canada and Mexico: Cambridge University Press, 40 West 20th Street, New York, NY 10011-4211, USA. EU subscribers (outside the UK) who are not registered for VAT should add VAT at their country's rate. VAT registered subscribers should provide their VAT registration number. Japanese prices for Institutions (including ASP delivery) are available from Kinokuniya Company Ltd, PO Box 55, Chitose, Tokyo 156, Japan.

Copies of the Journal for subscribers in the USA, Canada and Mexico are sent by air to New York to arrive with minimum delay. Second class postage paid at New York, NY, and at additional mailing offices. Postmaster: send address changes in the USA, Canada and Mexico to: *The Journal of Agricultural Science*, Cambridge University Press, 110 Midland Avenue, Port Chester, New York, NY 10573-4930. Claims for missing issues should be made immediately on receipt of the subsequent issue.

Information on *The Journal of Agricultural Science* and all other Cambridge journals is available on http://www.cup.cam.ac.uk/ and in North America on http://www.cup.org/.

Copying. No contents may be reproduced by any means without the permission of Cambridge University Press. This journal is registered with the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, USA. Organizations in the USA who are also registered with the C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$11.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0021–8596/96 \$11.00+0.10. *ISI Tear Sheet Service*, 3501 Market Street, Philadelphia, PA 19106, USA, is authorized to supply single copies of separate articles for private use only. Organizations authorized by the Copyright Licensing Agency may also copy material subject to the usual conditions. *For all other use*, permission should be sought from Cambridge or the American Branch of Cambridge University Press.

CAMBRIDGE UNIVERSITY PRESS

The Pitt Building, Trumpington Street, Cambridge CB2 1RP, UK 40 West 20th Street, New York, NY 10011–4211, USA 10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Printed in Great Britain by the University Press, Cambridge

The Journal of Agricultural Science

VOLUME 126 PART 4 JUNE 1996

CONTENTS	
Instructions to Authors	PAGE
CROPS AND SOILS	
GRUNDY, A. C., BOATMAN, N. D. and FROUD-WILLIAMS, R. J. Effects of herbicide and nitrogen fertilizer application on grain yield and quality of wheat and barley	379
MOOT, D. J., JAMIESON, P. D., HENDERSON, A. L., FORD, M. A. and PORTER, J. R. Rate of change in harvest index during grain-filling of wheat	387
WANG, X. W., LAI, J. R., FAN, L. and ZHANG, R. B. Effects of recurrent selection on popula tions of various generations in wheat by using the Tai Gu single dominant male-sterile generations.	397
SLAFER, G. A. Differences in phasic development rate amongst wheat cultivars independent of responses to photoperiod and vernalization. A viewpoint of the intrinsic earlines hypothesis	
CHRISTIANSEN, S., ABD EL MONEIM, A. M., COCKS, P. S. and SINGH, M. Seed yield and hardseededness of two amphicarpic pasture legumes (<i>Vicia sativa</i> ssp. <i>amphicarpa</i> and	
Lathyrus ciliolatus) and two annual medics (Medicago rigidula and M. noeana) HIDE, G. A., WELHAM, S. J., READ, P. J. and AINSLEY, A. E. The yield of potato plants a	421
affected by stem canker (<i>Rhizoctonia solani</i>), blackleg (<i>Erwinia carotovora</i> subspatroseptica) and by neighbouring plants	
BROWN, J., DALE, M. F. B. and MACKAY, G. R. General adaptability of potato genotype selected in the UK for the Mediterranean region	441
OWUSU, E. O., KIM, CS., HORIIKE, M. and HIRANO, C. Comparative biological and enzymatic studies on some host-adapted populations of melon and cotton aphid, <i>Aphi gossypii</i> (Homoptera: Aphididae)	
ESECHIE, H. A., ELIAS, S., RODRIGUEZ, V. and AL-ASMI, H. S. Response of sunflowe (Helianthus annuus) to planting pattern and population density in a desert climate	r 455
EL-SAYED, S. F., BADAWI, M. A., MAHMOUD, I. M. and MOTAWA, M. H. Some morphological characters and yield of broad bean (<i>Vicia faba</i>) as affected by pesticide treatments	463
KNOTT, C. M. The effect of cover crops on the establishment and yield of vining peas and or nitrate leaching	
RUBÆK, G. H., HENRIKSEN, K., PETERSEN, J., RASMUSSEN, B. and SOMMER, S. G. Effect	S
of application technique and anaerobic digestion on gaseous nitrogen loss from anima slurry applied to ryegrass (<i>Lolium perenne</i>)	481
ANIMALS	
BORTOLUSSI, G., TERNOUTH, J. H. and McMENIMAN, N. P. Dietary nitrogen and phos phorus depletion in cattle and their effects on liveweight gain, blood metabolit	e
concentrations and phosphorus kinetics TERNOUTH, J. H., BORTOLUSSI, G., COATES, D. B., HENDRICKSEN, R. E. and	493
McLEAN, R. W. The phosphorus requirements of growing cattle consuming forage diets NEUTZE, S. A., GOODEN, J. M. and ODDY, V. H. Uptake of labelled phenylalanine into	503
different blood fractions in the portal vein and cranial mesenteric vein of lambs	511
BOOK REVIEWS	519



INDEX



523

0021-8596(199606)126:4:1-1