
JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 IRP
32 East 57th Street, New York, NY 10022, USA

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Press, Cambridge

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 59

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

CONTENTS OF VOLUME 59

Number 1, pp. 1–257, 28 February 1979 Number 2, pp. 259–533, 28 June 1979 Number 3, pp. 535–809, 12 September 1979 Number 4, pp. 811–1079, 30 November 1979

							PAGI
Report of the Council for 1978–79		•	•	•	•		1033
Income and Expenditure Account and Balance Sheet .					•		1075
Anderson, M. R., Spindler, M., Bé, A. W. H. and Hemleber	N, Ch.						
Trophic activity of planktonic foraminifera			•	•	•	•	791
BAKKE, T., see Southward et al			•	•	•	•	133
BARNETT, B. E. A laboratory study of predation by the dog-whelk Nucella lapil	lus on	the b	arnac	les <i>E</i>	lminiı	ıs	
modestus and Balanus balanoides			•	•	•	•	299
BARNETT, B. E. and CRISP, D. J. Laboratory studies of gregarious settlement in Balanus balanos	<i>ides</i> an	d <i>Elr</i>	ninius	mode	estus i	n	~O.
relation to competition between these species			•	•	•	•	581
BARNETT, B. E., EDWARDS, S. C. and CRISP, D. J. A field study of settlement behaviour in Balanus balanoi			lmini	us m	odestu	ıs	
(Cirripedia: Crustacea) in relation to competition between	n then	n	•	•	•	•	575
Bé, A. W. H., see Anderson et al			•	•	•	•	79 1
BELL, M. V., KELLY, K. F. and SARGENT, J. R. Sodium orthovanadate, a powerful vasoconstrictor in the	gills	of th	ne co	mm o	n ee	l,	
Anguilla anguilla			•	•	•	•	429
See also Kelly et al	•		•	•	•	•	859
BINYON, J. Branchiostoma lanceolatum – a freshwater reject?					•		61
BLAKE, R. W. The swimming of the mandarin fish Synchropus picturatus (Callior	nyiid	ae: T	eleos	tei)		421
BLAXTER, J. H. S., DENTON, E. J. and GRAY, J. A. B. The herring swimbladder as a gas reservoir for the acoustice	o-later	alis s	vsten	1			1
See also Denton, Gray and Blaxter				•	•		27
BONE, Q., GORSKI, G. and PULSFORD, A. L. On the structure and behaviour of <i>Fritillaria</i> (Tunicata: Lat	rvacea)		•	•		3 99
BONE, Q. and RYAN, K. P. The Langerhans receptor of Oikopleura (Tunicata: Larvacea	a) .						69
BONNETT, R., HEAD, E. J. and HERRING, P. J. Porphyrin pigments of some deep-sea medusae							565
Brattegard, T., see Southward et al	-		-	-	-	-	
DRALLEGARD, I., SEE DOULDWARD Et al							122

	PAGE
Bryan, G. W. and Gibbs, P. E. Zinc – a major inorganic component of nereid polychaete jaws	. 969
BUDIMAN, A., see Gruffydd, Budiman and Nott	- 597
Burnham, R. J. P., see Collier, Burnham and Herring	. 489
BUTLER, E. I., KNOX, S and LIDDICOAT, M. I. The relationship between inorganic and organic nutrients in sea water	. 239
CAIN, R. B., see Walters et al	. 553
CANDIA CARNEVALI, M. D. and FERRAGUTI, M. Structure and ultrastructure of muscles in the priapulid <i>Halicryptus spinulosus</i> : functions and phylogenetic remarks	al • 737
CARTER, M. A. and THORP, C. H. The reproduction of Actinia equina L. var. mesembryanthemum	. 989
CAWTHORNE, D. F. A comparative study of the closure responses of some cirripede species exposed t falling seawater concentrations	co . 811
CHRETIENNOT-DINET, MJ., see HIBBERD and CHRETIENNOT-DINET	. 179
CLARKE, M. R., DENTON, E. J. and GILPIN-BROWN, J. B. On the use of ammonium for buoyancy in squids	. 259
COLLIER, A. F., BURNHAM, R. J. P. and HERRING, P. J. A system for the collection of comparative emission spectra suitable for shipboard use	. 489
CORBIN, P. G. The seasonal abundance of four species of Stauromedusae (Coelenterata: Scyphomedusae) at Plymouth	- . 385
Corner, E. D. S. See O'Hara, Gaskell and Corner	. 331
See Walters et al	. 553
Crisp, D. J. See Barnett and Crisp	. 581
See Barnett, Edwards and Crisp	. 575
See Dando, Southward and Crisp	. 307
CRUMP, R. G., see Emson and CRUMP	. 77
DANDO, P. R., SOUTHWARD, A. J. and CRISP, D. J. Enzyme variation in <i>Chthamalus stellatus</i> and <i>Chthamalus montagui</i> (Crustacea: Cirr pedia): evidence for the presence of <i>C. montagui</i> in the Adriatic	i- . 307
DAVENPORT, J. The isolation response of mussels (Mytilus edulis L.) exposed to falling sea-water corcentrations	1- . 123
DAVENPORT, J., VAHL, O. and LÖNNING, S. Cold resistance in the eggs of the capelin Mallotus villosus	. 443

					PAGE
DAVIES, A. G. and SLEEP, J. A. Inhibition of carbon fixation as a function of zinc uptal assemblages	ke in n	atural p	hytop]	lankto •	n • 937
DENTON, E. J., GRAY, J. A. B. and BLAXTER, J. H. S. The mechanics of the clupeid acoustico-lateralis system: fr	requenc	y respon	.ses		. 27
See also BLAXTER, DENTON and GRAY				•	. 1
See also Clarke, Denton and Gilpin-Brown		•	•		. 259
DIGBY, P. S. B. Reducing activity and the formation of base in the corallimodel	ine alga	e: an ele	ectrocl	nemic:	al • 455
Duncan, J. A. R., see Gordon and Duncan					. 413
EDWARDS, P., see SEELIGER and EDWARDS					. 227
EDWARDS, S. C., see BARNETT, EDWARDS and CRISP					• 575
EMSON, R. H. and CRUMP, R. G. Description of a new species of Asterina (Asteroidea), with	an acc	ount of	its eco	logy	. 77
FEBVRE-CHEVALIER, C., see FEBVRE and FEBVRE-CHEVALIER					. 215
FEBRUE, J. and FEBURE-CHEVALIER, C. Ultrastructural study of zooxanthellae of three species of A poda), with details of their taxonomic position in the Pryn Hibberd, 1976)					
FEIGENBAUM, D. Predation on chaetognaths by typhloscolecid polychaetes: specimens	one exp	olanation	for h	eadle:	ss . 631
FERRAGUTI, M., see CANDIA CARNEVALI and FERRAGUTI .					• 737
FINDLAY, I., see McVean and FINDLAY				•	. 341
FISH, J. D. and MILLS, A. The reproductive biology of Corophium volutator and C. as poda)	renariun	n (Crust	acea:	A mph	i- • 355
FORD, M. P., see RAINBOW, FORD and HEPPLEWHITE .					. 591
GAGE, J. D. Mode of life and behaviour of Montacuta phascolionis, a sipunculan Phascolion strombi	bivalve	comme	nsal v	vith th	
GALLENI, L. and PUCCINELLI, I. The karyology of the genus Procerodes (Tricladida: Marico	ola) in I	British w	aters		. 961
GARBARY, D Patterns of cell elongation in some Audouinella spp. (Acro-	chaetiac	eae: Rh	odoph	yta)	. 951
GASHOUT, S. E. and ORMOND, R. F. G. Evidence for parthenogenetic reproduction in the sea anen	none A	ct inia eqt	uina L	·• •	. 97:
GASKETT S. I. see O'HADA GASKETT and CORNER					22.

										PAGE
George, S. G., see Pirie and George	•					•				819
GIBBS, P. E., see BRYAN and GIBBS.										969
GILPIN-BROWN, J. B., see CLARKE, DENTO	n an	d Gii	LPIN-	Brow	'N					259
GORDON, J. D. M. and DUNCAN, J. A. R. Some notes on the biology of the snake by	lenny	, Lun	ıpenu:	s lamţ	retaej	îormis	on the	e wes	t coast	
of Scotland	•	•	•	•	•	•	•	•	•	413
GORSKI, G., see BONE, GORSKI and PULSF	ORD	•	•	•	•	•	•	•	•	399
GRAHAME, J., see HICKS and GRAHAME	•	•	•	•	•	•	•	•	•	321
GRAY, J. A. B. and DENTON, E. J. The mechanics of the clupeid acoustice	-late	ralis	systen	n: lov	w freq	uenc	y mea	suren	nents	11
See also BLAXTER, DENTON and GRAY See also DENTON, GRAY and BLAXTER							•	•	•	. 1 . 27
GRIFFITHS, D. K., see PINGREE and GRIFF	ITHS					•	•	•		497
GRUFFYDD, Ll.D., BUDIMAN, A. and NOT The ultrastructure of the byssus and t			glanc	ls in	Chlan	ıys va	ria L	. (La	melli-	
branchia)	•	•	•	•	•	•	•	•	•	597
See also Thorburn and Gruffydd		•	•	•	•	•	•	•	•	1003
HEAD, E. J., see BONNETT, HEAD and HER	RING		•	•	•	•	•	•	•	. 565
HEMLEBEN, Ch., see Anderson et al.		•	•		•	•	•	•	•	. 791
HEPPLEWHITE, I., see RAINBOW, FORD and	i He	PPLEW	HITE	•		•	•			. 591
Herring, P. J. See Bonnett, Head and Herring			•	•		•	•		•	. 565
See Collier, Burnham and Herring			•		•					. 489
HIBBERD, D. J. and CHRETIENNOT-DINET, The ultrastructure and taxonomy of <i>Rhi</i> marine chrysophyte			na mo	irina ;	gen. e	t sp. n	10v., a	n ame	oeboid	l . 179
HICKS, G. R. F. and GRAHAME, J. Mucus production and its role in the fee Harpacticoida)	eding	beha	viour	of Da	iarthr	odes n	obilis ((Cope	epoda	
HIDU, H., see LUTZ and HIDU.	•	•	•	•	•	•	•	•	•	. 321 . 111
	•	•	•	•	•	•	•	•	•	
HIGGINS, I. J., see WALTERS et al HOPKIN, S. P. and NOTT, J. A.	•	•	•	•	•	•	•	•	•	• 553
Some observations on concentrically structures of the shore crab Carcinus maer										
Hughes, R. G. The dispersal and dispersion of some (L.)	_									_
ICELY, J. D. and NOTT, J. A. The general morphology and fine struct (Amphipoda: Crustacea)										
(- mary and caucacou) .	-	•	-		-	-	-	-		173

	PAGE
JACCARINI, V. and SCHEMBRI, P. J. The proboscis ciliation of the echiuran <i>Bonellia viridis</i>	377
JAMES, J. L., see JONES, JONES and JAMES	373
JONES, A. M. Structure and Growth of a high-level population of Cerastoderma edule (Lamellibranchiata)	277
JONES, A. M., JONES, Y. M. and JAMES, J. L. The incidence of the nemertine Malacobdella grossa in the bivalve Cerastoderma edule in Shetland	373
JONES, Y. M., see JONES, JONES and JAMES	373
Kelley, D. Bass population and movements on the west coast of the U.K	889
Kelly, K. F., Pirie, B. J. S., Bell, M. V. and Sargent, J. R. A light microscopic study of the action of sodium orthovanadate on the gills of freshwater and sea-water eels (<i>Anguilla anguilla</i> L.)	859
See also Bell, Kelly and Sargent	429
KENT R. M. L. The influence of heavy infestations of <i>Polydora ciliata</i> on the flesh content of <i>Mytilus edulis</i>	289
KNOX, S., see BUTLER, KNOX and LIDDICOAT	239
LIDDICOAT, M. I., see BUTLER, KNOX and LIDDICOAT	239
LOEBLICH, A. R., III and SHERLEY, J. L. Observations on the theca of the motile phase of free-living and symbiotic isolates of Zooxanthella microadriatica (Freudenthal) comb. nov	. 195
See also SCHMIDT and LOEBLICH	479
LÖNNING, S., see DAVENPORT, VAHL and LÖNNING	443
Lowe, D. M. and Moore, M. N. The cytochemical distributions of zinc (Zn II) and iron (Fe III) in the common mussel, Mytilus edulis, and their relationship with lysosomes	851
LUTZ, R. A. and HIDU, H. Hinge morphogenesis in the shells of larval and early post-larval mussels (Mytilus edulis L. and Modiolus modiolus (L.))	111
McVean, A. and Findlay, I. The incidence of autotomy in an estuarine population of the crab Carcinus maenas .	341
MADDOCK, L., see PINGREE and MADDOCK	699
Mann, R. Some biochemical and physiological aspects of growth and gametogenesis in Crassostrea gigas and Ostrea edulis grown at sustained elevated temperatures	
MANTON, I. and OATES, K. Further observations on choanoflagellates in the genus Calliacantha Leadbeater, with special reference to C. multisping sp. nov. from South Africa and Britain.	205

Manuel, R. L.												PAGE
Some new records of Anthozoa f	rom	Britis!	h wat	ers	•	•	•	•	•	•	•	393
MILLS, A., see FISH and MILLS	•	•	•		•		•		•	•	•	355
MILNER, N. J. Zinc concentrations in juvenile fl	latfisl	ı	•	•					•			761
Moore, C. G. The zonation of psammolittoral l	harpa	icticoi	d cop	epod	s arou	ınd tl	ne Islo	e of A	Man		•	711
The identification of faunal gramultivariate analyses	dien:	ts and	i asso	ciatio	ns of	f mei	obent	hic c	opep	ods 1	by •	725
Analysis of the associations of me	eiobe	nthic	Cope	poda	of the	e Iris	h Sea					831
Moore, M. N., see Lowe and Moo	RE			•								851
Nott, J. A.												-
See GRUFFYDD, BUDIMAN and No	TTC											597
See Hopkin and Nott .						•	•	•				867
See ICELY and NOTT		•			•			•	•			745
OATES, K., see MANTON and OATES				•								207
O'HARA, S. C. M., GASKELL, S. J. a On the nutrition and metabolism						urthe	r stuc	lies o	f ster	oids	in	
Calanus	•	•	•	•	•	•	•	•	•	•	•	331
ORMOND, R. F. G., see GASHOUT ar	id Oi	RMONI)	•	•	•	•	•	•	•	•	975
OTTAWAY, E. M. and SIMKISS, K. A comparison of traditional and natural populations of young by		_			_	_	th rat	es fro	om so	ales	of	49
PINGREE, R. D. Baroclinic eddies bordering the	Celtic	Sea:	in lat	e sum	mer						•	689
PINGREE, R. D. and GRIFFITHS, D. Sand transport paths around the		sh Isle	s resi	ılting	from	M ₂ a	nd M,	tidal	inter	actio	ns	497
PINGREE, R. D. and MADDOCK, L. Tidal flow around an island with	ı a re	gularl	y sloj	ping t	otton	n top	ograp	hy.				699
PIRIE, B. J. S. and GEORGE, S. G. Ultrastructure of the heart and e	excret	ory s	ystem	of M	[ytilus	edul	is (L.))		•		819
See also Kelly et al												859
POMPONI, S. A. Ultrastructure of cells associate boring sponges	d wii	th exc	avati	on of	calci	um c	arbon	ate s	ubstr	ates .	by	77 7
Cytochemical studies of acid pho	ospha	tase i	n etcl	ning c	ells o	f bor	ing st	onge	s			785
Puccinelli, I., see Galleni and P							0 .	Ŭ				961
					•	•	•	•	•	•	•	-
Pulsford, A. L., see Bone, Gorsk					•	•	•	•	•	•	•	399
RAINBOW, P. S., FORD, M. P. and Absence of gregarious settling rhizocephalan barnacles .	behav	viour	by fe	male					_	arasi	tic	591

RIGLER, F. H. The export of phosphorus from				hmen	ts: a	mode	l to e	xplair	ı vari	ations	of	PAGE
phosphorus concentrations in	I Strea	unwat	er	•	•	•	•	•	•	•	•	659
Ross, D. M. A behaviour pattern in <i>Paguru</i> parasitica (Couch)	ıs bern	hardu	s L.	towa	rds its	s sym	biotic	actir	nian (Callia	ctis	623
-	•	•	•	•	•	•	•	•	•	•	•	023
Ross, L. G. The permeability to oxygen an fish, <i>Pollachius virens</i> .	d the	guanii	ne co	ntent	of th	e swi	mbla	dder o	of a p	hysoc •	list	437
RYAN, K. P., see Bone and RYAN							•					69
SARGENT, J. R. See Bell, Kelly and SARGENT												429
See Kelly et al	•	•		•	•	•	•		•	•		859
SCHEMBRI, P. J., see JACCARINI an	d Scr	IEMBRI	r.						•			377
Schmidt, R. J. and Loeblich, A Distribution of paralytic shellfi	. R., I	II		Pvr	rhoph	ıyta		•				479
Schweder, T. Patterns of spermatophore dist							ı furt	her ar	nalysi	s.	•	36 9
SEELIGER, U. and EDWARDS, P. Fate of biologically accumulated red marine algae	i copp	er in g	rowi	ng an	ıd dec	ompo	sing 1	halli (of two	bent	hic	227
SHERLEY, J. L., see LOEBLICH and	LSHER	LEY						_				195
SIMKISS, K., see OTTAWAY and SI			•	·	·	•	·	·	·			49
SLEEP, J. A., see Davies and Sleep		•			•	·				•		937
Southward, A. J., Southward,		RDAT	· recai	n T	· 'and	RAVI	20 T	•	•	•	•	231
Further experiments on the v									or Si	boglin	um	
fiordicum (Pogonophora) .	•	•	•	•		•	•	•			•	133
See also Dando, Southward a	nd Cr	RISP	•	•	•	•	•	•	•	•	•	307
Southward, E. C., see Southwa	RD et e	al.			•							133
Spindler, M., see Anderson et a	<i>l</i>											791
TAYLOR, A. C. and VENN, T. J. Seasonal variation in weight and						of the	tissue	s of tl	he qu	een sc	al-	<i>C</i> = -
lop, Chlamys opercularis, from		-	Sea	area	•	٠	•	•	•	•	•	605
THORBURN, I. W. and GRUFFYDD Studies of the behaviour of the	scallor		mys c	percu				shell	in flo	wing	sea	
	•	•	•	•		٠		•	•	•	•	1003
THORP, C. H., see CARTER and T.	HORP	•	٠	•	•	•	•	•	•	٠	•	989
TURNER, M. F. Nutrition of some marine micro	_		_	al ref	erenc	e to v	itami	n requ	iirem	ents a	ınd	525

	PAGE
Vahl, O., see Davenport, Vahl and Lönning	443
VENN, T. J., see TAYLOR and VENN	605
Walters, J. M., Cain, R. B., Higgins, I. J. and Corner, E. D. S. Cell-free benzo[a]pyrene hydroxylase activity in marine zooplankton	553
WARREN, L. M. Mediomastus fragilis Rasmussen (Polychaeta: Capitellidae), a species newly recorded from British waters	757
WILSON, J. B. The distribution of the coral Lophelia pertusa (L.) [L. prolifera (Pallas)] in the north-east	
Atlantic	149
'Patch' development of the deep-water coral Lophelia pertusa (L.) on Rockall Bank .	165
SHORT NOTES	
Boalch, G. T. The dinoflagellate bloom on the coast of south west England, August-September 1978.	515
BONEY, A. D. Long-term observations on the intertidal lichen Lichina pygmaea Ag	801
FORSTER, G. R. Mortality of the bottom fauna and fish in St Austell Bay and neighbouring areas	517
GRIFFITHS, A. B., DENNIS, R. and POTTS, G. W. Mortality associated with a phytoplankton bloom off Penzance in Mounts Bay	520
LE Fèvre, J. On the hypothesis of a relationship between dinoflagellate blooms and the 'Amoco-Cadiz' oil spill	525
METTAM, C. A northern outpost of Convoluta roscoffensis in South Wales	251
WIDDOWS, J., MOORE, M. N., LOWE, D. M. and SALKELD, P. N. Some effects of a dinoflagellate bloom (Gyrodinium aureolum) on the mussel, Mytilus edulis	522
WRIGHT, W. G. and LINDBERG, D. R. A non-fatal method of sex determination for patellacean gastropods	803
ABSTRACTS OF MEMOIRS	
RECORDING WORK AT THE PLYMOUTH LABORATORY	
Bone, Q. and Chubb, A. D., 1978. The histochemical demonstration of myofibrillar ATPase in elasmobranch muscle	805
Bone, Q., Kiceniuk, J. and Jones, D. R., 1978. On the role of different fibre types in fish myotomes at intermediate swimming speeds	1027

CONTENTS OF VOLUME 59	xiii
Bone, Q. and Mackie, G. O., 1977. Ciliary arrest potentials, locomotion and skin impulses	PAGE
in Doliolum (Tunicata: Thaliacea)	805
Bone, Q. and Ryan, K. P., 1978. Cupular sense organs in Ciona (Tunicata: Ascidiacea).	805
BRIDGES, C. R., BICUDO, J. E. P. W. and LYKKEBOE, G., 1979. Oxygen content measurement in blood containing haemocyanin	805
BUTLER, E. I., 1979. Nutrient balance in the Western English Channel	1027
CARLSON, A. D., PICHON, Y. and TREHERNE, J. E., 1978. Effects of osmotic stress on the electrical activities of the giant axon of a marine osmoconformer, Sabella penicillus .	529
CLARKE, M. R., 1979. The head of the sperm whale	1027
COOPER, L. H. N., 1977. An hypothesis of a continuous ice dam between Greenland and Scotland during the Quaternary	253
CORNER, E. D. S., 1978. Pollution studies with marine plankton. Part I. Petroleum hydrocarbons and related compounds	1027
DAVIES, A. G., 1978. Pollution studies with marine plankton. Part II. Heavy metals .	1027
Davies, A. G., 1978. Uptake of micronutrients and toxic metals	805
DICKSON, A. G. and RILEY, J. P., 1979. The estimation of acid dissociation constants in sea-water media from potentiometric titrations with strong base. I. The ionic product of water - K_w .	1028
DICKSON, A. G. and RILEY, J. P., 1979. The estimation of acid dissociation constants in sea-water media from potentiometric titrations with strong base. II. The dissociation of phosphoric acid	1028
FINDLAY, I. and McVean, A., 1977. The nervous control of limb autotomy in the hermit crab <i>Pagurus bernhardus</i> (L.) and the role of the cuticular stress detector, CSD ₁ .	253
FLOOD, P. R., 1978. Filter characteristics of appendicularian food catching nets	253
FRETTER, V. and MANLY, R., 1977. The settlement and early benthic life of Littorina neritoides (L.) at Wembury, S. Devon	253
GIBBS, P. E., 1978. Macrofauna of the intertidal sand flats on low wooded islands, northern Great Barrier Reef	806
GILBERT, S. H., 1978. Tension and heat production during isometric contractions and shortening in the anterior byssus retractor muscle of <i>Mytilus edulis</i>	529
HARRIS, R. P., 1977. Some aspects of the biology of the harpacticoid copepod, Scottolana canadensis (Willey), maintained in laboratory culture	254
HOLLIGAN, P. M., 1978. Patchiness in subsurface phytoplankton populations on the northwest European continental shelf	1028
HOLLIGAN, P. M., PINGREE, R. D., PUGH, P. R. and MARDELL, G. T., 1978. The hydrography and plankton of the eastern English Channel in March 1976	1029
HOLME, N. A. and PROBERT, P. K., 1978. Disposal of solid waste in the marine environment with particular reference to the china clay industry	254
KIMURA, J. E. and Meves, H., 1979. The effect of temperature on the asymmetrical charge movement in squid giant axons	1029

	PAGE
MACKIE, G. O. and Bone, Q., 1978. Luminescence and associated effector activity in <i>Pyrosoma</i> (Tunicata: Pyrosomida)	529
MADDOCK, R. G. and NICOL, J. A. C., 1978. Studies on the eyes of <i>Hydrolagus</i> (Pisces: Chimaeridae)	806
Meves, H., 1977. Activation, inactivation, and chemical blockage of the gating current in squid giant axons	1029
Meves, H., 1978. Inactivation of the sodium permeability in squid giant nerve fibres .	254
NICOL, J. A. C., 1978. Studies on the eye of the stingaree <i>Dasyatis sabina</i> , with notes on other selachians. I. Eye dimensions, cornea, pupil and lens	806
OGURI, M., 1978. Histochemical observations on the interrenal gland and liver of European spotted dogfish	529
OTT, F. S., HARRIS, R. P. and O'HARA, S. C. M., 1978. Acute and sublethal toxicity of naphthalene and three methylated derivatives to the estuarine copepod, <i>Eurytemora affinis</i>	254
PAUL, D. H., ROBERTS, B. L. and RYAN, K. P., 1977. Comparisons between the lateral-line lobes of the dogfish and the cerebellum: an ultrastructural study	255
PINGREE, R. D. and GRIFFITHS, D. K., 1978. Tidal fronts on the shelf seas around the British Isles	806
PINGREE, R. D., HOLLIGAN, P. M. and MARDELL, G. T., 1979. Phytoplankton growth and cyclonic eddies	1030
PINGREE, R. D., HOLLIGAN, P. M. and MARDELL, G. T., 1978. The effects of vertical stability on phytoplankton distributions in the summer on the northwest European shelf	807
PINGREE, R. D. and MADDOCK, L., 1978. The M_4 tide in the English Channel derived from a non-linear numerical model of the M_2 tide	255
Rudy, B., 1978. Slow inactivation of the sodium conductance in squid giant axons	807
Southward, A. J. and Newman, W. A., 1977. Aspects of the ecology and biogeography of the intertidal and shallow-water balanomorph Cirripedia of the Caribbean and adjacent	
sea-areas	1030
SOUTHWARD, E. C., 1977. A new species of <i>Hyalinoecia</i> (Polychaeta: Eunicidae) from deep water in the Bay of Biscay	255
SOUTHWARD, E. C., 1975. Pogonophora	255
STODDART, D. R., McClean, R. F., Scoffin, T. P. and Gibbs, P. E., 1978. Forty-five years of change on low wooded islands, Great Barrier Reef	807
TREHERNE, J. E. and PICHON, Y., 1978. Long-term adaptations of <i>Sabella</i> giant axons to hyposmotic stress	530
WHITFIELD, M. and TURNER, D. R., 1979. Water-rock partition coefficients and the composition of sea water and river water	1030
ZAMMIT, V. A., BEIS, I. and NEWSHOLME, E. A., 1978. Maximum activities and effects of fructose biphosphate on pyruvate kinase from muscles of vertebrates and invertebrates	
in relation to the control of glycolysis	530

	PAGE
ZAMMIT, V. A. & Newsholme, E. A., 1978. Properties of pyruvate kinase and phosphoenol-pyruvate carboxykinase in relation to the direction and regulation of phosphoenolpyruvate metabolism in muscles of the frog and marine invertebrates	
BOOK NOTICES	
Progress in Underwater Science. Edited by J. C. GAMBLE and R. A. YORKE	. 257
Introductory Phycology. By F. R. Trainor	. 257
Estuarine Transport Processes. Edited by B. Kjerfve	533
Fish Pathology. Edited by R. J. ROBERTS	. 533
Marine Ecology: a Comprehensive, Integrated Treatise on Life in Oceans and Coastal Waters volume IV. Dynamics. Edited by O. KINNE.	533
Marine Natural Products: Chemical and Biological Perspectives, volume I. Edited by P. J. Scheuer	, . 533
Handbook of Phycological Methods: Physiological and Biochemical Methods. Edited by J. A HELLEBUST and J. S. CRAIGIE	. 809
Mechanisms of Osmoregulation in Animals: Maintenance of Cell Volume. Edited by R GILLES	. 809
Topics in Antibiotic Chemistry, volume 2. Antibiotics from Marine Organisms, Oligo saccharides, Anthracyclines and their Biological Receptors. Edited by P. G. SAMMES	- . 809
Advances in Oceanography. Edited by H. Charnock and G. Deacon	. 1031
The Edible Crab: and its Fishery in British Waters. By E. EDWARDS	. 1031
Marine Organisms: Genetics, Ecology, and Evolution. Edited by B. BATTAGLIA and J. A BEARDMORE.	. 1031
Spatial Pattern in Plankton Communities. Edited by J. H. STEELE	. 1031
Utopelling Ecosystems Edited by R ROTE and M TOMOZAK	1021

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

										£
Annual Memb	ers,	receiv	ing t	he Jo	urnal	•	•	per a	nnum	10.00
Annual Memb	ers,	witho	ut the	Jou	rnal	•		per a	nnum	2.00
Founders .	•				•	•	•	•		100.00
Governors.										500.00

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

Vol. 59 No. 4

CONTENTS

	PAGE
CAWTHORNE, D. F. A comparative study of the closure responses of some cirripede species exposed to falling seawater concentrations	811
PIRIE, B. J. S. and GEORGE, S. G. Ultrastructure of the heart and excretory system of Mytilus edulis (L.).	819
MOORE, C. G. Analysis of the associations of meiobenthic Copepoda of the Irish Sea.	831
Lowe, D. M. and Moore, M. N. The cytochemical distributions of zinc (Zn II) and iron (Fe III) in the common mussel, <i>Mytilus edulis</i> , and their relationship with lysosomes.	851
KELLY, K. F., PIRIE, B. J. S., BELL, M. V. and SARGENT, J. R. A light microscopic study of the action of sodium orthovanadate on the gills of fresh-water and sea-water eels (Anguilla anguilla L.)	950
	859
HOPKIN, S. P. and Nott, J. A. Some observations on concentrically structured, intracellular granules in the hepatopancreas of the shore crab Carcinus maenas (L.)	867
Hughes, R. G. The dispersal and dispersion of some epizoites of the hydroid Nemertesia	
antennina (L.)	879
KELLEY, D. Bass populations and movements on the west coast of the U.K	889
DAVIES, A. G. and SLEEP, J. A. Inhibition of carbon fixation as a function of zinc uptake in natural phytoplankton assemblages	937
GARBARY, D. Patterns of cell elongation in some Audouinella spp. (Acrochaetiaceae:	
Rhodophyta)	951
GALLENI, L. and PUCCINELLI, I. The karyology of the genus <i>Procerodes</i> (Tricladida: Maricola) in British waters	961
BRYAN, G. W. and GIBBS, P. E. Zinc - a major inorganic component of nereid polychaete	
jaws	969
GASHOUT, S. E. and ORMOND, R. F. G. Evidence for parthenogenetic reproduction in the	
sea anemone Actinia equina L	975
CARTER, M. A. and THORP, C. H. The reproduction of Actinia equina L. var. mesembryanthemum	989
THORBURN, I. W. and GRUFFYDD, Ll. D. Studies of the behaviour of the scallop <i>Chlamys opercularis</i> (L.) and its shell in flowing sea water	1003
Announcements	1025
Abstracts of Memoirs	1027
BOOK NOTICES	1031
REPORT OF THE COUNCIL FOR 1978-79	1033
BALANCE SHEET 1978-79	1075

© Copyright by the Marine Biological Association of the U.K. 1979

The subscription price of volume 59, 1979 of the Journal to non-members of the Association is £54.00 net a volume of four parts, post free, or US \$132.50 in U.S.A. and Canada, payable in advance. Single parts cost £16.00 (US \$40.00 in U.S.A. and Canada) plus postage. Subscriptions may be sent to any bookseller or to Cambridge University Press, P.O. Box 110, Cambridge CB2 3RL, or in the U.S.A. and Canada, to Cambridge University Press, 32 East 57th Street, New York, NY 10022.

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP 32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge