The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

Hyperkeratosis of the Larynx	and D. GLYN JONES
FACIAL PAIN	K. Harrison
PATHOLOGY AND SURGERY OF CHRONIC VASOMOTOR RHINITIS	P. H. Golding-Wood
THE TONSILS AND ADENOIDS CAUSING RESPIRATORY OBSTRUCTION	J. Grier
OTITIS EXTERNA AND MALPOSED THIRD MOLARS .	B. Dunn V
DIVER'S EAR	M. T. HASLAM
THE POST-OPERATIVE MASTOID AFTER FASCIAL OBLITERATION AND THE SPONTANEOUS RECONSTITUTION OF THE ANTRUM AS AN EPITHELIAL LINED SPACE: WITH TWO CASE HISTORIES OF LATE REVISION OPERATIONS	W. STIRK ADAMS
CLINICAL RECORDS—	
ORO-ANTRAL FISTULA SECONDARY TO A DENTIGEROUS CYST.	K. C. GADRE
RINGERTZ TUMOUR WITH AN UNUSUAL PRESENTATION	J. McKenzie

GENERAL NOTES

London

Headley Brothers

109 Kingsway WC2

Annual Subscription £4/4/0 net, U.S.A. \$13

Monthly, 10/- net post free

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the

Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, 109 Kingsway, London, WC2,

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of

Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol.

LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England. O Journal of Laryngology and Otology, 1962

CONTENTS

	PAGE
Hyperkeratosis of the Larynx. C. E. Gabriel and D. Glyn Jone (Glasgow)	es • 947
FACIAL PAIN. K. Harrison (Manchester)	. 958
Pathology and Surgery of Chronic Vasomotor Rhinitis P. H. Golding-Wood (Maidstone)	s. . 969
THE TONSILS AND ADENOIDS CAUSING RESPIRATORY OBSTRUCTION J. Grier (London)	v. . 978
OTITIS EXTERNA AND MALPOSED THIRD MOLARS. B. Dunn (London)	. 981
DIVER'S EAR. M. T. Haslam (York)	. 985
THE POST-OPERATIVE MASTOID AFTER FASCIAL OBLITERATION AN THE SPONTANEOUS RECONSTITUTION OF THE ANTRUM AS A EPITHELIAL LINED SPACE: WITH TWO CASE HISTORIES OF LATE REVISION OPERATIONS. W. Stirk Adams (Birmingham	N F
CLINICAL RECORDS— Oro-Antral Fistula Secondary to a Dentigerous Cyst. K. C. Gada (Bombay)	
Ringertz Tumour with an Unusual Presentation. J. McKenzi (Wolverhampton)	
General Notes	. 1005

For Advertisement space in this Journal apply to: HEADLEY BROTHERS Ltd, 109 Kingsway London WC 2

ROYAL EAR HOSPITAL PATTERN ULTRASONIC EQUIPMENT

for the conservative surgery of Ménière's Disease. (Arslan Technique.) U.K. and U.S.A. patents applied for. Now available with the following special advantages:

TRANSDUCER and cable will withstand sterilization in autoclave.

Low operating voltage of transducer.

APPLICATORS can be interchanged to suit anatomy of middle ear.

Applicator tip normally $2\frac{1}{2}$ mm. in diameter.

Intensities up to 100 Watts per sq. cm., giving ample power for pituitary irradiation in carcinoma.

GENERATOR operates on 90-250 volts 50 or 60 cycles.

Weight 50 lb. Size 21 by 14 by 12 in.

Tuning and intensity can be checked continuously.

REFERENCES:

Arslan. Proc. Fifth Int. Congress Oto-Rhino-Laryngol., Amsterdam, 1953.

Proc. roy. Soc. Med., 1958, 51, 617.

J. Laryng., 1960, LXXIV, 628.


Ibid., 1960, LXXIV, 730.

Ibid., 1961, LXXV, 345.

Ibid., 1962, LXXVI, 299.

Made in England by

FRISTON ELECTRONICS LTD., 25 CHURCH ROAD, RICHMOND, SURREY.



for colds complicated by cough

- 'TRIOTUSSIC' PROVIDES-
- □ non-addictive cough suppression and bronchodilatation
- □ nasal decongestion, relief of rhinorrhoea without "rebound"
- □ analgesia and antipyresis without gastric intolerance
- expectoration to increase respiratory lubrication
- the known anti-allergic advantages of 'Triominic'



PACKS: Tablets: 50's and 250's. Basic N.H.S. Price for 50 (8 days' treatment) is 4/6d. Suspension: bottles of 4 and 20 fl. oz. Basic N.H.S. Price is 4/1d. for 4 fl. oz.



Literature and sample on signed request of physicians only.

A. WANDER LIMITED 42 UPPER GROSVENOR STREET, LONDON W.1

'PETERS' **NEW** CLINIC AUDIOMETER

FOR PURE-TONE AND SPEECH



CONSIDER THESE FEATURES:

- A continuous frequency range with continuous automatic threshold compensation.
- Twin continuously variable attenuators accurate to I db.
- Narrow band masking of pure tones plus insert receiver.
- Manual or automatic completely silent interruption.
- Loudness Balance and Difference Limen Recruitment Tests.
- High Fidelity Speech Circuit with Accessories for Free Field Speech Audiometry.
- Full Spectrum of White Noise for Masking Speech.
- Completely Transistorised for reliability.

The Westrex Company Limited, who are leading suppliers of Deaf Education Equipment, have a nationwide servicing organisation. In the immediate future their engineers in the field will be co-operating in the speedy servicing of all "Peters" audiometers in Great Britain.

Write for a descriptive brochure giving full details of this magnificent instrument and ask for a demonstration from either:

WESTREX COMPANY Ltd. 152 COLES GREEN ROAD, LONDON, N.W.2

ALFRED PETERS & SONS Ltd.

VICTORIA WORKS, GELL STREET, SHEFFIELD 3



ORBENIN (BRL)

SODIUM CLOXACILLIN

ORAL PENICILLIN ACTIVE AGAINST RESISTANT STAPHYLOCOCCI

ORBENIN is indicated for immediate use in known or suspected resistant staphylococcal infections, and in mixed Gram-positive infections (e.g. infected burns) where resistant staphylococci may be present.


- Orbenin is stable to staphylococcal penicillinase and highly effective against 'resistant' staphylococci. Its activity is four times that of methicillin.
- Orbenin is also highly effective against other Gram-positive organisms, including streptococci, pneumococci and penicillin-sensitive staphylococci.
- Orbenin is bactericidal; it is acid-stable and well absorbed by either the oral or intramuscular routes.

Dosage by mouth is 500 mg. 6 hourly. Dosage by intramuscular injection is 250 mg. four to six hourly.



ORBENIN

is a product of British research at the BEECHAM RESEARCH LABORATORIES LTD BRENTFORD · ENGLAND · TELEPHONE: ISLeworth 4111



And the reply was $\mu\alpha\rho\nu\delta_1\alpha$ which is hardly surprising when you consider that in that helmet he could hardly have heard him anyway.

Fortunately, few, if any, patients wear Grecian helmets these days and most are delighted to have the name of an independent hearing aid consultant of impeccable reputation murmured tactfully into their ears.

Today more people than ever before can benefit from a carefully selected aid. But careful selection is important. INGRAMS, the Independent Suppliers, have twenty-six different makes—the largest selection in the country—for patients to choose from. Couple this with expert impartial advice and a high reputation and you have the reason why so many E.N.T. Specialists refer their patients to Ingrams.



Domiciliary visits in any part of the country

Send for our new 1962-63 catalog which includes

A COMPLETE LIST OF OUR BOOKS



√ Check this List of New Titles in Laryngology and Otology

- □ COUGH SYNCOPE by Vincent J. Derbes, Tulane Univ., and Andrew Kerr, Jr., Louisiana State Univ. '55, 196 pp., 7 il., \$4.75
- □ DIZZINESS: An Evaluation and Classification by David Downs DeWeese, Univ. Oregon. '53, 95 pp., 1 il., \$2.75
- □ EVOLUTION OF THE SPEECH AP-PARATUS by E. Lloyd DuBrul, Univ. of Illinois. '58, 116 pp., 44 il., \$4.75
- ☐ RADIATION THERAPY IN THE MANAGEMENT OF CANCERS OF THE ORAL CAVITY AND OROPHARYNX by Gilbert H. Fletcher and William S. MacComb. Physics Section by Robert J. Shalek and Marilyn Stovali. All of Univ. of Texas M. D. Anderson Hospital and Tumor Institute. Jan. '62, 408 pp., 346 il., \$16.50
- □ ENVIRONMENT AND THE DEAF CHILD (2nd Ptg.) by Steven Getz, California School for the Deaf, Berkeley, Calif. '56, 188 pp., \$3.75
- ☐ CANCER OF THE NASOPHARYNX: Its Natural History and Treatment by M. Lederman, Royal Marsden Hosp. May '61, 128 pp., 109 il., \$6.75
- □ VOICE AND SPEECH DISORDERS: Medical Aspects. With Sections on Otology-Audiology and Surgery of Head and Neck (with 36 Outstanding Contributors). Edited by Nathaniel M. Levin, Univ. of Miami. April '62, 1008 pp., 450 il., \$27.50
- ☐ COMMUNICATIVE AIDS FOR THE ADULT APHASIC by Blanche R. Martin, Santa Rosa Speech and Hearing Center, Santa Rosa, Calif. April '62, 88 pp., 18 il., \$4.75

- ☐ DIAGNOSIS AND TREATMENT OF DISEASES OF THE TRACHEA AND BRONCHI by Herman J. Moersch and Howard A. Andersen, both of the Mayo Clinic and Mayo Foundation. '60, 116 pp., 35 il., \$4.25
- CLEFT LIP AND PALATE REHABILITATION by William H. Olin, State Univ. Iowa. With a Chapter entitled "The Oral Structures as a Speech Mechanism" by Duane C. Spriestersbach. '60, 204 pp., 272 il., \$9.00
- ☐ SPEECH AND HEARING PROBLEMS: A Guide for Teachers and Parents by Charles E. Palmer, Northwestern State College, Natchitoches, La. June '61, 152 pp., 15 il., \$5.50
- CLINICAL AUDIOMETRY by Michel and Claudine Portmann, both of Bordeaux Univ. Translated by Sheila Wevers, London, England, and Bruce Proctor, Wayne State Univ. Sept. '61, 384 pp., 147 il., \$12.00
- ☐ THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD by Donald F. Proctor, The Johns Hopkins Univ. Dec. '62
- ☐ THE TONSILS AND ADENOIDS IN CHILDHOOD by Donald F. Proctor. '60, 82 pp. (8½×11), 46 il. (1 full color plate), \$7.50
- ☐ SPEECH REHABILITATION OF THE LARYNGECTOMIZED by John C. Snidecor, Univ. of Calif. With additional chapters by Joel Jay Pressman, Evelyn Robe Finkbeiner, E. Thayer Curry, Alan C. Nichols, and John O. Anderson. March '62, 204 pp., 34 il., \$8.00
- ☐ HEARING ENHANCEMENT by John A. Victoreen, Colorado Victoreen Laboratory, Colorado Springs. '60, 200 pp., 56 il., \$7.50
- ☐ MÉNIÈRE'S DISEASE by Henry L. Williams, Mayo Clinic. '52, 319 pp., 15 il., \$7.00

CHARLES C THOMAS · PUBLISHER · 301-327 East Lawrence Avenue · SPRINGFIELD · ILLINOIS · U.S.A.

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. EDITOR

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

ARCHIVES OF OTOLARYNGOLOGY

Chief Editor:

GEORGE E. SHAMBAUGH, JR. 40 South Clay Street, Hinsdale, Ill.

The Archives of Otolaryngology is published monthly by the American Medical Association and is an official publication of the Association.

The yearly rate of the Archives of Otolaryngology is: United States, U.S. Possessions, and Canada, one year, \$8.00; two years, \$12.00; all other countries, one year, \$10.00; two years, \$16.00.

Subscription orders should be addressed to: American Medical Association, 535 North Dearborn Street, Chicago 10, Illinois.

First clinical audiometer to provide 100% accurate audiograms



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and *all* the other tests essential to proved pure tone audiometry.


AMPLIVOX LTD

Medical Acoustic Division 80 New Bond St, London W.1. Tel: HYDe Park 9888



SEND FOR THIS DESCRIPTIVE BROCHURE

Containing full information on the latest audiometric techniques in air and bone conduction.



'OTOSPORIN' clears infected ears

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' brand Drops.

'Otosporin' is an aqueous suspension containing both neomycin and polymyxin B sulphate which are together effective against practically all the bacteria found in ear infections. They are unlikely to induce bacterial resistance or skin sensitisation, and neither of them gives rise to cross-resistance or cross-sensitisation to penicillin and other antibiotics. Their effectiveness is visibly enhanced by the hydrocortisone in 'Otosporin'; this, by reducing inflammation, not only relieves pain, but provides greater access for the antibiotics.

'OTOSPORIN' drops

issued in bottles of 5 c.c.



BURROUGHS WELLCOME & CO. (The Wellcome Foundation Ltd.) LONDON