

**PROCEEDINGS**  
**OF**  
**THE ROYAL SOCIETY OF EDINBURGH**

PROCEEDINGS  
OF  
THE ROYAL SOCIETY  
OF EDINBURGH

Section A (Mathematics)

VOL. 103

1986

PUBLISHED BY  
THE ROYAL SOCIETY OF EDINBURGH  
22 GEORGE STREET  
EDINBURGH EH2 2PQ

1986

## NOTES FOR AUTHORS

Papers to be considered for publication should be sent to the Publications Secretary, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland.

A paper by more than one author must be submitted with a statement, signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence with the Society.

Authors will receive fifty (50) offprints free of charge, this number to be shared between joint authors. Additional offprints may be obtained, in units of fifty, at a fixed scale of prices given on a form which will be attached to the proof.

In view of the high cost of publication, authors must prepare their papers as concisely as possible. Manuscripts should be submitted in triplicate and preferably should be typewritten on one side of A4 paper, double spaced with adequate margins. Authors are advised to retain a copy of their papers as the Society cannot accept responsibility for any loss.

Every paper must be accompanied by a Synopsis, in general not exceeding two hundred words, which will be printed in small type at the beginning of the paper.

References within the text should be indicated by bold numbers in square brackets, e.g. [2] or [3, p. 167]. For style of references at end of text, see recent issues of *Proceedings A*.

Authors should ensure that punctuation carries through the mathematics in the proper manner. The use of hyphens should be consistent. In the text avoid such abbreviations as: iff, w.r.t., a.e.,  $\forall$ ,  $\exists$ , and thm.

Footnotes should be avoided. Headings should not be underlined. Every effort should be made to avoid complicated subscripts, superscripts, ranges of summation and integration. Horizontal fraction signs should normally be avoided: use either solidus signs / or negative exponents. Replace  $e^{(\dots)}$  by  $\exp[. . .]$  if the expression in parenthesis is complicated. Simple formulae should *not* be displayed unless they require a formula number. Use the prime ' or  $d/dx$ , but preferably not a dot, to denote ordinary differentiation. If possible use subscripts to denote partial differentiation of  $\partial/\partial x$  etc. Bars reaching over several letters should be avoided: use  $\sqrt{}$  or the exponent  $1/2$  for the square root. Sub-subscripts and super-superscripts should be avoided if possible: bars and other devices over indices cannot be supplied.

Note that confusion very often arises between 1 (one) and  $l$  (ell): 0 (zero) and O (Capital oh):  $\circ$  (composition) and  $o$  (lower case oh):  $x$  and  $\times$ :  $U$  and  $\cup$ :  $c$  and  $\subset$ :  $\epsilon$  (belongs to) and  $\epsilon$  (epsilon):  $\emptyset$  (empty set) and  $\phi$  (phi):  ${}_1$  and comma  $,$ : prime ' and  $^1$ :  $K$  and  $\kappa$ :  $p$  and  $\rho$ :  $w$  and  $\omega$ :  $\sum$  (summation) and  $\Sigma$  (capital sigma):  $\prod$  (product) and  $\Pi$  (capital pi):  $v$  (lower case vee) and  $\nu$  (Greek nu):  $a$  (lower case a) and  $\alpha$  (Greek alpha):  $y$  (lower case y) and  $\gamma$  (Greek gamma). Please provide pencilled indicators in the margin where necessary. Where capitals and lower case of the same shape have to be printed, please indicate accordingly. Show italics by single underlining (except in the formulae which are set up normally in italics), bold face/Clarendon by wavy underlining and Greek by red underlining.

The statement of theorems, lemmas, et cetera, will be printed in italics and should be underlined. In definitions key words only should be in italics.

Equations should be indicated by numbers in parentheses in the right-hand margin.

Proofs of papers will be sent to the author. The cost of *authors' corrections in excess of five per cent* of the printers' charge for the setting of a particular paper will be charged to the author.

### Copyright

© 1986 The Royal Society of Edinburgh and the authors of individual papers.

It is the policy of the Royal Society of Edinburgh not to charge any royalty for the production of a single copy of any one article made for private study or research. Requests for the copying or reprinting of any article for any other purpose should be sent to the Royal Society of Edinburgh, 22/24 George Street, Edinburgh EH2 2PQ

CONTENTS

AHMED I. ZAYED	
Complex and real singularities of eigenfunction expansions	179
H. VOLKMER	
On the minimal eigenvalue of a positive definite operator determinant	201
VINOD B. GOYAL	
Liouville-type results for fourth order elliptic equations	209
W. N. EVERITT, I. W. KNOWLES and T. T. READ	
Limit-point and limit-circle criteria for Sturm–Liouville equations with intermittently negative principal coefficients	215
J. S. CASSELL	
Generalised Liouville–Green asymptotic approximations for second- order differential equations	229
A. D. SANDS	
Radicals and one-sided ideals	241
MIGUEL ESCOBEDO	
On a characterisation of Dirac measures	253
C. MIGUEL BLÁZQUEZ	
Bifurcation from a homoclinic orbit in parabolic differential equations	265
A. CAPOZZI and G. PALMIERI	
Multiplicity results for nonlinear elliptic equations involving critical Sobolev exponent	275
A. W. MASON	
Some homomorphisms of general and special linear groups	287
B. CASCALES and J. ORIHUELA	
Metrizability of precompact subsets in $(LF)$ -spaces	293
DAVID HOFF	
Construction of solutions for compressible, isentropic Navier–Stokes equations in one space dimension with nonsmooth initial data	301
EDMUND R. PUCZYŁOWSKI	
Radicals of semigroup algebras of commutative and cancellative semigroups	317
S. A. EMARA and H. P. HEINIG	
Weighted norm inequalities for the Hankel- and $K$ -transformations	325
J. MIKA and D. C. PACK	
Approximation to inverses of normal operators	335
HANS G. KAPER and MAN KAM KWONG	
Asymptotics of the Titchmarsh–Weyl $m$ -coefficient for integrable potentials	347
PAUL BINDING	
Erratum: Multiparameter definiteness conditions II	359