

## Index Locorum

Due to the complex mix of onomastic practices represented, all authors, including modern ones, are cited in order of first name.

[Aeschylus] *Prometheus Bound* 673: 17

### Aetius

*Libri Medicinales* (ed. Olivieri)

1.146 (72.15–19 Olivieri): 180

5.37 (22.26–23.4 Olivieri): 182

5.72 (46.30–47.1 Olivieri): 176

6.2 (125.4–128.5 Olivieri): 175

6.2 (126.20–127.1 Olivieri): 179–80

### Alain of Lille

*Summa 'Quoniam Homines'* 2.3.170: 308

### [ps.-] Alexander of Aphrodisias

*Probl.* 1.76: 375

*Probl.* 1.96: 173

*Probl.* 2.54: 163

### Alexander of Tralles (ed. Puschmann)

509–11 Puschmann: 177

519 Puschmann: 181

525–7 Puschmann: 181–82

### Alphita (ed. García González)

217.41–6: 253

### Ambrose of Milan

*Expositio Psalmi* 7.19.138.14: 214

*De Laudibus Sancti Pauli Apostoli* 3.1.13: 214

### André du Laurens

*Controversiae Anatomicae* (Liber IX, *Quaestio III*): 319

### Anonymus Londinensis (ed. Ricciardetto)

IV.7–10: 52–53

### Anonymus Parisinus (ed. Garofalo)

1.1 (2 Garofalo): 55

1.2 (2–4 Garofalo): 132

1.3 (4–10 Garofalo): 134

1.3–6 (4.5–15 Garofalo): 132

1.6 (6.16–24 Garofalo): 133

2.1 (10.16–27 Garofalo): 134

8.1 (56.26–58.16 Garofalo): 135

8.2 (58.18–60.9 Garofalo): 135

9.1 (64.16–21 Garofalo): 135

9.3 (68.23–24 Garofalo): 135

### Antonius Bonfini

*Symposion de Uirginitate et Pudicitia Coniugali*

1.479.43.27: 297

### Arætaeus (ed. Hude)

*On Therapies for Acute Diseases* (*Th.Ac.*)

2.1 (15.1–16.26 Hude): 166

3.5 (39–40 Hude): 98

3.6 (42.29–43.1 Hude): 99

5.1 (91.12–98.14 Hude): 96–100

### Aristotle

*Historia Animalium* (*HA*)

*HA* 496b11: 43

*HA* 506a6–7: 13

*HA* 514a36: 43

*De Partibus Animalium* (*PA*)

*PA* 672b20: 43

*PA* 672b24–673a28: 17

*PA* 672b28–31: 43

*PA* 673a11: 44

### [ps.] Aristotle

*Problemata* (ed. Mayhew)

*Probl.* 35.6 (965a15–17 Mayhew): 44

### Arnau de Vilanova

*De Parte Operativa*: 276

### Asterius Sophista

*Commentarii in Psalmos* 13.3.4: 204

### Astrologica: 219

### Astrologica Hermetica: 218

*Liber ad Ammonem* (25): 219

*Corpus Hermeticum* 434 Ideler: 219

### Augustine

*De Bono Uiduitatis* 15.326.2: 206

*De Sermone Domini in Monte* 1.57.1418: 214

*Enarrationes in Psalmos* 58.7.18: 206

*Epistulae* 185.6.17: 206

*Gn. Litt.* 12.17: 218

*In Iohannis Euangelium Tractatus* 7.2.4: 206

- In Iohannis Euangelium Tractatus* 7.19.1: 212  
*Sermones* 80.496.20: 210  
*Sermones Nouissimi* 25D.18.260.  
 361: 211
- [Augustine]**  
*Liber Quaestionum Veteris et Novi Testamenti*  
 115.37: 294
- Avicenna**  
*Kitāb al-Taysir*  
 I.3.5 (*folio* 4): 269  
 I.3.6 (*folio* 5): 269  
 I.14 (*folio* 12): 270
- Avicenna** (see Ibn Sīnā)
- Basil of Caesarea**  
*In Ebriosos* (31.452): 228–29
- Bernard of Gordon**  
*Practicum or Liliū medicinae*  
*Particula* II, xxii: 276–78
- Syriac Book of Medicines**  
 Chapter 13: 248–50
- Caelius Aurelianus (ed. Bendz)**  
*Acute Diseases (Morb.Ac.)*  
*Praefatio* (22.15–18, 20–2 Bendz): 82  
 I (24.1–5 Bendz): 82  
 I (24.6–9 Bendz): 54  
 I (24.17–32.26 Bendz): 65  
 I (32.23–26 Bendz): 82–83  
 I, I (34.28–36.9 Bendz): 68  
 I, 2 (38.28–40.12 Bendz): 68  
 I, 2 (38–39 Bendz): 373  
 I, 3 (40.15–22 Bendz): 86  
 I, 4 (42–44 Bendz): 86–87  
 I, 4 (45.26–46.23 Bendz): 86–87  
 I, 8 (53.13–54.23 Bendz): 88–89  
 I, 9–11 (54–76 Bendz): 89–93  
 I, 11–1.12 (76.25–80.88 Bendz):  
 53–54  
 I, 14 (80.19–86.21 Bendz): 69  
 I, 15 (94.5–23 Bendz): 70  
 I, 15 (94.30–96.2 Bendz): 70  
 I, 15 (102.12–22 Bendz): 70–71  
 I, 16–17 (108.10–115.10 Bendz): 80  
 I, 17 (115.13–125.16 Bendz): 55–56  
*Chronic Diseases (Morb. Chr.)*  
 I, I (446.33–448.5 Bendz):  
 372–373
- Caesarius of Arles**  
*Sermones Caesarii uel ex Aliis Fontibus Hausti*  
 16.3.5: 310  
*Sermones Caesarii uel ex Aliis Fontibus Hausti*  
 36.5.18, 24: 221  
*Sermones Caesarii uel ex Aliis Fontibus Hausti*  
 103.46.5: 208
- Sermones Caesarii uel ex Aliis Fontibus Hausti*  
 108.3.35: 203
- Cassius Iatrotophista** (ed. Garzya–Masullo)  
*Quaestiones Medicae et Problemata*  
*Naturalia* 62.1–2:  
 161–62
- Constantinus Africanus**  
*Pantegni*  
 Book IX.iv, v: 255–58  
*Viaticum*  
 754 (I.18): 258
- Concilia Africae sec. trad. coll. Hispanae**  
 350.321: 223
- Copho**  
*Egritudines Tocius Corporis* (vol. 4, 415–505 De  
 Renzi): 255
- Aulus Cornelius Celsus** (ed. Marx)  
*De Medicina*  
 Proem. 42 (24, 8–10 Marx): 40  
 3.18: 71–76  
 3.19: 76
- Cicero**  
*De Divinatione* 1.81: 190
- Chrysippus**  
 fr. 65.29–33 von Arnim: 191
- Cyranides**  
 3.1a.4–7: 219  
 3.9.54: 221  
 6.7.3: 221
- Daniel Sennert**  
*Practica Liber* I, II, vii: 319–21
- Democritus**  
 B 129 D.–K.: 16
- Diocles of Carystus** (ed. van der Eijk)  
 fr. 71 van der Eijk: 53  
 fr. 72 van der Eijk: 53  
 fr. 73 van der Eijk: 53–54
- Ducas**  
*Historia Turcobyzantina* 24.12.11: 303
- Encyclopédie** 12:530: 335
- Epictetus**  
*Dissertationes ab Arriano Digestae* 2.15.2.2–3.3:  
 366–67
- Erasistratus** (ed. Garofalo)  
 fr. 176: 54
- Euripides**  
*Hippolytus* 612: 16
- Evagrius Scholasticus**  
*Historia Ecclesiastica* 207.6–11:  
 302–03  
*Tractatus ad Eulogium (sub Nomine Nili*  
*Ancyran)* 79.1104.9–16 MPG: 201

**Ferdinand Saalmann**

*Descriptio Phrenitidis et Paraphrenitidis  
Monasterii in Westphalia circa Medium  
mensis Martii grassari incipientium vere  
contagiosarum earumque factae curationis:*  
348–50

**Firmicus Maternus**

*Matheseos Libri:* 218–19

**Galen**

*De Comate Secundum Hippocratem*  
(*Com.Hipp.*, ed. Mewaldt)

*Com.Hipp.* 1.3 (181.15–16

Mewaldt = 7.644 K.): 152

*Com.Hipp.* 2.7 (186.4–8 Mewaldt = 7.651.2–6

K.): 169

*Com.Hipp.* 2.14–15 (188 Mewaldt = 7.655–56

K.): 150

*Com.Hipp.* 4.3 (193.8–9, 11–17

Mewaldt = 7.664 K.): 127

*In Hippocratis Librum de Acutorum Victu*

*Commentarii IV (Comm.Hipp.Acut.*, ed.

Helmreich)

*Comm.Hipp.Acut.* 4.37 (306.25–307.14

Helmreich = 15.802–03 K.): 167

*In Hippocratis Aphorismos Commentarii VII*

(*Comm.Hipp.Aph.*, ed. Kühn)

*Comm.Hipp.Aph.* 1.12 (17b.385 K.): 233

*Comm.Hipp. Aph.* 3.30 (17b.645–46 K.): 168

*Comm.Hipp.Aph.* 4.72 (17b.759–60 K.): 155

*Galenus In Hippocratis Epidemiarum Librum*

*I Commentaria III (Comm.Hipp.Epid. I*, ed.

Wenkebach)

*Comm.Hipp.Epid. I*, 2.76 (89.10–19

Wenkebach = 17A.176–77 K.): 169

*Comm.Hipp.Epid. I*, 2.78 (91.32–92.2

Wenkebach = 17A.182 K.): 168

*Comm.Hipp.Epid. I*, 3.19 (132.22–23

Wenkebach = 17A.264 K.): 151

*Galenus In Hippocratis Epidemiarum Librum III*

*Commentaria III (Comm.Hipp.Epid. III*, ed.

Wenkebach)

*Comm.Hipp.Epid. III*, 1.4 (15.13 Wenkebach

= 17A.504 K.): 124

*Comm.Hipp.Epid. III* (81–83 Wenkebach

= 17A.610–13 K.): 124

*Comm.Hipp.Epid. III*, 2.13 (100.18–104.21

Wenkebach = 17A.634–41 K.): 122

*Comm.Hipp.Epid. III*, 3.12 (117.5–7

Wenkebach = 17A.661 K.): 139

*Comm.Hipp.Epid. III*, 3.33 (131.16–23

Wenkebach = 17A.684–85 K.):

154

*Comm.Hipp.Epid. III*, 3.35 (132.23–24

Wenkebach = 17A.687 K.): 124

*Comm.Hipp.Epid. III*, 3.46 (138.16–139.5

Wenkebach = 17A.698–99 K.): 123

*Comm.Hipp.Epid. III*, 3.72 (153.20–23

Wenkebach = 17A.725 K.): 170

*Comm.Hipp.Epid. III*, 3.79 (173.5–174.14

Wenkebach = 17A.759–62 K.): 123

*Comm.Hipp.Epid. III*, 3.91 (186.8–187.4

Wenkebach = 17A.790–91 K.): 148

*Comm.Hipp.Epid. III*, 3.91 (186.11–187.4

Wenkebach = 17A.791 K.): 170

*Galenus In Hippocratis Epidemiarum Librum VI*

*Commentaria I–VI (Comm.Hipp.Epid. VI*,

ed. Wenkebach, ed. Vagelpohl)

*Comm.Hipp.Epid. VI*, 1.29 (52.7–20

Wenkebach = 17A.882–83 K.): 137

*Comm.Hipp.Epid. VI*, 2.40 (109.21–23

Wenkebach = 17A.984 K.): 170

*Comm.Hipp.Epid. VI*, 5.1 (255.17–24

Wenkebach = 17B.226–27 K.): 172

*Comm.Hipp.Epid. VI*, 6.9 (351.4–8

Wenkebach = 17B.343–44 K.): 167

*Comm.Hipp.Epid. VI* 7.30, 31a, 31b (1171–83

Vagelpohl): 146

*Comm. Hipp. Epid. VI* 7.38 (1219.17–1221.2

Vagelpohl): 169

*Comm.Hipp.Epid. VI* 7.50 (1255.14–16

Vagelpohl): 169

*In Hippocratis Prognosticum Commentarii III*

(*Comm.Hipp.Progn.*, ed. Heeg)

*Comm.Hipp.Progn.* 1.23–4 (237.9–239.8

Heeg = 18B.73–77 K.): 106

*Comm.Hipp.Progn.* 1.27 (243.17–245.6

Heeg = 18B.85–87 K.): 107

*Comm.Hipp.Progn.* 1.28 (245.16–246.10

Heeg = 18B.88–89 K.): 107

*Comm. Hipp. Progn. I*, 2.8 (245.24–246.1

Heeg = 18B.89 K.): 43

*In Hippocratis Prorrheticum I Commentaria III*

(*Comm.Hipp.Prorrh. I*, ed. Diels)

*Comm.Hipp.Prorrh. I*, 1.1 (4.1–9.6 Diels = 16.

491–501 K.): 116

*Comm.Hipp.Prorrh. I*, 1.1 (5.10–12

Diels = 16.493 K.): 117

*Comm.Hipp.Prorrh. I*, 1.1 (5.18–20

Diels = 16.494 K.): 118

*Comm.Hipp.Prorrh. I* 1.1 (6.20–7.11

Diels = 16.496–97 K.): 119–20

*Comm.Hipp.Prorrh. I*, 1.1 (6.27–7.1 Diels = 16.

496–97 K.): 150

*Comm.Hipp.Prorrh. I* 1.1 (7.15–22 Diels = 16.

497–98 K.): 118

*Comm.Hipp.Prorrh. I*, 1.3 (12.6–7

Diels = 16.507 K.): 153

*Comm.Hipp.Prorrh. I*, 1.4 (13.25–26

Diels = 16.511 K.): 112

- Comm.Hipp.Prorrh. I*, 1.4 (17.1–4 Diels = 16.518 K.): 101
- Comm.Hipp.Prorrh. I*, 1.4 (17.1–18.3 Diels = 16.517–20 K.): 141–42
- Comm.Hipp.Prorrh. I*, 1.5 (20.10–21.18 Diels = 16.524–27 K.): 140–41
- Comm.Hipp.Prorrh. I*, 1.6 (22.13–16 Diels = 16.528 K.): 150
- Comm.Hipp.Prorrh. I*, 1.9 (24.17–28 Diels = 16.533 K.): 149
- Comm.Hipp.Prorrh. I*, 1.11 (26.7–18 Diels = 16.536–37 K.): 149
- Comm.Hipp.Prorrh. I*, 1.13 (28.14–30.14 Diels = 16.541–44 K.): 155
- Comm.Hipp.Prorrh. I*, 1.15 (31.1–26 Diels = 16.545–47 K.): 156
- Comm.Hipp.Prorrh. I* 1.15 (32.20–23 Diels = 16.549 K.): 125
- Comm.Hipp.Prorrh. I*, 1.16 (33.9–26 Diels = 16.550–52 K.): 158
- Comm.Hipp.Prorrh. I*, 1.17 (33 Diels = 16.552 K.): 374
- Comm.Hipp.Prorrh. I*, 1.17 (34.7–15 Diels = 16.552–53 K.): 160
- Comm.Hipp.Prorrh. I*, 1.19 (35.18–29 Diels = 16.555 K.): 153
- Comm.Hipp.Prorrh. I*, 1.20 (36.4–16 Diels = 16.556–57 K.): 154
- Comm.Hipp.Prorrh. I*, 1.27 (39.22–41.26 Diels = 16.564–68 K.): 143
- Comm.Hipp.Prorrh. I*, 1.33 (46.1–27 Diels = 16.578–79 K.): 120–22
- Comm.Hipp.Prorrh. I*, 1.33 (47.22–26 Diels = 16.581 K.): 117
- Comm.Hipp.Prorrh. I*, 33 (49–50 Diels = 16.584–86 K.): 330
- Comm.Hipp.Prorrh. I*, 2.2 (53.14–26 Diels = 16.592 K.): 139
- Comm.Hipp.Prorrh. I*, 2.8 (59.15–22 Diels = 16.605–06 K.): 161
- Comm.Hipp.Prorrh. I*, 2.9 (59.25–60.16 Diels = 16.606–08 K.): 105
- De Compositione Medicamentorum secundum Locos libri X* (*Comp.Med.Loc.*, ed. Kühn)
- Comp.Med.Loc.* (12.523–24 K.): 171
- De Crisibus libri III* (*De Cris.*, ed. Alexanderson)
- De Cris.* 3.3 (170.7–9 Alexanderson = 9.707 K.): 139
- De Cris.* 11 (200.2–5 Alexanderson = 9.752 K.): 138
- De Usu Partium* (*UP*, ed. Helmreich)
- UP* 17 (II, 450 Helmreich = 4.363 K.): 101
- De Difficultate Respirationis libri III* (*Diff.Resp.*, ed. Kühn)
- Diff.Resp.* 3.9 (7.937 K.): 138
- Diff.Resp.* 3.10 (7.940–41 K.): 158
- De Locis Affectis* (*Loc.Aff.*, ed. Kühn)
- Loc.Aff.* 3.7 (8.165–66 K.): 102
- Loc.Aff.* 3.7 (8.166–68 K.): 102
- Loc.Aff.* 3.7 (8.166.5–9, 167 K.): 374
- Loc.Aff.* 3.9 (8.177–79 K.): 109
- Loc.Aff.* 3.9 (8.178 K.): 127
- Loc.Aff.* 4.2 (8.225–26 K.): 142
- Loc.Aff.* 4.2 (8.226–27 K.): 145
- Loc.Aff.* 5.4 (8.327–32 K.): 13
- Loc.Aff.* 5.4 (8.329 K.): 106
- Loc.Aff.* 5.4 (8.330 K.): 117
- Loc.Aff.* 5.4 (8.331 K.): 105
- Medical Experience* (28.3 Walzer): 63–65
- De Methodo Medendi* (*Meth.Med.*, ed. Kühn)
- Meth.Med.* 13.21 (10.928–32 K.): 80–81, 108
- De Placitis Hippocratis et Platonis* (*PHP*, ed. De Lacy)
- PHP* 8.9 (536.3–4 De Lacy = 5.716 K.): 103
- De Causis Pulsuum* (*Caus.Puls.*, ed. Kühn)
- Caus.Puls.* 3.10 (9.140 K.): 153
- Caus.Puls.* 4.14 (9.184–86 K.): 156
- Caus.Puls.* 4.14 (9.185 K.): 128
- Quod Animi Mores Corporis Temperamenta Sequantur* (*QAM*, ed. Bazou)
- QAM* 5.32–33 Bazou (4.788–89 K.): 186
- De Simplicium Medicamentorum Temperamentis et Facultatibus libri X* (*Simpl.Med.*, ed. Kühn)
- Simpl.Med.* 3.9 (11.559 K.): 171
- De Symptomatum Causis libri III* (*Symp.Caus.*, ed. Kühn)
- Symp.Caus.* 2.7 (7.202 K.): 126–27
- De Symptomatum Differentiis* (*Symp.Diff.*, ed. Gundert)
- Symp.Diff.* 1.4.3 (224.18–226.8 Gundert = 7.60–61 K.): 143
- Symp.Diff.* 1.4.3 (226.13–17 Gundert = 7.61 K.): 146
- De Theriaca ad Pisonem* (*Ther.*, ed. Kühn)
- Ther.* 15 (14.271 K.): 172
- Gargilius**
- Medicinae ex Holeribus et Pomis* XVIII (2 Maire) = 54
- Gentile da Foligno**
- Commentary on Avicenna's Canon* folio 55: 271

**Gentile da Foligno** (cont.)*dubium* 5 (fol. 55–56): 271*dubia* 6–10 (fol. 56–57): 272**Gerard van Swieten***Commentaria in Hermanni Boerhaave**Aphorismos de Cognoscendis et Curandis Morbis**Comm.Aph.Boer. ad* 771: 323*Comm.Aph.Boer. ad* 772: 331*Comm.Aph.Boer. ad* 773: 323**Gilbertus Anglicus***Compendium Medicinae*

xxvii: 219 (folio 101): 260

xxviii: 220: 259

xxviii: 221 (folio 102): 260

**Giovanbattista Morgagni***De Sedibus et Causis Morborum per Anatomen**Indagatis Libri Quinque.**Epidiologia Anatomico-medica* VII, 2: 327–29**Giuseppe Carelli***Igiene Veterinaria ad Uso dei Veterinarii, dei**Militari, e dei Proprietarii* 113: 354**Gregory the Great***Moralia in Iob* 6.16.196: 207**Gregory of Nyssa***Contra Eunomium* 1.1.487.1: 200*De Opificio Hominis* 12.172: 228*De Opificio Hominis* 12, 157: 227**Heraclitus**

B 67a D.–K.: 44

**Herman Boerhaave***Aphorismi**Aph.* 772: 323–27*Aph.* 779: 327**Hermetica**

Περὶ βοτανῶν τῶν ζῴστέρων: 218

**Herophilus** (ed. von Staden)

T 239: 54

**Hildegard of Bingen***Scivias. Protestificatio* 43: 288**[Hippocrates]***Regimen in Acute Diseases (Acut., ed. Joly)**Acut.* 5 (37.21–38.1 Joly = 2.232 L.): 48*Acut.* 5 (42.14–15 Joly = 2.258 L.): 39*Acut.* 14 (57.19–23 Joly = 2.332 L.): 42*Acut.* 14 (58.24 Joly = 2.336 L.): 42*Acut.* 17 (64.12 Joly = 2.360 L.): 42*Affections. (Aff., ed. Potter)**Aff.* 6 (14.7–13 Potter = 6.214 L.): 32*Aff.* 10 (18.14–20.11 Potter = 6.216–18 L.): 22, 45*Aff.* 10 (18.19 Potter = 6.217 L.): 28*Aff.* 10 (18.20–21 Potter = 6.216–18 L.): 32*Aff.* 10 (20.6–11 Potter = 6.218 L.): 45–46*Aff.* 10 (21 Potter = 6.218 L.): 22*Aff.* 12 (22.7–20 Potter = 6.220 L.): 48*Aff.* 12 (22.11–16 Potter = 6.220 L.): 31*Nutrimēt (Alim., ed. Heiberg)**Alim.* 25 (81.13 Heiberg = 9.106.14 L.): 40*Aphorisms (Aph., ed. Magdelaine)**Aph.* 3.30 (408.11–13 Magdelaine = 4.500 L.): 48*Aph.* 4.18 (413.3–4 Magdelaine = 4.506 L.): 38*Aph.* 4.72 (426.7 Magdelaine = 4.528 L.): 156*Aph.* 6.18 (452.1–2 Magdelaine = 4.566–68

L.): 40

*Aph.* 7.54 (469.10–470.2 Magdelaine =

4.594 L.): 39

*Aph.* 7.82 (475.11–13 Magdelaine =

4.606 L.): 30

*On Joints (Artic., ed. Kühlewein)**Artic.* 41 (164.3 Kühlewein = 4.176 L.;

164.14 Kühlewein = 4.178 L.): 38

*Breaths* (ed. Jouanna)*Breaths* 10 (118.8 Jouanna = 6.106 L.): 38*Coan Prenotions (Coac., ed. Potter)**Coac.* 31 (112–14 Potter = 5.590 L.): 330–31*Coac.* 69 (120.13–14 Potter = 5.598 L.): 24*Coac.* 76 (122 Potter = 5.600 L.): 27*Coac.* 93 (124. 21–22 Potter = 5.602 L.): 47–48*Coac.* 95 (124.25–26 Potter = 5.602–4 L.): 26*Coac.* 96 (126 Potter = 5.604 L.): 26*Coac.* 107 (128.1–4 Potter = 5.604 L.): 40*Coac.* 116 (130.3–4 Potter = 5.608 L.): 35*Coac.* 210 (154.5–6 Potter = 5.630 L.): 35*Coac.* 223 (158.1–2 Potter = 5.632 L.): 23*Coac.* 229 (158.26 Potter = 5.634 L.): 26*Coac.* 255 (164 Potter = 5.638 L.): 38*Coac.* 405 (204.26–28 Potter = 5.676 L.): 34*Coac.* 499 (230.3–15 Potter = 5.698 L.): 40*Coac.* 571 (250.6–20 Potter = 5.716 L.): 16*Coac.* 571 (250.17–19 Potter = 5.716 L.): 25*Epidemics* 1, 3 (ed. Jouanna)*Epid.* 1.18 (25.8–10 Jouanna = 2.650 L.): 22*Epid.* 3.1, case 3 (67.7–10 Jouanna =

3.42 L.): 330

*Epid.* 3.1, case 11 (77.6 Jouanna = 3.62 L.): 50*Epid.* 3.3 (80.15–16 Jouanna = 3.70 L.): 24–25*Epid.* 3.5 (83.7–10 Jouanna = 3.76–80 L.): 25*Epid.* 3.11 (88.1–2 Jouanna = 3.90–2 L.): 25*Epid.* 3.17, case 4 (98.1–11 Jouanna = 116–18

L.): 35

*Epid.* 3.17, case 14 (110.1 Jouanna =

3.142 L.): 49

*Epid.* 3.17, case 15 (110–13 Jouanna = 3.146 L.):

325, 170

*Epid.* 3.17, case 16 (112.14 Jouanna =

3.148 L.): 49

*Epidemics*, 2, 6 (ed. Smith)*Epid.* 2.4.1 (62.12 Smith = 5.120 L.): 39*Epid.* 2.4.1 (64.17–18 Smith = 2.122 L.): 36

- Epid.* 2.4.1 (64.20–22 Smith = 5.124 L.): 39  
*Epid.* 6.8.10 (175.5–9 Manetti–Roselli = 5.348.1–3 L.): 146  
*Epidemics*, 5, 7 (ed. Jouanna)  
*Epid.* 5.52 (24.6–7 Jouanna = 5.236 L.): 28  
*Epid.* 7.25 (66.22–23 Jouanna = 5.394 L.): 43  
*Epid.* 7.53 (84.21–24 Jouanna = 5.422 L.): 26–27  
*Epid.* 7.71 (92.13–17 Jouanna = 5.432 L.): 32–33  
*Epid.* 7.79, 80 (95–96.10 Jouanna = 5.434–6 L.): 28  
*Epid.* 7.112 (112.3–9 Jouanna = 5.460 L.): 7, 26  
*Internal Affections* (*Int.*, ed. Potter)  
*Int.* 47 (226–31 Potter = 7.281–84 L.): 373  
*Int.* 48 (230.18–236.20 Potter = 7.284–88 L.): 34  
*Crises* (*Judic.*, ed. Preiser)  
*Judic.* 41 (13.11–12 Preiser = 9.290 L.): 47  
*Places in Man* (*Loc.Hom.*, ed. Joly)  
*Loc.Hom.* 3 (42.7–11 Joly = 6.282 L.): 39  
*Diseases*, 1 (ed. Wittern)  
*Morb.* 1.3 (6.18–8.1 Wittern = 6.142–44 L.): 40  
*Morb.* 1.3 (8.3–7 Wittern = 6.144 L.): 40  
*Morb.* 1.3 (10.7–8 Wittern = 6.146 L.): 28  
*Morb.* 1.15 (36.6–7 Wittern = 6.164 L.): 46  
*Morb.* 1.19 (50.16 Wittern = 6.174 L.): 46  
*Morb.* 1.30 (86.19–88.13 Wittern = 6.200 L.): 22  
*Morb.* 1.30 (86.19–20 Wittern = 6.200 L.): 35–36  
*Morb.* 1.30 (88.7–13 Wittern = 6.200 L.): 28  
*Morb.* 1.34 (92.7–18 Wittern = 6.204 L.): 28  
*Diseases*, 2 (ed. Jouanna)  
*Morb.* 2.65 (204.3–10 Jouanna = 7.100 L.): 77  
*Morb.* 2.72 (211.15 Jouanna = 7.110 L.): 22  
*Diseases*, 3 (ed. Potter)  
*Morb.* 3.5 (12.14–24 Potter = 7.122 L.): 77  
*Morb.* 3.9 (76.20–23 Potter = 7.128 L.): 28  
*Morb.* 3.9 (76.24–27 Potter = 7.128 L.): 22  
*Morb.* 3.9 (76.20–29 Potter = 7.128 L.): 32  
*Morb.* 3.14 (82.7 Potter = 7.134 L.): 41  
*Morb.* 3.15 (82.22–28 Potter = 7.136 L.): 48  
*Morb.* 3.16 (86.22–96.12 Potter = 7.142–56 L.): 41  
*Sacred Disease* (*Morb.Sacr.*, ed. Jouanna)  
*Morb.Sacr.* 3 (11.20–21 Jouanna = 6.366 L.): 39–40  
*Morb.Sacr.* 7 (15.14–23 Jouanna = 6.372.5–6 L.): 46  
*Morb.Sacr.* 7 (16.8 Jouanna = 6.374 L.): 41  
*Morb.Sacr.* 17 (30.3–17 Jouanna = 6.392 L.): 40–41  
*Diseases of Women* (*Mul.*, ed. Littré)  
*Mul.* 1.63 (8.128 L.): 42  
*Mul.* 2.200 (8.384 L.): 42  
*Nature of Man* (*Nat.Hom.*, ed. Jouanna)  
*Nat.Hom.* 5 (212.1–4 Jouanna = 6.78 L.): 22  
*Prognostikon* (*Progn.*, ed. Jouanna)  
*Progn.* 4 (13.3–5 Jouanna = 2.122 L.): 23  
*Progn.* 4 (13.3–14.2 Jouanna = 2.122 L.): 27  
*Progn.* 5 (14.4 Jouanna = 2.122 L.): 38  
*Progn.* 7 (17.10–18.3 Jouanna = 2.126 L.): 43  
*Progn.* 12 (35.2–5 Jouanna = 2.142 L.): 38  
*Progn.* 19 (54.6–55.1 Jouanna = 2.164 L.): 39  
*Progn.* 23 (76.3–7 Jouanna = 2.186–88 L.): 26  
*Prorrhethikon I* (*Prorrh. I*, ed. Polack)  
*Prorrh. I*, 1 (75.2–4 Polack = 5.510 L.): 29  
*Prorrh. I*, 3 (75.7–8 Polack = 5.510 L.): 26  
*Prorrh. I*, 4 (75.8–10 Polack = 5.510–12 L.): 26  
*Prorrh. I*, 5 (75.10–11 Polack = 5.512 L.): 28–29  
*Prorrh. I*, 6 (75.11–12 Polack = 5.512 L.): 33–34  
*Prorrh. I*, 9 (76.2 Polack = 5.512 L.): 30  
*Prorrh. I*, 11 (76.4–6 Polack = 5.512–14 L.): 29  
*Prorrh. I*, 12–13 (76.7–10 Polack = 5.514 L.): 24  
*Prorrh. I*, 16 (76.14–77.1 Polack = 5.514 L.): 26  
*Prorrh. I*, 17 (77.1–3 Polack = 5.514 L.): 160  
*Prorrh. I*, 27 (78.2–3 Polack = 5.516 L.): 24  
*Prorrh. I*, 28 (78.4 Polack = 5.516 L.): 26  
*Prorrh. I*, 31 (78.7–8 Polack = 5.518 L.): 31  
*Prorrh. I*, 34 (78.15–79.1 Polack = 5.518 L.): 27  
*Prorrh. I*, 36 (79.5–6 Polack = 5.519 L.): 27  
*Prorrhethikon II* (*Prorrh. II*, ed. Potter)  
*Prorrh. II*, 9 (244.11–27 Potter = 9.28 L.): 31  
*Regimen in Acute Diseases* (*sp.*) 1 (68.11–12 Joly = 2.396 L.): 41  
*Seven* 79 (3.5–6 Roscher = 8.672.24 L.): 41  
*Ancient Medicine* (*Vet.Med.*, ed. Jouanna)  
*Vet.Med.* 24 (152.13–15 Jouanna = 1.634 L.): 38  
*Girls* (*Virg.*, ed. Lami)  
*Virg.* 2.8 (22.23–24 Lami = 8.468 L.): 42  
**Geoffroy of Auxerre**  
*Vita Prima Sancti Bernardi Claraevallis Abbatis*  
 4:33: 303  
**Gesta Romanorum** 164.547.15: 305  
**Guibert of Tournai**  
*De Septem Uerbis Domini in Cruce Prologus*  
 215.70: 297  
**Henry of Lancaster**  
*Livre de Seyntz Medicines*: 300  
**Hildegard of Bingen**  
*Liber Diuinorum Operum*, pars 1, visio 2, cap.  
 32: 307  
**Hugues de Miramar**  
*Liber de Hominis Miseria, Mundi et Inferni*  
*Contemptu* (*Uersio Breuis*)  
 1.5.15.312: 230

**Ibn al-Dhahabī***Kitāb al-Māʾ*

1:203–04: 240–241

2:286–87: 241–242

3:201: 242

**Ibn Sīnā (Avicenna)***Canon (al-Qānūn) / Canon of Medicine* 3: 268**Ibn Zuhr (Avenzoar)***Kitāb al-Taysir*: 269**Jan Hus***Defensio Articulorum Wyclif; lectio*

2.204.790: 293

**Jean Calvin***Christianae Religionis Institutio* 1.3.226: 309*Christianae Religionis Institutio* 1.17.6: 289**Jean de Saint-Amand**s.v. *Frenesis* (136 Pagel): 270**Jean Gerson***Corpus Epistularum: Epistulae ad Iohanem**Gerson datae* 30a.130.8: 299*Opera Poetica* 153.489: 294**Joannes Actuarius***De Diagnosi* 1.7: 234**Joannes Camaterus***De Zodiaco* 875–81: 306**Joannes Tzetzes***Epist.* 19.36.13: 291**John Chrysostom***De Incomprehensibili Dei Natura* 2.7, 48.718.

15–16 MPG: 209

*In Epistulam ii ad Corinthios* 61.501.4

MPG: 216

*In Epistulam i ad Thessalonicenses*, 62.452.15–17

MPG: 201

*In Epistulam ad Romanos* 60.418.40 MPG:

295

*Quod Frequenter Conveniendum sit* 63.462.4

MPG: 204

*De Siccitate* 61.723.50 MPG: 203**John of Damascus***Homilia in Ficum Arefactam* 96.577.20:

298

**John Hooper***Inaugural Essay on Phrenitis*: 340–41**John VI Kantakouzenos***Disputatio cum Paulo Patriarcha Latino, Ep.*

3.4.34–38: 229

**John Sym***Lifes Preservative against Self-Killing* 113–14:

337

**John Wycliff***Tractatus de Ciuili Dominio* (1.32.1.231.16): 301**Julian of Toledo***Historia Wambae Regis* 6.92: 240–241**Lawrence of Brindisi***Dominicalia (Sermones ad Tempus Post**Pentecosten Pertinentes)*

8.4: 290

*Hypotyposis Ecclesiae et Doctrinae Lutheranae* 1.

prae.10: 290

*Hypotyposis Ecclesiae et Doctrinae Lutheranae*

1.2.8.2: 290

*Hypotyposis Martini Lutheri* 5.13.4: 290*Quadragesima* 4.2.4: 297*Sanctorale* 9.609.10: 301**Leo Medicus***Conspectus Medicinae* (2.11):

233

*Liber de Ortu et Obitu Patriarcharum*

64.2: 208

**Lucian***Quomodo Historia Conscribenda Sit* 1.1.14:

373–74

*Symposium* 20.1: 195**Marcellinus (ed. Schöne)***De Pulsibus*

289–90 Schöne: 157

431 Schöne: 157

**Marcus Cornelius Fronto***Ad Verum Imp. Epistulae* 2.1.1.1: 190**Martial***Epigrams**Ep.* 11.28: 191*Ep.* 40.80.1: 191**Martianus Capella***De Nuptiis Philologiae et Mercurii* (LLA 710, 9,

926): 69

**Marwan ibn Ganah (Rabbi Jonah)***Kitab at-Talkhis* entry 795 Bos *et al.* (fol. 67 r,

13–v.2): 278–79

*Kitab at-Talkhis* entry 899 Bos *et al.* (fol. 76 r,

4–8): 279

*Kitab at-Talkhis* entry 1002 Bos *et al.* (fol.

81v14–82r2): 279

**Menander***Aspis* 336–42: 59–61*Aspis* 444–50: 61–62**Michael Psellus***Opuscula Logica, Physica, Allegorica, alia* 55,

1044 Duffy: 234

*Opuscula Psychologica, Theologica,**Daemonologica* 27.20–21: 287*Poemata*

9.729–31: 230

9.765–70: 230

21.254: 288

**Michaëlis Jacobus de Vries***Dissertatio Medica Inauguralis*: 340

**Moses Maimonides**

- Aphorisms* 6.37 (9 Bos): 280  
*Aphorisms* 6.53 (12 Bos): 281  
*Aphorisms* 9.17–19 (63 Bos): 281  
*Aphorisms* 23.62 (51 Bos): 281

**Olbert of Gembloux**

- Inuentio, Miracula et Translatio Ueroni  
 Lembecensis* 845.98: 296

**Oribasius (ed. Raeder)**

- Coll. Med.* 45.30.55 = 195.30–33 Raeder:  
 177–78  
*Libri incerti*, 159.19–23 Raeder: 174–75  
*Syn.ad Eust.* 8.1.2 (244.8–11 Raeder): 177

**[ps.]-Origen**

- Selecta in Psalmos* 12.1224.28 MPG:  
 177–78

**Palladius of Alexandria (ed. Dietz)**

- Commentarii in Hippocratis librum sextum de  
 morbis popularibus*  
 195 Dietz: 232

2.113–14 (130–71 Dietz): 232

**Paul of Aegina (ed. Heiberg)**

- 2.11.24 (93.4–8 Heiberg): 182  
 3.6 (144.4–6 Heiberg): 176–77  
 3.6.2 (145.12–16 Heiberg): 180  
 3.6.2 (146.15–18 Heiberg): 375  
 3.9.1 (147.6–8 Heiberg): 178

**Pedanius Dioscorides**

- De Materia Medica* 3.78.2 (91.10–13  
 Wellmann): 171

**Peter Christologus**

- Collectio sermonum* 18.67: 208  
*Collectio sermonum* 41.32: 208–09  
*Collectio sermonum* 139.38: 215

**Peter Damian**

- Epistulae* 44.28.5: 208–09  
*Epistulae* 72.355.4: 292  
*Epistulae* 108.198.6: 307

**Petronius**

- Satyricon*  
*Sat.* 63.10: 191  
*Sat.* 115.5: 191

**Philip of Harveng**

- De Silentio* 64.1077.4: 300  
*De Silentio* 97.1147.38: 295

**Plato**

- Timaeus*  
*Ti.* 69e2–70a2: 44  
*Ti.* 70a3: 13  
*Ti.* 70a1–4: 34  
*Ti.* 70e1: 34  
*Ti.* 77b4: 34  
*Ti.* 84d7: 13

**Pliny**

- Nat.Hist.* 11.77: 44  
*Nat.Hist.* 24.35: 220

**Plutarch**

- Advice about Keeping Well* 5, 124b: 193  
*Biogr.* fr. 136.4: 213  
*Life of Alexander* 75: 193  
*Life of Marius* 45.2–5 (260.16–261.21 Ziegler-  
 Gärtner): 193  
*Quaestiones Convivales* 8.9 = 731a–32b: 4

**Polybius**

- 2.4.6.6 = fr. 126.12–18 Büttner-Wobst: 194

**Posidonius**

- FGrH* 87 F 37 = fr. 255 Kidd–Edelstein: 194

**Practica Maestri Bartholomaei**

- vol. 4, 321–406 De Renzi: 253

**Praxagoras (ed. Steckerl)**

- 61–62 Steckerl: 55

**Procopius**

- Wars* 6.2.25: 302

**Quintus Serenus Sammonicus**

- Liber Medicinalis* 1.7.87–101: 220

**Radboud of Utrecht**

- Uita Bonifatii Moguntini (uita secunda)*  
 76.22: 291

**al-Rāzī**

- al-Hāwī* 200: 245–46  
*Discussion of the Differences Between Diseases*  
 (*Kalām fi l-furuq bayna al-amrad*): 244–45  
*Divisions (Taqaṣim al-'Ilal)*: 244

**Regulae Urinarum Magistri Mauri**

- Vol. 3, pp. 32–34 *De Frenesi*:  
 251–52

**Rhetorius**

- Capitula Selecta* 163, 2: 306

**Rudolf of St. Trond**

- Carmina Authentica et/vel Dubia, Poema*  
 'Nicolai Alter Homo' 83: 290

**Rufus of Ephesus (ed. Daremberg)**

- Synopsis de Pulsibus*  
 6.2 (227.1–2 Daremberg): 157  
 6.4 (227.3–10 Daremberg): 157  
 8.2.3 (230 Daremberg): 157

**Rupert of Deutz**

- De Sancta Trinitate et Operibus Eius*  
 27.1473: 296  
*In Isaiam* 1487.1240: 309

**Samuel Gee**

- Saint Bartholomew's Hospital Reports*: 331

**Scholia to Aeschylus' Prometheus Bound**

- Σ<sup>PPdYa</sup> 881c (*Scholia Vetera* 881b, c,  
 d Herington): 226



**Sedulius Scottus**

*Collectaneum Miscellaneum* 24: 295  
*Collectaneum Miscellaneum* 40.4: 300

**Seneca the Elder**

*Controversies* 10.5.27.2: 189

**Seneca the Younger**

*De Const. Sapientis* 13.1.3: 213  
*De ira* 3.26.1, 4: 190  
*De ira* 3.13.3.1–4.2: 190

**Maurus Servius Honoratus**

*In Vergilii Aeneidos Libros* 6.724.2: 217

**Severus Iatrosophista (ed. Dietz)**

*De Instrumentis Infusoriis seu Clysteribus ad Timotheum* (18.12–19 Dietz): 113

**Sextus Amarcus**

*Sermones* 3.1.70: 310

**Sextus Empiricus**

*Against the Professors*

7.247–48: 191

11.136.3: 192

*Outlines of Pyrrhonism* 1.99.5–101.1:  
 191

**Shakespeare**

*Henry V*, Act II Scene III: 311–13

**Simon of Genoa**

*Clavis Sanationis*: 253

**Talmudic Medicine (ed. Preuss):** 283

**Tertullian**

*De Anima* 43.47: 190

**Themison (ed. Moog)**

fr. 28 Moog: 80

**Theophilus Protospatharius**

*De Pulsibus* 67.15 Ermerins: 233

**Theophrastus von Hohenheim (Paracelsus)**

*Paragranum* 63–105 Weeks: 333

*Paragranum* 74 Weeks: 334

*Paragranum* 569 Weeks: 335

**Thomas Aquinas**

*Commentary on Aristotle's Metaphysics*: 289

*Quaestiones Disputatae de Virtutibus de*

*Virtutibus Cardinalibus Quaestio Unica*

2.3.1: 307

*Summa contra Gentiles* 3.154: 305

*Summae Theologiae Prima Secundae*

77.7.3.2: 308

*Summae Theologiae Tertia Pars* 80.9.14: 307

**Ulpian**

*Digesta* 21.1.1.9: 222

**Varro**

*Satura Menippea (Sat. Men.) Sat. Men.* (fr. 271  
 p. 47): 189

**Vettius Valens**

*Anthologiarum Libri* ix 110.31 Kroll: 218

**William of Auvergne**

*Sermones de Communi Sanctorum et de*

*Occasionibus* 80.276.18: 292

*Sermones de Communi Sanctorum et de*

*Occasionibus* 87.301.12: 293

*Sermones de Tempore* 263.462.53:

293

**William of Conches**

*Dragmaticon Philosophiae* 2.6.7: 288

*Dragmaticon Philosophiae* 6.17.7: 257

**William Cullen**

*Synopsis Nosologicae Medicae*: 288

**William of Ockham**

*Quodlibeta Septem* 3.20.282.31: 289

*Quodlibeta Septem* 1.20.101.38: 288

**Zonaras**

*Epitome Historiarum* 1.303.15: 304

*Epitome Historiarum* 13–18: 303