

VOL. VII.—1893.

THE JOURNAL
OF
LARYNGOLOGY,
RHINOLOGY, AND OTOTOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO
THE THROAT, NOSE, AND EAR.*

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,
JOHN MACINTYRE, M.B. Glasgow,

AND

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

Dr. BARCLAY J. BARON (Bristol). Dr. SANDFORD (Cork).

And with the co-operation of

DR. RICARDO BOTEY (BARCELONA)
DR. BRYSON DELAVAN (NEW YORK)
DR. DRAISPUL (ST. PETERSBURG)
PROF. GUYE (AMSTERDAM)
DR. MIDDLEMASS HUNT (LIVERPOOL)
DR. VALERIUS IDELSON (BERNE)
DR. JOAL (PARIS)
DR. KARWOWSKI (WARSAW)
DR. JOHN N. MACKENZIE (BALTIMORE)
DR. GRAZZI (FLORENCE)
DR. SANDFORD (CORK)
DR. LUBET-BARBON (PARIS)

DR. G. W. MAJOR (MONTREAL)
PROF. MASSEI (NAPLES)
DR. W. ROBERTSON (NEWCASTLE-ON-TYNE)
DR. J. MICHAEL (HAMBURG)
DR. HOLGER MYGIND (COPENHAGEN)
DR. PORTER (ST. LOUIS)
DR. SAJOUS (PHILADELPHIA)
DR. SENDZIAK (WARSAW)
PROF. RAMON DE LA SOTA (SEVILLE)
DR. HICQUET (BRUSSELS)
DR. MILLIGAN (MANCHESTER)
DR. LICHTWITZ (BORDEAUX)

Published Monthly.

LONDON:
F. J. REBMAN,
Albion Chambers, 11, Adam Street, Strand.

PHILADELPHIA, PA.:
THE F. A. DAVIS COMPANY,
1914-16, Cherry Street.

ENTERED AT STATIONERS' HALL.

CONTENTS.

Original Article. —A Case of Alveolar Sarcoma of the Soft Palate	Dr. FITZPATRICK (Cincinnati) Page 255.
Annotations. —Croupous or Fibrinous Rhinitis—The Royal Infirmary, Liverpool—Fifteenth Congress of the American Laryngological Association.	Page 258 to 261.
Instruments, Diphtheria, &c. —Vapour Apparatus, <i>Scheppegrell</i> —New Mirrors, <i>Farny</i> —Modified Gottstein's Curette, <i>Makuen</i> —Nasal Septum Knife, <i>Martin</i> , <i>De Laleu</i> , <i>Munn</i> —Diphtheria without Membrane, <i>Feer</i> —Polymorphism of Diphtheria, <i>Novak</i> —Diphtheria and Membrane, <i>Batori</i> —Significance of Diphtheritic Membranes, <i>Oertel</i> —Treatment of Diphtheria, <i>Kováč</i> ; <i>Hering</i> ; <i>Behring</i> , <i>Boer</i> , and <i>Kossel</i> ; <i>Fiedler</i> .	Pages 261 to 263.
Tongue, Pharynx, &c. —Sloughing Phagedena of Tongue, <i>Eustace</i> —Case of Cancer of Tongue, <i>Sachs</i> —Total Extirpation of the Tongue and its Influence on Speech, <i>Schulten</i> —Papilloma of Palatal Arches, <i>Wagner</i> —Vesicular Palatal Eruption in Influenza, <i>Shelly</i> —Chancre of Tonsils, <i>Bulkeley</i> —Injections in Tonsillar Diseases, <i>Ziemssen</i> —Pharyngeal Reflex Neuroses, <i>Bauer</i> —Crypto-genetic Septicæmia, <i>Campbell</i> —Spasmodic Dysphagia, <i>Monakow</i> .	Pages 264 to 266.
Nose and Naso-Pharynx, &c. —Singing Voice Improved by Nasal Treatment, <i>Spear</i> —Impediments to Nasal Respiration, <i>Caspari</i> —Psychopathic Symptoms in Nasal Disease, <i>Pick</i> —Etiology of Rhinitis Fibrinosa, <i>Abel</i> —Spontaneous Cure of Nasal Papilloma, <i>Dunn</i> —Ulcer of the Septum, &c., <i>Suchanek</i> —Abscess of the Septum, <i>Zaufal</i> —Bacteria in Ozæna, <i>Abel</i> —Rhinitis Fibrinosa, <i>Abel</i> —Maggots in the Nose, <i>Cerna</i> , <i>Kimball</i> —Asepsis in Nasal Surgery, <i>Freudenthal</i> —Cleanliness in Treatment of Naso-Pharyngeal Catarrh, <i>Birmingham</i> —Rhino logical Memoranda, <i>Flatau</i> —Electrolysis in Deviations of the Septum, &c., <i>Schmidt</i> —Correction of Deformities of the Nose, <i>Roe</i> —Anæsthetics in Adenoid Growths, <i>Silk</i> —The Antrum of Highmore, <i>Ziem</i> , <i>Boncko</i> , <i>Heymann</i> , <i>Repp</i> —The Nasal and Accessory Cavities, <i>Onodi</i> .	Pages 266 to 273.
Larynx. —Diet, Digestion, and the Voice, <i>Bleyer</i> —The Epiglottis, &c., during Swallowing, <i>Rethi</i> —Tracheotomy and Intubation, <i>Durrell</i> —Intubation in Glottic Spasm, <i>Pott</i> —Spontaneous Cure of a Laryngeal Polypus, <i>Stembo</i> —Multiple Papilloma in Children, <i>Stadler</i> —Hereditary Syphilis in a Child, <i>Chiari</i> —Laryngitis Hypoglottica, <i>Rubsamen</i> —Carcinoma of a Vocal Cord, <i>Stoerk</i> —Cured Case of Laryngeal Carcinoma, <i>Socin</i> —Paralysis of the Postici in Tabes, <i>Grabover</i> —The Relationship between the Phrenic and Recurrent Nerves, <i>Davies</i> —Chloroform Anæsthesia in Diagnosis of Laryngeal Obstruction, <i>Swift</i> —Foreign Body in the Larynx, <i>Klinedinst</i> —Fractures of the Larynx, <i>Heymann</i> —Suffocative Laryngo-Tracheitis, <i>Kuh</i> —Maydl's Tamponing of the Larynx, <i>Lieschminger</i> —Foreign Bodies in the Bronchi, <i>Fischer</i> —Plastic Tracheal Operations, <i>Schummelbusch</i> .	Pages 273 to 277.
Thyroid Gland, &c. —Etiology of Strumitis, <i>Schnittler</i> , <i>Catzenauer</i> —Goitre Noise, <i>Guttman</i> —Struma Metastases, <i>Eiselberg</i> —Tropho-Neuroses and the Thyroid Gland—Vegetative Disturbances after Extirpation of the Thyroid in Sheep, <i>Eiselberg</i> —Goitre, <i>Kronstein</i> —Congenital Hydatidæ, <i>Sheild</i> .	Pages 277 to 279.
Ear. —Aural Disease and the Mental and Physical Development of the Child, <i>Schneider</i> —Treatment of Nasal and Middle Ear Affections, <i>Taylor</i> —Foreign Body in the Tympanum, <i>Greene</i> —Uncommon Cause of Deafness, <i>Wassermann</i> —Middle Ear Myringitis, <i>Wilson</i> —Pyæmia and Disease of the Middle Ear, <i>Scott and Lane</i> —Foreign Body in the Ear with Acute Otitis, <i>Pritchard and Cheate</i> —Cases of Aural Pyæmia, <i>Farrin</i> —Cases of Excision of the Stapes, <i>Jack</i> —Removal of the Ossicles, <i>Black</i> .	Pages 279 to 283.
Reviews. — <i>Kirchner</i> : Handbook of Aural Diseases.	Page 284.
<i>Wagner</i> : Hypokinetic Neuroses of the Larynx.	" 285.
Transactions of the Fourteenth Meeting of the American Laryngological Association.	" 286.
Association Meetings—	
Proceedings of the Laryngological Society of London.	Pages 286 to 292.
The Society of Laryngology, Otolaryngology, and Rhinology of Paris.	" 292 to 294.
The French Society of Otolaryngology and Laryngology.	" 295 to 308.
Obituary. —Johann Schnitzler.	Page 308.

GUIDE TO ADVERTISEMENTS.

PAGE	PAGE
Allen & Hanburys	vii., xiii.
Balcomb	iv.
Bullock & Co.	iii.
Burroughs, Wellcome & Co.	viii., xii., xiv.
Central London Throat Hospital	xvii.
Christy & Co.	iv.
Godfrey & Cooke	iv.
Ingram & Royle	v.
Ivins	vi.
Lambert Pharmaceutical Co.	ii.
Mayer & Metzler	iii.
Parke, Davis & Co.	vi.
Rebman	iii., iv., vi., ix., x.

"TABLOIDS"

OF COMPRESSED DRUGS

(Prepared by BURROUGHS, WELLCOME & Co.)

USED IN RHINO-LARYNGOLOGY.

NASO-PHARYNGEAL "TABLOIDS."

(Sodium Chlor., Borax, Boric Acid, Benzoic Acid, Menthol, Thymol, Cocaine Mur., *Oi Gaultheria.*) *Dr. Macnaughton Jones formula.* This, as well as the two following forms, has a wide area of application in naso-pharyngeal and laryngeal treatment, as the Tabloids may be dissolved in water and used as a simple solution, as a gargle, or as a spray. In Bottles of 25 and 100, at 1 - and 3 2 each.


POTASH CHLORATE "TABLOIDS."

The Compressed Chlorate of Potash Tabloids are snowy white, lenticular, and perfectly pure. By using them the drug is effectually brought in contact with the oral mucous surfaces, and its specific action made certain. In acute sore throat Chlorate of Potash "usually relieves the uneasiness in a few hours" (Cohen). "Typically it acts as a stimulant to mucous membranes" (James). These Tabloids are "infinitely superior to lozenges" (Lennox Browne). In Boxes, at 4d. and 8d. each.

POTASH CHLORATE AND BORAX "TABLOIDS."

Sir Thos. Watson recommended Borax in the aphthous ulceration which attends the advanced stages of phthisis, and Brunton found it serviceable in cracked tongue. Waring speaks of it as very effectual for hoarseness and clergyman's sore throat, and Ringer advises its use in aphonia from over-use of the voice. Dr. Budd speaks highly of it in diphtheria. The worth of Chlorate of Potash may be greatly enhanced by the presence of Borax. Borax is proverbially known to quickly relieve hoarseness, irritation of the throat and bronchi, and when taken early to avert a cold. In Boxes, at 4d. and 8d. each.

VOICE "TABLOIDS."



The Voice Tabloids contain Cocaine, Chlorate of Potash and Borax. Cocaine has been largely employed by laryngologists, and is highly valued in many throat affections. It allays irritability of the throat, and tones the mucous membrane of the vocal chords and throat generally. "It relieves also the dysphagia of phthisical laryngitis" (Phillips). Fuller, clearer, richer vocal tones are said to follow upon its use. In "clergyman's sore throat" its good effect is immediate. In Boxes, at 8d. and 1 4 each.

AMMONIUM CHLORIDE "TABLOIDS." (3 grs., 5 grs. and 10 grs.)

"Ammonium Chloride considerably increases the secretion from the mucous membrane," and prevents the formation of a thick tenacious mucus. Apart from its value in neuralgia, its usefulness in catarrhal conditions of the throat and lungs is well known. For the throat, it should be dissolved on the middle of the tongue—not near the tip. Dose—One to six Tabloids with plenty of water. 3 gr. Tabloids, small Bottle, 5d. each; 3 gr., 100 in Bottle, 9d. each; 5 gr., 100 in Bottle, 1 1 each; 10 gr., 100 in Bottle, 1 6 each.

AMMONIUM CHLORIDE AND BORAX "TABLOIDS."

In certain cases these may be preferred for the throat to the plain Ammonium Chloride Tabloids, on account of the Borax present. In Bottles of 100, at 1 2 each.

POTASSIUM PERMANGANATE "TABLOIDS." (1 gr. and 2 grs.)

"In cases of ozæna it is employed to wash the nose, and as a lotion or gargle to the mouth in ulceration with fetor, such as mercurial stomatitis, and also in diphtheria" (Brunton). Tabloids of 1 gr. in Bottles of 100, at 9d. each; Tabloids of 2 grs., in Bottles of 100, at 1 2 each.

COMPOUND CUBEBS "TABLOIDS."

Containing Cubeb Pulv., 2 grs.; Ammon. Chloride, ½ gr.; Ext. Glycyrrh. This formula has been suggested to us as having a wide range of application in the treatment of the throat. In Bottles of 24 and 100, at 5d. and 1 4 each.

CUBEBS AND BELLADONNA "TABLOIDS" (Effervescent).

These Tabloids have only just been introduced and are said, on eminent authority, to be of great value in relaxed or inflamed conditions of the pharyngo-laryngeal mucous surfaces. The proportions of the chief constituents have been most carefully adjusted to avoid any possibility of the troublesome gastro-enteric irritation and urticaria which sometimes is associated with larger doses of Cubebs. In Bottles of 100, at 1 8 each.

Samples sent to medical men free on request.

BURROUGHS, WELLCOME & CO., Manufacturing Chemists, Snow Hill Buildings, London, E.C.