

Index of Subjects

- Age, effect on amino acid metabolism, isolated perfused liver, lamb 467
- Alkaline phosphatase, effect of magnesium deficiency of individual components of enzyme, rat 105
- Amino acids *see also* Lysine, Methionine, *N*⁷-Methylhistidine, 3-Methylhistidine
- Amino acids, metabolism, isolated perfused livers, foetal, suckling and ruminating lambs 467
- Anaemia, nutritional iron deficiency effects of ascorbic acid and protein supplements, pregnant women 391
- Anaemia, nutritional iron deficiency, effects of oral and parenteral Fe, pregnant women 399
- L-ascorbic acid, absorption in vivo in buccal cavity, relation to process in small intestine, man 15
- Ascorbic acid, plasma and tissue concentrations, effect of intestinal coccidiosis, relation to dietary ascorbic acid, chick 97
- Breast-feeding, relation to trace element intake, infant 407
- Calcium, absorption, relation to dietary phytate and phytate-phosphorus availability, comparative study, golden hamster (*Mesocricetus auratus*) and rat 113
- Calf 89, 477
- Carbohydrates *see also* Cellulose, Glucose, Pectin, Saponins, Sugars
- Carbohydrates, measurement of digesta flow and absorption, pig 267
- Cattle *see also* Calf
- Cattle 89, 149, 247, 341, 507
- Cellulose-based diet, effect with non-protein-nitrogen supplements on food intake and growth, lamb 289
- Cellulose-based diet, effect with non-protein-nitrogen supplements on protein availability, growing lamb 303
- Chick 97, 121
- Chicken *see also* Chick, Hen
- Chicken 547
- Child 165, 351, 387, 407, 417
- Cholesterol, plasma, effect of dietary saponins, relation to bile acid metabolism, rat 209
- Coccidiosis (*Eimeria acervulina*), intestinal, effect on blood and tissue ascorbic acid concentrations, relation to dietary ascorbic acid, chick 97
- Copper, dietary supplementation, effect on egg production and tissue contents, domestic fowl 253
- Diet, poor-quality hill herbage, site of digestion of non-ammonia- and urea-nitrogen, sheep 525
- Dietary stress, low-quality roughage, effects on nitrogen kinetics in relation to N conservation mechanisms, Merino sheep 63
- Dye-binding, determination of protein and reactive lysine, leaf-protein concentrates 445
- Dye-binding, reactive lysine determination, comparison with fluorodinitrobenzene method, leaf-protein concentrates 455
- Energy balance, relation to protein turnover and dietary-induced thermogenesis, genetically obese mice 185
- Energy expenditure, determination by heart-rate method, whole-body calorimeter, man 1
- Energy intake, voluntary, effect of severity of phosphorus deficiency, separate-feeding technique, growing rat 127
- Enzymes *see* Alkaline phosphatase, Glutathione peroxidase, Lipoprotein lipase, Trypsin inhibitor
- Fats *see* Cholesterol, Fatty acids, Triglycerides
- Fibre, dietary pectin, effect on structure and function of small intestine, rat 357
- Fatty acid composition, subcutaneous adipose tissue, relation to obesity and site of sampling, man 57
- Fibre, dietary saponins, effect on bile acid absorption, relation to plasma cholesterol, rat 209
- Foetus, plasma magnesium, effect of maternal hypo- and hypermagnesaemia, sheep 559
- Food intake, effect of low-protein cellulose-based diet, growing lamb 289
- Food intake, satiety signals, relation to distension and tactile input of reticulum, rumen and abomasum, sheep 425
- Food intake, relation to availability of protein for digestion and absorption, cellulose-based diet, growing lamb 303
- Food processing, ethanol treatment of soya-bean meal, effect on digestion, preruminant calf 477
- Formaldehyde treatment, wilted grass silage, effect on digestion, sheep 535
- Gnotobiosis, control of rumen urea flux, measurement of ureolysis, urea and ammonia, intraruminal and intra-abomasal feeding, lamb 553
- Glucose, availability in low-protein sugar-cane-based diets, effect of supplementing with rice polishings on glucose entry rates, cattle 341
- Glutathione peroxidase, relation to blood selenium, potential as index of Se status, man 201
- Golden hamster (*Mesocricetus auratus*) 113
- Heat production, estimation from heart-rate measurements, cattle 507
- Hen *see also* Chick, Chicken
- Hen 253
- Hypoproteinaemia, oedema formation, kwashiorkor, relation to plasma colloid osmotic pressure, rat 21

- Japanese quail (*Coturnix coturnix japonica*) 437
- Kwashiorkor, role of lipoprotein lipase in hypertriglyceridaemia, serum post-hepatic lipolytic activity, child 351
- Lactation, early stage, effect of low-protein diet on milk yield and plasma metabolites, Friesian heifer 149
- Lamb *see also* Sheep
- Lamb 81, 89, 289, 303, 467, 553
- Leaf-protein concentrates, determination of protein and reactive lysine by dye-binding 445
- Leaf-protein concentrates, reactive lysine determination, comparison of dye-binding and fluorodinitrobenzene, methods 455
- Lipogenesis, response to starvation and refeeding, Japanese quail (*Coturnix coturnix japonica*) 437
- Lipoprotein lipase, relation to hypertriglyceridaemia in kwashiorkor, serum post-heparin lipolytic activity, child 351
- Lysine, reactive, determination by dye-binding, leaf-protein concentrates 445
- Magnesium, effect of deficiency on alkaline phosphatase isoenzymes, relation to individual components, rat 105
- Magnesium, foetal plasma, effect of maternal hypomagnesaemia, sheep 559
- Man 1, 15, 33, 43, 57, 165, 173, 201, 351, 387, 391, 399, 407, 413, 417, 567
- Marasmus, urinary *p*-hydroxyphenyl lactic acid as an index of tyrosyluria, relation to hepatic *p*-hydroxyphenyl pyruvate: oxygen oxidoreductase activity, man 387
- Methionine, nutritional availability in cereals, effect of polyethylene glycol, microbiological assay 317
- 3-Methylhistidine, muscle and non-muscular tissue contents, variations in post-mortem samples, relation to breakdown rate of myofibrillar protein, man 567
- N*⁷-Methylhistidine, urinary output, estimation of fractional catabolic and synthetic rates of myofibrillar muscle protein, cattle 247
- Mouse 185, 377
- Muscle, skeletal, effect of zinc deficiency on weight, the number and size of fibres and Zn content, skeletal rat 487
- Nitrogen, body kinetics, effects of dietary stress on N conservation mechanisms, Merino sheep 63
- Nitrogen, microbial, total synthesis, effect of defaunation, sheep 515
- Nitrogen, non-ammonia and urea, site of digestion, poor-quality hill herbage diets, sheep 525
- Nitrogen, non-protein sources, effect with cellulose-based diet on availability of protein for absorption, growing lamb 303
- Nitrogen, non-protein sources, effect with cellulose-based diet on food intake and growth, lamb 303
- Nutritive value, red clover and perennial ryegrass, factors involved in intake regulation, comparative study, sheep 139
- Obesity, estimation of body fatness from body density, man 173
- Obesity, fatty acid composition of subcutaneous adipose tissue, relation to site of sampling, comparison with 'normal-weight' subjects, man 57
- Obesity, genetic, relation between protein turnover and energy balance, mice 185
- Obesity, relation to thermoregulatory thermogenesis, genetically-obese mouse 377
- Oedema, pathogenesis in protein-energy malnutrition, relation to plasma colloid osmotic pressure, rat 21
- Pectin, effect on structure and function of small intestine, changes in epithelial cell turnover, rat 357
- Perennial ryegrass nutritive value, factors involved in intake regulation, comparison with red clover, sheep 139
- Phosphorus, deficiency, effect on voluntary energy intake, relation to metabolic nutrient utilization, separate-feeding technique, growing rat 127
- Phytate, dietary content, effect on calcium absorption, relation to phytate and phytate-phosphorus availability, comparative study, golden hamster (*Mesocricetus auratus*) and rat 113
- Pig 267
- Polyethylene glycol, effect on nutritional availability of methionine in cereals, microbiological assay 317
- Polyethylene glycol, effect on protein digestibility in high-tannin grain, bioassays with rats and chicks 325
- Pregnancy, iron-deficiency anaemia, effects of ascorbic acid and protein supplements, women 391
- Pregnancy, iron-deficiency anaemia, effects of oral and parenteral Fe, women 399
- Protein intake, vegetable diets, relation to energy intake, assessment of safe levels, nitrogen balance study, preschool child 417
- Protein-energy malnutrition, relation between protein and energy intakes, vegetable diets, safe level for protein intake, preschool child 417
- Protein, availability for digestion and absorption, effect of low-protein cellulose-based diet, growing lamb 303
- Protein, fractional catabolic and synthetic rates, estimation from urinary *N*⁷-methylhistidine, cattle 247
- Protein, low dietary content, effect on milk yield and plasma metabolites in early lactation, Friesian heifer 149
- Protein quality, effect of polyethylene glycol on nutritional availability of methionine in cereals, microbiological assay 317
- Protein quality, influence of polyethylene glycol on protein digestibility in high-tannin grain, bioassays with rats and chicks 325
- Protein-energy malnutrition *see also* Kwashiorkor, Marasmus
- Protein-energy malnutrition, oedema formation in hypoproteinaemia, relation to plasma colloid osmotic pressure, rat 21

- Protein-energy malnutrition, effect on later development and scholastic performance, child 165
- Protozoa, rumen, effect on nutrient availability, relation to growth on low-protein-high-energy diets, lambs 81
- Rat 21, 105, 113, 127, 209, 357, 367, 487
- Reactive lysine, comparison of dye-binding and fluorodinitrobenzene methods, leaf-protein concentrates 455
- Red clover, nutritive value, factors involved in intake regulation, comparison with perennial ryegrass, sheep 139
- Riboflavin, long-term clinical and biochemical status, relation to dietary intake, healthy elderly subjects 33
- Roughage diet, low-quality, study of rumen fermentation and nitrogen dynamics, isotope-tracer methods, Merino sheep 63
- Rumen micro-organisms, microbial nitrogen synthesis, effect of defaunation, sheep 515
- Rusitec, long-term rumen simulation technique, response to supplementation of basal rations 217
- Rusitec, long-term rumen simulation technique, use of soluble food and an inert solid matrix 229
- Saliva secretion, control mechanisms, effect of intraruminal urea, sheep 497
- Saponins, dietary fibre source, effect on bile acid metabolism and plasma cholesterol, rat 209
- Selenium, erythrocyte, plasma and blood levels, relation to glutathione peroxidase activity, index of changes in Se status, man 201
- Selenium status, short-term changes and plasma Se, long-term changes and erythrocyte Se and glutathione peroxidase, man 201
- Sheep *see also* Lamb
- Sheep 63, 81, 139, 425, 497, 515, 525, 535, 553, 559
- Silage, wilted grass, digestion, effect of formaldehyde treatment, sheep 535
- Sodium chloride deficiency, effect on food conversion, relation to basal metabolism, plasma thyroxine and acid-base balance, chicken 547
- Soya-bean meal, effect of ethanol treatment on digestion, preruminant calf 477
- Soya-bean trypsin inhibitor (Bowman-Birk), native and modified, study of inhibitory site involved in pancreatic enlargement, chick 121
- Starvation-refeeding, response of lipogenic enzymes and plasma lipids, Japanese quail (*Coturnix coturnix japonica*) 437
- Sugar-cane-based diets, glucose availability, effect of supplementing with rice polishings on glucose entry rates, cattle 341
- Sugars *see* Glucose
- Technique, assessment of heart-rate method for determining energy expenditure, whole-body calorimeter, man 1
- Technique, dye-binding, determination of protein and reactive lysine, leaf-protein concentrates 455
- Technique, estimation of body fatness and changes in fat content from body density, man 173
- Technique, estimation of heat production from heart-rate measurements, cattle 507
- Technique, long-term rumen simulation, response to supplementation of basal rations 217
- Technique, long-term rumen simulation, use of soluble food and an inert solid matrix 229
- Technique, reactive lysine determination in leaf-protein concentrates, dye-binding and fluorodinitrobenzene methods 455
- Technique, separate feeding, study of effect of phosphorus deficiency on voluntary energy intake and nutrient utilization, growing rat 127
- Thermal injury, effect on whole-body composition, relation to dietary intake, rat 367
- Thermogenesis, effect of environmental temperature, relation to development of obesity, genetically-obese mouse 377
- Trace elements *see* Copper, Magnesium, Selenium, Zinc
- Trace element intake, breast-fed infant 407
- Trace element requirements, relation to dietary intakes dietary concentrations and carcass composition, lambs and calves 89
- Triglycerides, serum, kwashiorkor relation between lipoprotein lipase, serum post-hepatic lipolytic activity and hypertriglyceridaemia, child 351
- Trypsin inhibitor, Bowman-Birk soya-bean factor, study of inhibitory site involved in pancreatic enlargement, chick 121
- Tyrosyluria, incidence in kwashiorkor, relation to hepatic *p*-hydroxyphenyl pyruvate: oxygen oxidoreductase activity and urinary *p*-hydroxyphenyl lactic acid, man 387
- Urea, control of rumen flux, role of ureolytic epithelial bacteria, gnotobiotic lambs 553
- Urea, effect on rate of parotid saliva secretion, sheep 497
- Vitamins *see also* Ascorbic acid, Riboflavin, Vitamin C
- Vitamin C *see also* L-ascorbic acid
- Vitamin C, absorption in vivo in buccal cavity, stereospecificity, relation to process in small intestine, man 15
- Vitamin C, long-term clinical and biochemical status, relation between plasma and buffy coat levels, relation to dietary intake, healthy elderly subjects 57
- Zinc, deficiency, effect on weight, the number and size of fibres and Zn content, skeletal muscle, post-weanling rat 487
- Zinc, dietary intake, relation to recommended intake West of Scotland, man 413