



Weeds

VOLUME 9
JULY 1961
NUMBER 3

Journal of the Weed Society of America

Weeds

Issued Quarterly by the Weed Society of America

C. J. WILLARD, *Editor*, Department of Agronomy, The Ohio State University, 1827 Neil Ave., Columbus 10, Ohio

W. C. JACOB, *Business Manager*, Department of Agronomy, University of Illinois, Urbana, Illinois

EDITORIAL COMMITTEE

O. C. LEE, Department of Botany and Plant Pathology, Purdue University, Lafayette, Indiana

R. A. PETERS, Department of Plant Science, University of Connecticut, Storrs, Connecticut

W. C. ROBOCKER, Crops Research Division, ARS, USDA, State College of Washington, Pullman, Washington

E. G. RODGERS, Department of Agronomy, University of Florida, Gainesville, Florida

D. W. STANIFORTH, Department of Botany and Plant Pathology, Iowa State University, Ames, Iowa

WEEDS is a quarterly journal published by the Weed Society of America. The subscription price is \$10.00 yearly for four issues; single copies \$2.50. Address all communications regarding subscriptions, advertising, and reprints to W. C. Jacob, Department of Agronomy, University of Illinois. All checks, money orders, and other remittances should be made payable to the Weed Society of America. The editorial office is located at Department of Agronomy, The Ohio State University, 1827 Neil Avenue, Columbus 10, Ohio. Inquiries concerning manuscripts and other material for publication should be addressed to the editorial office. Printing is by the W. F. Humphrey Press, Inc., Geneva, New York.

Entered as second-class matter at the post office at Urbana, Illinois with additional entry at Geneva, New York.

Table of Contents

	<i>Page</i>
Spray Retention by Bermudagrass. B. E. Day and L. S. Jordan	351
The Effect of Environment on the Comparative Resistance of Petiole Parenchyma to Petroleum Oils. Wm. Harold Minshall	356
Cytochrome C Oxidase in the Tuber of Nutsedge (<i>Cyperus rotundus</i> L.). Rupert D. Palmer	364
Control of Madrone and Tanoak Stump Sprouting. Burgess L. Kay, Oliver A. Leonard, and James E. Street	369
Absorption and Distribution of EPTC—S ³⁵ . Shogo Yamaguchi	374
Effects of Surfactants on the Herbicidal Activity of Several Herbicides in Aqueous Spray Systems. L. L. Jansen, W. A. Gentner, and W. C. Shaw	381
Variation in Morphological Characteristics and Dalapon Susceptibility within the Species <i>Setaria lutescens</i> and <i>S. Faberii</i> . P. W. Santelmann and J. A. Meade	406
Soil-incorporated Pre-planting Herbicides for Witchweed Control. E. L. Robinson	411
Effect of Herbicides on Salmonberry and on Sitka Spruce and Western Hemlock Seedlings. James T. Krygier and Robert H. Ruth	416
Control of Field Bindweed and Other Perennial Weeds with Benzoic and Phenylacetic Acids. A. F. Wiese and H. E. Rea	423
Breaking Dormancy in Seeds of <i>Cuscuta approximata</i> . D. C. Tingey and Keith R. Allred	429
Effect of 3-Amino-1,2,4-triazole and L-Histidine on Rate of Elongation of Root Hairs of <i>Agrostis alba</i> . Wm. T. Jackson	437
The Decomposition of Amitrole in California Soils. B. E. Day, L. S. Jordan, and R. T. Hendrixson	443
Effects of Reduced Sunlight on Water Stargrass (<i>Heteranthera dubia</i>). Robert E. Wilkinson	457
Persistence of Soil-incorporated EPTC and Other Carbamates. L. L. Danielson, W. A. Gentner, and L. L. Jansen	463
Dissipation of Simazine from the Soil. O. C. Burnside, E. L. Schmidt, and R. Behrens	477
Studies in the Life History of <i>Artemisia absinthium</i> . G. W. Selleck and R. T. Coupland	485
A Carbon Dioxide Pressured Portable Field Sprayer. D. T. Lillie	491
Breaking Wild Oat Dormancy with Gases at High Pressure. Otto L. Hoffmann	493
Plant Population and Weed Growth Relations in Canning Peas. G. A. Marx and D. J. Hagedorn	494
Sustaining Members	497
News and Notes	498
Bibliography of Weed Investigations, October to December, 1960	499

Advertisers Index

Wiley & Sons	ii
Stauffer	iii
Chipman	iv
Spraying Systems	v
DuPont	vi



BOOKS

Ready this month —

WEED CONTROL: AS A SCIENCE

By GLENN C. KLINGMAN, *North Carolina State College; with the editorial assistance of Lyman J. Noordhoff, U. S. Department of Agriculture.* Even though the science of weed control has advanced more in the last 20 years than in the preceding fifty centuries, this new book will enable any reader to keep right up to date with this fast-growing field. It offers full coverage of the subject, from the scientific foundations of weed control to practical control methods for particular plants and crops and from "old reliable" methods to the very latest chemical techniques. The book is divided into three parts:

Part I — sets forth the scientific foundations of weed control by presenting basic information on plant physiology, soils, herbicides, and the problems involved in applying herbicides.

Part II — deals with the chemical and physical properties of the different kinds of herbicides, the effect of these herbicides on plants, and their toxicity to man and animals.

Part III — offers valuable material on practical applications, covering such subjects as weed control methods for corn, sorghum, soybeans, peanuts, potatoes, wheat, oats, barley, flax, small seeded legume crops, vegetable crops, small fruits, tree fruits, and pastures and range.

In addition, there is an instructive and useful appendix, which lists the common and the scientific names of 690 weeds. These are classified according to length of life; and, whenever it is known, their tolerance to 2,4-D, 2,4,5-T, and silvex is given.

1961.

Approx. 440 pages.


Prob. \$8.50.

Send for an examination copy.

JOHN WILEY & SONS, Inc.

440 Park Avenue South

New York 16, N. Y.



**Eptam[®] helps you... Grow
Potatoes
without
Nutgrass**

Now nutgrass, seedling Johnson grass and annual grasses can be controlled in Irish potatoes. You can stop them before they start with one application of EPTAM herbicide applied directly to the soil.

EPTAM knocks out nutgrass and annual grass seed as they germinate. Potato plants have a full chance to grow without competition for moisture and plant foods. You save money on cultivations, and have a cleaner crop to harvest.

Liquid and granular formulations of EPTAM are available. Follow directions on the

label for timing of application. Immediately after application incorporate (mix) EPTAM thoroughly in the soil. Now you are ready to grow potatoes without grass!

EPTAM is also recommended for control of annual grasses in snap and pole beans, dry beans, alfalfa, birds-foot trefoil and other small seeded legumes. For more details, see your dealer, or write to Stauffer Chemical Company, Agricultural Chemicals Division, 380 Madison Avenue, New York 17, New York.



©Stauffer's Reg. T. M. for an herbicide.



ATLACIDE: Safer chlorate weed killer...widely used for non-selective eradication of bindweed, Canada thistle, quack grass, Johnson grass and other tough perennials. Kills roots...discourages regrowth. Applied dry or dissolved in water.

ATLACIDE - 2,4-D: Offers dual killing action of sodium chlorate and 2,4-D.

CHLOREA: A combination of sodium chlorate, borate and monuron in powder form. Kills weeds and grasses. Combines the proven effectiveness of chlorate on deep-rooted weeds with the soil-surface action of monuron on shallow-rooted grasses and annual seedling growth. Lasting residual effect inhibits new growth. Does not create a fire hazard when used as directed. Applied dry or as a water-mixed spray.

CHLOREA GRANULAR Similar to Chlorea, but a "pelletized" material. No mixing...easy to apply by hand or with mechanical spreader.

CHLORAX "40": A composition of sodium chlorate and borate...for weed and grass control. Has lasting residual effect. Does not create a fire hazard. Applied dry or as a spray.

ATLAS "A": A 40% sodium arsenite solution (4 lbs. arsenic trioxide per gal.). Destroys vegetation and algae in ponds and lakes. Controls certain turf weeds. Used as general weed killer and to kill trees and stumps. Also used to kill potato vines prior to harvesting.

ATLAS "A" SP: A spray powder containing 94% sodium arsenite. Used for the same purposes as Atlas "A". Applied as a water-mixed spray.

CHIP-CAL: Special low-lime calcium arsenate formulation in *granular* and *spray powder* forms. Used as crabgrass preventative for established turf. Applied before crabgrass seed starts to germinate. Treatment lasts for several years.

2,4-D & 2,4,5-T: 2,4-D Amine and 2,4-D Ester liquids; 2,4-D Ester dusts; Low Volatile 2,4,5-T and Brush Killer.

METHOXONE: Contains MCP sodium salt. Used for control in small grains, flax, rice and grass. Controls same weeds as 2,4-D; considered safer for selective spraying.

BUTOXONE: A liquid containing 4-(2,4-DB). For selective control of many broadleaf weeds in established alfalfa and certain other legumes.

Write for Weed Control Bulletins

CHIPMAN CHEMICAL COMPANY, INC.

Chicago, Ill.

Bound Brook, N. J.

Portland, Ore.

Palo Alto, Calif.

Pasadena, Tex.


Bessemer, Ala.

Manufacturers of Weed Killers Since 1912




the precision nozzle for effective spraying


Supplied in a full range of interchangeable orifice tip and strainer sizes to meet every capacity requirement. TeeJet Spray Nozzles for Weed Control by spraying make it possible to take maximum advantage of the chemical and sprayer unit. TeeJet nozzles are precision built and provide a flat spray with uniform distribution. Atomization is properly controlled to give coverage with an absolute minimum of driftage. Patented tip design, with set-back orifice opening protects precision orifice from accidental damage. TeeJet spray nozzles are built for use on spray booms and portable sprayers.



TEEJET SPRAY NOZZLE male pipe connection



TEEJET SPRAY NOZZLE female pipe connection



INTERCHANGEABLE ORIFICE TIPS flat and cone spray types

OFF-CENTER SPRAY NOZZLES

Spraying Systems Spray Nozzles with TeeJet tips are supplied in a variety of special body types to meet any unusual spraying requirement. For example, one type of off-center spray nozzle with swivel body provides a flat spray up to 35 feet wide for spraying areas with a single nozzle, that are not accessible with a boom.

SUPPLEMENTARY EQUIPMENT

Complete accessories relating to nozzle use are supplied. These include strainers, special nozzle fittings, and hand valve equipment.

TeeJet Spray Nozzles are supplied for Weed Control... as well as all other types of agricultural spraying. For complete information and reference data write for Catalog 30.

SPRAYING SYSTEMS CO.
Engineers and Manufacturers

3296 RANDOLPH STREET BELLWOOD, ILLINOIS

For Agriculture and Industry . . .

Du Pont WEED KILLERS

*offer new economies
and efficiency in killing
weeds, grass and brush*

KARMEX® diuron for weed control in many crops; irrigation and drainage ditches; and industrial areas.

KARMEX® DL for pre-emergence weed control in cotton.

TELVAR® monuron for weed control in many crops; irrigation and drainage ditches; and industrial areas.

KLOBEN® neburon for weed and grass control in nursery plantings and tomatoes.

DYBAR® fenuron—a pelleted product for dry application to the soil for control of brush in fence rows, drainage ditches, utility and railroad right-of-ways, and other non-cultivated areas.

TRYSBEN® 200, a new weed killer based on trichlorobenzoic acid, for control of bindweed and other noxious weeds; mixed broadleaf weeds; and certain woody vines and brush.

AMMATE® X for long-term, low-cost brush control.



REG. U. S. PAT. OFF.

Better Things for Better Living...through Chemistry