AIP and IUPAP Meet in Washington

The annual meeting of the corporate associates of the American Institute of Physics (AIP) this year was combined with the 19th general assembly of the International Union of Pure and Applied Physics (IUPAP), the latter a triennial event. Sessions were held at the facilities of the National Academies of Sciences and Engineering, Washington, DC, September 30-October 2. The theme of this year's gathering was "Physics in a Technological World," and speakers from a variety of institutions and physics subdisciplines addressed the state-of-the-art as it applies to both basic research and technological applications.



Prof. D. Allen Bromley (Yale University), outgoing IUPAP president.

Introductory welcoming remarks were presented by National Academy of Sciences president Frank Press, American Physical Society president Val L. Fitch, and the chairman of the AIP Governing Board, Hans Frauenfelder (professor of physics, chemistry and biophysics, University of Illinois, Urbana). The remainder of the first morning was given over to a lecture by Prof. D. Allan Bromley (Yale University), outgoing president of IUPAP. His talk on "The State of Physics: a Tour d'Horizon" covered a broad spectrum of leading edge developments in physics. Bromley briefly highlighted such topics as increased evidence against the existence of a fixed ether à la Michaelson and Morley, the absence of hidden variables in the quantum theory, and progress toward grand unification of the electro-weak and strong forces. He referred to interesting events which impact on time reversal noninvariance, Higgs Bosons supersymmetry, and string theory, which compete as explanations for the existence of mass in the universe. A common theme through his high energy physics remarks was the need for higher energy accelerators to test these competing hypotheses. He went on to discuss the search for proton decay, the advent of laser techniques in nuclear physics, heavy ion collisions, and the proposed heavy ion accelerator at Brookhaven National Laboratory.

Únder the category of atomic physics, Bromley mentioned optical cooling and optical traps for atoms, single electrons in Penning traps, increased accuracy in distance measurements, the advent of a soft x-ray laser, and progress in inertial confinement fusion. Under condensed matter physics, Bromley noted the quantum Hall effect and the new high temperature superconductors. In astronomy, he described the Super Nova 1987A and discussed questions regarding the mass density of the universe. Advances of astronomy using wavelengths of radiation well beyond the visible were emphasized and adaptive optical components were mentioned. Bromley particularly noted evidence of gravitational radiation from binary pulsars and the gravitational lensing effect deduced from the behavior of quasars behind heavy galaxies. In summary, with the recent excitement over superconductors, superstrings and supernovas, Bromley contended that physics had a "super" year, and that this all por-tends well for the future of the science.

During the afternoon of September 30, the topic was the "roots of high technology." Discussions revolved around the involvement of government, as both a funder of basic research and a customer for basic research, and as the sometimes unintentional influencer of the environment of basic research. Pierre Aigrain discussed the roles of government. H. Casimir described the character of research in an industrial environment. Hans Mark (University of Texas, formerly of NASA) discussed international exploration of space, describing successful international collaborations, particularly those little exposed in the press between the United States and the USSR. Despite the often-heard rationale that international cooperation in science is good for international politics, Mark stated his belief that there is no cause-and-effect relationship between the two. Mark ended by proposing the international cooperative creation of a lunar astronomical observatory, with the first observations scheduled by the year 2000.

After astronaut Joseph P. Allen (now with Space Industries, Inc.) showed compelling pictures of the effects of the gravityfree environment in space, Joseph Demuth (IBM) described the scanning-tunneling microscope and its rapid development to a commercialized characterization tool.

The following morning was led off by Alfred Cho (AT&T Bell Laboratories), who



Alfred Cho, director, Materials Processing Research Laboratory at AT&T Bell Laboratories.

described artificially structured materials, concentrating on those that can be engineered layer by atomic layer using molecular beam epitaxy. Michael Fisher (Cornell University) then described what might be called "flat land phases." He discussed the phase diagrams applicable to the adsorbed surface layers on materials and how they undergo unique phase transformations as a result of their low dimensionality. The fractional quantized Hall effect was next described by Horst Stormer (AT&T Bell Laboratories), and the new 90 K superconductors were described by C.W. (Paul) Chu (University of Houston). The morning session concluded with a summary of superconductor applications by Yu Ossipyan, Director of the Solid State Physic Institute of the USSR's Academy of Sciences. Attendees were then offered the opportunity to tour the Goddard Space Flight Center or the National Bureau of Standards.

The presentations on October 2 centered on frontiers of physics applications. Hans Frauenfelder explained the hierarchy of biological molecules and current thinking on the structure and applications of physics to them. Paul Alauterbur highlighted advances of medical imaging, and Paul Fleury (AT&T Bell Laboratories) considered physics in the information age, which largely is based on optical transmission and devices. Brian Petley (National Physical Laboratory, UK) described the pursuit of the ultimate precise values of the fundamental constants. Completing the program were talks on high temperature plasma physics by Harold Furth (Princeton University), on modern atomic physics by Daniel Kleppner (Massachusetts Institute of Technology), on quarks and gluons in nuclear and particle physics by L. Van Hove (CERN), and on particle physics beyond one teravolt by T. Appelquist (Yale University).

MATERIAL Facts



MULTIPLE JOURNAL SUBSCRIPTIONS ABSORB TIME, MONEY, SPACE AND COST A FORTUNE

Engineered Materials Abstracts is a unique new abstracts journal for the materials science and engineering community.

Engineered Materials Abstracts provides a complete overview of the world's published research in **polymers**, ceramics and composite materials, distilled from nearly 1,900 journals and numerous other published sources. Every issue comes complete with five indexes for rapid retrieval of relevant information.

No materials research library should be without Engineered Materials Abstracts. After all, how else could you stock your library with 1,900 new journal titles for less than \$15 per week, and save shelf-space in the bargain?

MATERIAL ADVANTAGE



'EMA' DISTILLS OVER 1,700 JOURNALS, IS THE SIZE OF ONE JOURNAL, AND COSTS LESS THAN \$15 PER WEEK

 \Box Please send a sample copy.

Name	
Organization	
Address	
City/State	

Province/Zip _____

Mail this order form to:

Marketing Dept. Materials Information ASM INTERNATIONAL Metals Park, Ohio 44073

or call (216) 338-5151 x554.

FROM WASHINGTON

The program, a *tour de force* in covering the state of physics, was much enhanced by many attendees from outside the United States, their trips associated with the IUPAP assembly. In that context, several comments regarding international cooperation were all the more pertinent. Most speakers throughout the meeting alluded to the need for physicists, and scientists in general to increase their efforts to educate the public about their pursuits.

It's interesting to note that a significant fraction of the developments described at the forefront of physics could also have been described at the forefront of materials research — high temperature superconductivity, artificially structured materials, phase transformations in adsorbed layers on crystalline materials, advanced characterization through scanning tunneling microscopy, and optical and photonic materials to name a few.

AIP plans to publish the proceedings of this meeting, which will be edited by Anthony P. French (Massachusetts Institute of Technology). Inquiries about the proceedings should be addressed to Dr. Rita Lerner, American Institute of Physics, 335 East 45th Street, New York, NY 10017. FNK

DOE Notes

Fourth Superconductor Information Meeting Held at Argonne National Laboratory

The latest in a series of U.S. Department of Energy information meetings on superconducting materials was held at Argonne National Laboratory, September 21-22, 1987. It was the fourth meeting where researchers from DOE laboratories could exchange information on high temperature superconductor research. As with the previous meeting in May (see MRS BUL-LETIN, Vol. XII No. 4, 1987, p. 18), this meeting was open to industrial and university scientists as well as DOE researchers. Host on behalf of Argonne and organizer for the sessions was Merwyn Brodsky, who has been closely involved in superconductor research at Argonne. Opening remarks were presented by Argonne director A. Schriesheim and by I. Thomas of DOE.

The first day's sessions covered preparation of and elemental substitution in the new ceramic superconductors. Speakers also considered the current understanding and results of physical property measurements on these new materials. On September 22, ten individual presentations on possible theoretical approaches to the understanding of the high temperature superconductors were offered, followed by a panel discussion on the state of the theory. The meeting was rounded out by speakers concerned with applications-related research.

In addition to the technical discussions, a short session was held to announce the DOE Superconductor Initiative, which involves the creation of centers at the national laboratories to focus on specific aspects of research in the new materials. Ames National Laboratory will be the focal



Merwyn Brodsky (Argonne National Laboratory).

point for information on basic research, Argonne National Laboratory will emphasize such applications as transmission and accelerator components, and Lawrence Berkeley Laboratory will concentrate on applications such as sensors and electronic components. In addition, DOE has created a computerized data base at the Office of Science and Technology Information in Oak Ridge, Tennessee (not associated with Oak Ridge National Laboratory), and has designated Los Alamos National Laboratory the lead laboratory for examining industrial partnerships and joint venture possibilities.

For detailed information on any aspect of DOE laboratory research, contact the laboratories directly or the appropriate researchers by obtaining referrals from the Division of Materials Sciences, Office of Basic Energy Sciences, DOE.

Some of the topics discussed during the information meeting are as follows:

1. Observations of T_c as a function of oxygen stoichiometry in the 90 K superconductor YBa₂Cu₃O_{7-x} show a plateau in T_c vs. stoichiometry at approximately 50 K and approximately O_{6.6}. This may imply a change in mechanism from CuO chains to CuO planes for superconductivity. (Johnston/Ames)

2. As T_c decreases with decreasing oxygen, the lattice in the yttrium material

expands in the C direction, with the copper-oxygen distances in the planes increasing faster than the corresponding distances in the chains. The plateau observed in T_c as a function of oxygen content corresponds to the region of oxygen stoichiometry where a transition from orthorhombic to tetragonal crystal structure occurs. (Veal/ Argonne)

3. Using Doppler broadening spectroscopy on positron annihilation radiation, a significant shift in broadening was observed at T_c . Also, the trapping rate for positrons in the yttrium material was seen to increase drastically during the transformation from the orthorhombic to the tetragonal structure. (Veal/Argonne)

4. The positron lifetime as well as the so called "S" parameter in positron annihilation experiments were seen to change significantly at T_c . (Moodenbaugh/Brookhaven)

5. Introducing hydrogen into the yttrium-based material increases T_c by 2 K. (Moodenbaugh/Brookhaven)

6. Under transmission electron microscope examination, evidence of degradation in the yttrium-based material was seen as an amorphous periphery on grains which are otherwise perfect toward their interiors. These amorphous regions are found associated with a particular type of crystalline defect (copper-oxygen layer doubling) which may be related to the formation of the damaged or amorphous layers. The extra copper-oxygen chain inserted along the B axis between barium layers is believed to be a defect associated with low temperature decomposition. It is possible that the long-time lowtemperature (500°C) anneals of these materials can actually have deleterious effects. (Stacey/Berkeley)

7. Better properties for the yttrium-type materials can be achieved if, instead of yttrium, the mid-rare earths such as Eu, Gd, Dy, Ho, and Er are used because processing can be achieved at temperatures 30–50°C higher. (Quinn/Los Alamos)


8. Thin films of superconducting yttrium-based phases as well as Gd, Ho, and Dy substituted phases have been successfully prepared by laser ablation of compound targets followed by annealing of substrates in oxygen. This work was originally demonstrated by scientists at Bell Communications Research (Sales/Oak Ridge).

9. Oriented powders have been produced by applying high magnetic fields which take advantage of the magnetic and anisotropy of these materials at normal temperatures. (Sales/Oak Ridge and McCallum/Ames)

10. Measurements of the coefficient of thermal expansion of yttrium-based material which is oxygen deficient $(O_{6.12})$ shows continued

ION BEAM DEPOSITION SYSTEMS

Optimum Process Capability for High Temperature Superconductors and Diamond-Like Carbon Thin Films



oday, ion beam technology is an integral part of many demanding thin film processes and is ideal for high temperature superconductor and diamond-like carbon thin film applications. Ion beam process systems provide you with maximum versatility in deposition techniques; etching/reactive ion beam etching, surface cleaning, texturing, reactive and enhanced deposition, multiple source configuration and up to twelve targets selectable "in-situ".

Starting with your application and the results you want, Ion Tech has a solution for you. And, our solutions are more than just a vacuum process system and some hardware. At Ion Tech we include application and technical support, training, quality manufacturing and service as part of our commitment to a total solution. To find out how your thin film process will benefit from ion beam technology, give us a call. From sources to systems we have the solution for you.

Ion Beam Solutions and Systems From...



FROM WASHINGTON

a significant increase in thermal expansivity as a function of temperature at approximately 450°C for hot pressed material. Measurements of Young's modulus on ashot-pressed materials (nonsuperconducting tetragonal phase), when compared to the same material after annealing in oxygen to form the superconducting phase, show a drastic decrease in modulus for the superconducting orthorhombic structure. This is presumably attributable to twin boundary motion. (Loehmann/Sandia)

11. Methods of explosive consolidation and explosive bonding have succeeded in forming superconducting compacts encapsulated in copper metal in the shape of rods and rings. (Eror/Oregon Graduate Center)

12. No improvement in T_c has been observed by substitution of flourine for oxygen. (several speakers)

13. It is possible that "La₂CuO_{4-y}," studied as the classic starting material for the 40 K superconductor, does in fact show lanthanum vacancies even in single-crystal form. This affects interpretation of observations of both antiferromagnetism and superconductivity in these lanthanum materials. (Morgan/Rockwell International and other speakers)

14. J_c for the yttrium-type material deduced from magnetic measurements shows a high value $(1.4 \times 10^6 \text{ A/cm}^2)$ at 5 K in as-grown single crystals, whereas a reduced flux-pinning tendency is apparent at higher temperature. Neutron irradiation causes increased pinning at 77 K and only reduces T_c by 2.6 K per 10¹⁸ neutrons/cm² dose. (Crabtree/Argonne)

15. Normal state resistance of the yttrium material as a function of pressure shows a drastic decrease up to 150 kbar. (Phillips/Berkeley)

16. The effect on T_c of isotopic substitution of O¹⁸ for O¹⁶ in the yttrium-based materials is now quoted as small but possibly non-zero. (Phillips/Berkeley)

17. The functional dependence of the resistivity on temperature in single crystals of La_2CuO_4 varies drastically between conduction along the C axis and conduction in the basal planes. (Fisk/Los Alamos)

18. Preparation of La_2CuO_4 in high pressure oxygen has produced up to 50% superconducting material in this compound. (Schirber/Sandia)

19. Two-dimensional angular correlation of positron annihilation radiation gives momentum distributions for the electrons in single crystals of the La₂CuO₄ material which show sufficient structure within the Brillouin zone to expect significant comparisons of this experimental data with existing band structure calculations. (Kaufmann/Lawrence Livermore)

20. X-ray diffraction characterization of the superconducting materials is insuffi-

ciently sensitive to reveal aspects of the materials which are important for performance. Metallography, even optical metallography, is more incisive in revealing small amounts of second phases. (McCallum/Ames and Cappone/Argonne)

Theoretical discussions covered such topics as one electron band theory calculations, applications of Hubbard models, electronic structure near and within twin boundaries, magnetic polarons, strong vs. weak coupling theory, Eliasberg theory, excitonic-enhancement models, bondassymetry mechanisms, and coexistance of antiferromagnetism and S-wave electron pairs in the superconducting state. The only way to characterize the theoretical discussions is that they were lively and tended to confirm that the present understanding of the material still allows a wide variety of theoretical approaches.

University Research Instrumentation Awards Announced

Twenty-one universities will receive 24 awards totalling \$4.8 million to purchase state-of-the-art scientific instruments for energy-related research. The awards are being made under the Department of Energy's University Research Instrumentation Program.

The DOE received 188 applications from schools throughout the United States in response to its program solicitation. The funds will be used to help meet the needs of universities carrying out DOEsponsored research in combustion, geochemistry and geophysics, health and environmental effects, and materials science. The universities selected for awards in geosciences and materials sciences, the names of the principal investigators, and the types of instruments are listed below: **Geosciences**

• University of California-Riverside (Riverside, CA 92521), Dr. Wilfred A. Elders, stable isotope ratio mass spectrometer.

• University of New Mexico (Albuquerque, NM 87131), Dr. John W. Geissman, super--- conducting rock magnetometer.

University of Oklahoma (Norman, OK 73019), Dr. R. Paul Philp, pyrolysis system.
Stanford University (Stanford, CA 94305), Dr. Franklin M. Orr, triple stage quadrupole mass spectrometer system.

Material Sciences

• Colorado State University (Ft. Collins, CO 80523), Dr. William Fairbank Jr., sputter-initiated resonance ionization spectrometer (SIRIS).

• Lehigh University (Bethlehem, PA 18015), Dr. Kamil Klier, high resolution electron spectrometer system (ESCA).

• University of Virginia (Charlottsville, VA 22901), Dr. Gary J. Shiflet, medium high voltage analytical electron microscope.

• University of Washington (Seattle, WA 98195), Dr. Albert S. Kobayashi, high temperature impact testing system.

• University of Wisconsin (Madison, WI 53706), Dr. David C. Larbalestier, scanning auger microprobe and secondary ion mass spectrometer.

MRS

National Science Foundation Directorate for Engineering and Division of Materials Research Joint Initiative on Multidisciplinary Materials Processing

Designed to strengthen multidisciplinary university research in materials processing and related educational activities. Proposals, which may be submitted by U.S. colleges and universities, require a strong element of collaboration by investigators from different disciplines and interaction with industry and/or national laboratories.

Proposals should include well-defined goals and a focused research plan outlining the technical approaches, and should clearly identify research issues, the role of each participant with complementary expertise, and interactions with industry and/or national laboratories. Proposals may be submitted by small groups of researchers or by more formally organized larger groups.

Proposals are due no later than December 31, 1987


For details contact:

E. Marsh Directorate for Engineering (202) 357-9542 **R.J. Reynik** Division of Materials Research (202) 357-9789

PAGE 22, MRS BULLETIN, OCTOBER 1/NOVEMBER 15, 1987

When Your Research Is So Important, Why Compromise On Sample Preparation?

South Bay Technology has been providing the materials research community with superior sample preparation equipment for over 22 years. By designing and manufacturing our own equipment, we have built a reputation for uncompromising quality, precision and service. By listening to your needs, we have been able to meet your requirements for



SBT MODEL 515 Precision Dimpling Instrument for TEM Specimen Preparation.

design and performance-time and time again!

- Slicing Instruments
- Lapping & Polishing Instruments
- Orientation Instruments

- TEM Sample Preparation Instruments
- Wafer Mounting Fixtures
- Sample Preparation Supplies

WHY COMPROMISE?

SBT

SOUTH BAY TECHNOLOGY inc. 5209 TYLER AVENUE • TEMPLE CITY, CALIFORNIA 91780-3698

(818) 442-1839
TELEX: 311882
FAX: 818-442-820

Australia/New Zealand

Imbros Pty. Ltd. 9 Warwick Street G.P.O. Box 917 Hobart, Tasmania 7001 Phone: 34 9899/Telex: 58092 Fax: 344532

France

Cryophysics, SA 9, Rue Dallery Jouy-En-Josas, F-78350, France Phone: 39-56-00-66/Telex: 696096

Austria/West Germany

Cryophysics GmbH Landwehrstrasse 48 Darmstadt D-6100, West Germany Phone: (06151) 86281/Telex: 419594 Fax: (6151) 84481

Japan Meiwa Shoji Co., Ltd. Tenshin Building 12-14, Kyomachibori 1-Chome Nishi-Ku, Osaka 550 Japan Phone: 06-448-3474/Telex: 64849 Fax: 816-447-0074

China

Global Technology Xiyuan Hotel Room 919 Xijiao, Erligou Beijing, China Phone: 890721 Ext. 919 Telex: 22831

United Kingdom


Testbourne Ltd. 9 Sheppard Road Basingstoke, Hampshire RG21 3HT, England Phone: (STD 0256) 467055 Telex: 858029

COMPARE the **BRAUN** Glove Box to any other and you'll see — there is no comparison!

Our systems are completely packaged and ready to run. Systems capable of removing H_20 and 0_2 to one ppm in an inert gas atmosphere. All stainless steel modular construction. Vacuum pumps with automatic gas ballast and exhaust traps. All valves are electropneumatic, controlled by convenient front panel pushbuttons and floor pedal. Built-in solid state pressure measurement and regulation device with integrated high/low safety trip points. Other standard features include: automatic regeneration control; 11 Kg of copper catalyst and molecular sieve material in purifier column. Copper tubing throughout with stainless KF connectors; safety hydraulic ante-chamber door device.

Dollar for dollar — our Braun Glove Box is the best value on the market, nothing else even comes close !

INNOVATIVE ... That's Our First Name I



Above: Model MOD 200 Glove Box with two work stations, purifier MB 200 G, allowing for 24-hour operation. Vacuum oven, mini-chamber, moisture analyzer, oxygen analyzer, box and ante-chamber control with solid state safety device. Right: Model MB 120 or 150 single station Glove Box with integrated gas purification system.

