
JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

https://doi.org/10.1017/S0025315400022955 Published online by Cambridge University Press

The Council of the Marine Biological Association wish it to be understood that they do not accept responsibility for the accuracy of statements published in this Journal, excepting when those statements are contained in an official report of the Council.

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM



THE PLYMOUTH LABORATORY

VOLUME 61

1981

CAMBRIDGE UNIVERSITY PRESS CAMBRIDGE LONDON NEW YORK NEW ROCHELLE MELBOURNE SYDNEY

PUBLISHED BY

THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP 32 East 57th Street, New York, N.Y. 10022

© Copyright Marine Biological Association of the U.K.

Printed in Great Britain at the University Printing House, Cambridge

Number 1, pp. 1-283, 11 February 1981 Number 2, pp. 285-549, 1 May 1981 Number 3, pp. 551-820, 28 July 1981 Number 4, pp. 821-1075, 9 November 1981 PAGE Report of the Council for 1980-81 1033 Income and Expenditure Account and Balance Sheet . 1071 ADAM, H., see PATZNER and ADAM 461 AL-OGILY, S. M. and KNIGHT-JONES, E. W. Circeis paguri, the spirorbid polychaete associated with the hermit-crab Eupagurus bernhardus 821 ANDERSON, J. G., see MEADOWS, DEANS and ANDERSON 739 ANDERSON, M. The change with host age of the composition of the ancyrocephaline (monogenean) populations 833 of parasites on thick-lipped grey mullets at Plymouth Ergenstrema labrosi sp.nov. (Monogenea) on the gills of the thick-lipped grey mullet Chelon labrosus at Plymouth 827 ANDERSON, O. R., see Bé, CARON and ANDERSON . 257 BALLANTINE, J. A., ROBERTS, J. C. and MORRIS, R. J. Sterols of the cephalopod Spirula spirula . 843 885 BARDWELL, S. J., see GRIGG, BARDWELL and TYZACK BARNES, R. S. K. An experimental study of the pattern and significance of the climbing behaviour of Hydrobia 285 ulvae Factors affecting climbing in the coastal gastropod Hydrobia ulvae 301 BAXTER, J. M. and JONES, A. M. 65 Valve structure and growth in the chiton Lepidochitona cinereus (Polyplacophora: Ischnochitonidae) Bé, A. W. H., CARON, D. A. and ANDERSON, O. R. Effects of feeding frequency on life processes of the planktonic foraminifer Globigerinoides sacculifer in laboratory culture 257 . BERGMANS, M. A demographic study of the life cycle of Tisbe furcata (Baird, 1837) (Copepoda: Harpacticoida) 691 BINYON, I. The effects of lowered salinity upon Branchiostoma lanceolatum from the English Channel 685 BLACKER, R. W. Recent occurrences of blue whiting, Micromesistius poutassou, and Norway pout, Trisopterus esmarkii, in the English Channel and southern North Sea 307 . BLAXTER, J. H. S., DENTON, E. J. and GRAY, J. A. B. The auditory bullae-swimbladder system in late stage herring larvae 315 BLAXTER, J. H. S., GRAY, J. A. B. and DENTON, E. J. Sound and startle responses in herring shoals . 851

									1	PAGE
BLAXTER, J. H. S. and Hoss, D. E. Startle response in herring: the effect of sound sti ference with the acoustico-lateralis system .	mulus	frequ	ency,	size c	of fish	and s	electi	ve inte	er-	871
BOALCH, G. T., see MADDOCK, BOALCH and HARBON	UR.									565
BOLETZKY, S. VON, see HERRING et al	•									901
BONE, Q., PULSFORD, A. and CHUBB, A. D. Squid mantle muscle					•	•			•	327
BOWMAN, R. S. The morphology of <i>Patella</i> spp. juveniles in Brit	ain, an	d son	ne phy	loge	netic i	nfere	nces			647
BRYAN, G. W., see GIBBS, BRYAN and RYAN .				•						707
BURNELL, G. M., see RODHOUSE, OTTWAY and BURN	NELL									243
CARON, D. A., see Bé, CARON and ANDERSON .										257
CARTER, M. A. and THORPE, J. P. Reproductive, genetic and ecological evidence that fragacea are not conspecific	Actinia	equi	na var	. mes	embry	anthe	mum	and va	ır.	79
CHUBB, A. D., see BONE, PULSFORD and CHUBB .										327
CLARKE, M. R., see HERRING et al										901
Соомвя, S. H. and MITCHELL, C. E. Long-term trends in the distribution, abundance (Scomber scombrus L.) around the British Isles			al occ	urrer	ice of	larva	e of 1	mackei	rel	343
CORNER, E. D. S., see VOLKMAN et al.	•						•			509
Course, P. A., see Manton, Oates and Course .					•					17
CRISP, D. J., SOUTHWARD, A. J. and SOUTHWARD, H On the distribution of the intertidal barnacles Euraphia depressa		alus •	stellat •	us, C	hthan	alus	monto	<i>agui</i> ai	nd	359
See also RICHARDSON, CRISP and RUNHAM						•			•	465
CRISP, M	•		•			•				95
CRISP, M., GILL, C. W. and THOMPSON, M. C.										
Ammonia excretion by <i>Nassarius reticulatus</i> and <i>I</i> during starvation and after feeding	Buccinu	m uno	latum	(Gas •	tropo	da: P	rosob	ranchi	ia) •	381
DARE, P. J. and EDWARDS, D. B. Underwater television observations on the interti- across a mudflat	dal mo [.]	vemei	nts of	shore	e crab	s, Ca	rcinus	maena	25,	107
DAVENPORT, J. The opening response of mussels (Mytilus edulis)	expos	ed to	rising	sea-	water	conce	entrat	ions		667
DAVIES, A. G. and SLEEP, J. A.										
Nutrient stimulation of carbon fixation in summe lages	ertime : •	Engli:	sh Ch	annel	l phyt •	oplan	kton •	assem •	b-	551
DEANS, E. A., see MEADOWS, DEANS and ANDERSON	•		•	•		•		•	٠	739
Denton, E. J.										
See BLAXTER, DENTON and GRAY See BLAXTER, GRAY and DENTON	•	•	•	•	•	•	•	•	•	315 851

DIXON, D. R.

Reproductive biology of the se Estuary, S.E. England	rpulid	Ficop	omatus	(Me	erciere	ella)	enign	aticus	in	the	Tham		805
Edwards, D. B., see Dare and Edw	•	•	•	•	•	•	•	•	•	•	•		107
	VARDS	•	•	•	•	•	•	•	•	•	•		
EGLINTON, G., see VOLKMAN et al.	•	•	•	•	•	•	•	•	•	•	٠	•	509
FANKBONER, P. V A re-examination of mucus feedi	ng hy i	the se		nher	Lett	ntent	acta ($= C_{\mu}$	cum	aria)	elonga	ta	679
FETTER, R., see NORTON and FETTE		ine see	a cucui	noei	Dept	open	acra	_ 04			0101-5 W		• •
		•	•	•	•	•	•	·	•	•	•		929
FORSBERG, T. E. V., see VOLKMAN &	et ai.	•	•	•	·	•	•	•	•	•	•	•	509
FORSTER, G. R. The age and growth of <i>Callista c</i>	hinno												881
		•	•	•	•	•	•	•	•	•	•		
GARWOOD, P. R., see OLIVE and GA			•	•	•	•	•	٠	•	•	•	•	193
GIBBS, P. E., BRYAN, G. W. and R. Copper accumulation by the poly	-		ma hal	mata		ntin	radati	on me	char		1		707
			ina pan	mara	, an a	mup	cuati	on me	Chai	115111;	•		707
GILL, C. W., see CRISP, GILL and T	I HOMP	SON	•	•	·	٠	•	•	•	•	•	•	381
GOPHEN, M. and HARRIS, R. P.	longid	conan	ad Ca	-		alian	•						204
Visual predation by a marine cyc	lopoid	copep	0u, 00	rycue	us un	gncu	3	•	•	•	•	•	391
GRAY, J. A. B. See BLAXTER, DENTON and GRAY													315
See BLAXTER, GRAY and DENTON		•		•		:	•						851
GRIFFITHS, D. K.													•
See PINGREE and GRIFFITHS .				•				•					609
See PINGREE and GRIFFITHS .			•	•	•	•	•	•	•	•	•	•	617
GRIGG, H., BARDWELL, S. J. and T	YZACK,	s.											
Patterns of variation in the pros		ngth	of over	wint	ering	Stag	ge V	copepo	odite	es of	Calan		00 -
finmarchicus in the Firth of Cly	yde.	•	•	•	•	•	•	·	•	•	•	•	885
GRUFFYDD, Ll. D.	nation	of out	ornal -	:dea		ha al		F Danta	an 111	avim	ue in th	14	
Observations on the rate of prod laboratory	.uction •	·	•		•		•	·	•	•	• •		401
HARBISON, G. R., see JANSSEN and I	Harbis	ON											917
HARBOUR, D. S., see MADDOCK, BO	ALCH a	nd Ha	RBOUR										565
HARRIS, R. P., see GOPHEN and HA	RRIS											•	391
HARRIS, R. R. and JACCARINI, V. Structure and function of the ana		of Bor	nellia v	íridis	(Ech	iura:	Bone	elliidae	;)				413
Hartley, J. P.													•••
The family Paraonidae (Polychae	ta) in I	British	waters	an:	ew sp	oecie	s and	new r	ecor	ds wi	th a ke	ey.	
to species					•		٠	•	•	•	•		133
HARTNOLL, R. G., see WRIGHT and	HARTN	IOLL	•	•	•	•	•	•	•	•	•	•	627
HASTINGS, M. H.													
The entraining effect of turbulention in <i>Eurydice pulchra</i> .	ce on tl	he circ		activ	ity rł	iythr	n and	its sei	ni-lı •	inar	modul: •		151
HAWKINS, S. J.													

The influence of season and barnacles on the algal colonization of Patella vulgata exclusion areas

PAGE

1

viii

Herring, P.	PAGE
Studies on bioluminescent marine amphipods	. 161
The comparative morphology of hepatic photophores in decapod Crustacea	. 723
HERRING, P. J., CLARKE, M. R., BOLETZKY, S. VON and RYAN, K. P.	
The light organs of Sepiola atlantica and Spirula spirula (Mollusca: Cephalopoda): bacterial a intrinsic systems in the order Sepioidea	nd . 901
Hoss, D. E., see BLAXTER and Hoss	. 871
HUI, E., see MOYSE and HUI	• 449
JACCARINI, V., see HARRIS and JACCARINI	. 413
JANSSEN, J. and HARBISON, G. R.	
Fish in salps: the association of squaretails (Tetragonurus spp.) with pelagic tunicates .	. 917
JONAS, T. D., see TAYLOR et al	. 489
JONES, A. M., see BAXTER and JONES	. 65
KENDALL, M. A., see WILLIAMSON and KENDALL	. 1011
KNIGHT-JONES, E. W., see AL-OGILY and KNIGHT-JONES	. 821
Kress, A.	
A scanning electron microscope study of notum structures in some dorid nudibranchs (Gastr poda: Opisthobranchia)	ro- . 177
LANGDON, C. J. and WALDOCK, M. J.	
The effect of algal and artificial diets on the growth and fatty acid composition of Crassostr gigas spat	rea . 431
McGrath, D., see Myers and McGrath	• 759
MADDOCK, L., BOALCH, G. T. and HARBOUR, D. S.	
Populations of phytoplankton in the western English Channel between 1964 and 1974 .	. 565
MANTON, I., OATES, K. and COURSE, P. A.	
Cylinder-scales in marine flagellates from the genus Chrysochromulina (Haptophyceae Prymnesiophyceae) with a description of C. pachycylindra sp.nov.	= . 17
MANTON, I., OATES, K. and SUTHERLAND, J.	
Cylinder-scales in marine flagellates from the genus Chrysochromulina (Haptophyceae Prymnesiophyceae): further observations from C. microcylindra Leadbeater and C. cyath	
phora Thomsen	. 27
MARSH, T. J., see TAYLOR et al	• 489
MEADOWS, P. S., DEANS, E. A. and ANDERSON, J. G. Responses of <i>Corophium volutator</i> to sediment sulphide	. 739
MITCHELL, C. E., see COOMBS and MITCHELL	· 343
Moore, P.G.	
A functional interpretation of coxal morphology in <i>Epimeria cornigera</i> (Crustacea: Amphipod Paramphithoidae) .	la: · 749
Morris, R. J., see Ballantine, Roberts and Morris	. 843
Moyse, J. and Hui, E. Avoidance by <i>Balanus balanoides</i> cyprids of settlement on conspecific adults	• 449
Myers, A. A. and McGrath, D.	
Taxonomic studies on British and Irish Amphipoda. The genus <i>Photis</i> with the re-establishme of <i>P. pollex</i> (= <i>P. macrocoxa</i>)	nt • 759

٠	
	۰.

	PAGE
NORTON, T. A. and FETTER, R. The settlement of Sargassum muticum propagules in stationary and flowing water	. 929
Oates, K.	
See MANTON, OATES and COURSE	. 17
See MANTON, OATES and SUTHERLAND	. 27
Olive, P. J. W.	
Control of the reproductive cycle in female Eulalia viridis (Polychaeta: Phyllodocidae)	. 941
OLIVE, P. J. W. and GARWOOD, P. R.	
Gametogenic cycle and population structure of Nereis (Hediste) diversicolor and Nereis (Nereis pelagica from north-east England) . 193
OTTWAY, B., see RODHOUSE, OTTWAY and BURNELL	. 243
PATZNER, R. A. and ADAM, H.	10
Changes in weight of the liver and the relationship to reproduction in the hagfish Myxin glutinosa (Cyclostomata)	e . 461
PINGREE, R. D. and GRIFFITHS, D. K.	, 4
The N_s tide and semidiurnal amphidromes around the British Isles	. 617
S_2 tidal simulations on the north-west European shelf	. 609
Ports, G. W.	-
The anatomy of respiratory structures in the dorid nudibranchs, Onchidoris bilamellata and Archidoris pseudoargus, with details of the epidermal glands	1 . 959
Probert, P. K.	. ,,,,
Changes in the benthic community of china clay waste deposits in Mevagissey Bay following reduction of discharges .	a . 789
Pulsford, A., see Bone, Pulsford and Chubb	• •
	. 327
REID, P. C., see TAYLOR et al.	. 489
RICHARDSON, C. A., CRISP, D. J. and RUNHAM, N. W. Factors influencing shell deposition during a tidal cycle in the intertidal bivalve <i>Cerastoderm</i> edule	a . 465
	· 405
ROBERTS, B. L., see WILLIAMSON and ROBERTS	
ROBERTS, J. C., see BALLANTINE, ROBERTS and MORRIS	. 843
RODHOUSE, P. G., OTTWAY, B. and BURNELL, G. M.	
Bivalve production and food chain efficiency in an experimental nursery system	. 243
RUNHAM, N. W., see RICHARDSON, CRISP and RUNHAM	. 465
RYAN, K. P. See Gibbs, Bryan and Ryan	. 707
See Herring et al.	. 901
SAVIDGE, G. Studies of the effects of small-scale turbulence on phytoplankton	• 477
	• •//
SCOTT, J. M. The vitamin B_{12} requirement of the marine rotifer <i>Brachionus plicatilis</i>	. 983
	. <i>,~</i> J
Sheader, M.	
Development and growth in laboratory-maintained and field populations of <i>Parathemisto gaudi</i> chaudi (Hyperiidea: Amphipoda)	- . 769

													PAGE
SLEEP, J. A., see DAVIES and SLEEP		•	•	•	•		•	•	•		•	•	551
SMITH, D. J., see VOLKMAN et al.	•	•	•	•	•			•	•		•	•	509
Ѕмітн, Ј. Е.													
The natural history and taxonomy Littorina rudis	of she	ell v •	ariatic •	n in •	the	periwi	inkles	Lit •	tornia •	saxa •	tilis •	and	215
Sмітн, J. W.													
The occurrence of <i>Thalassomyces fa</i> in the north-east Atlantic and no			-		eup	hausiid •	ds (Cr	usta •	acea: I	Mala	costr	aca)	995
Southward, A. J., see Crisp, Southw	ward a	nd S	South	WARD).		•		•	•		•	359
Southward, E. C., see Crisp, South	ward a	ınđ	South	WAR	D		•	•				•	359
Stebbing, A. R. D.													
The kinetics of growth control in a	coloni	ial h	ydroid	۱.	•	•	•	•	•	•	•	•	35
STEPHENS, J. A., see TAYLOR et al.	•	•						•	•	•	•	•	489
SUNDET, J. H. and VAHL, O.													
Seasonal changes in dry weight an and immature Iceland scallops, (sitio	n of th •	ne tiss	ues	of sex	ually •	/ ma •	ture	1001
SUTHERLAND, J., see MANTON, OATES	and St	JTHE	RLANE).	•		•	•	•		•	•	27
TAYLOR, A. H., REID, P. C., MARSH,	т. ј.,	Jon	as, T.	D. a	nd S	терне	NS, J.	A.					
Year-to-year changes in the salinit	y of th	e ea	stern l	Engli	sh C	Channe	l, 194	8-1	973: a	bud	get	•	489
THOMPSON, M. C., see CRISP, GILL a	ind TH	юмі	PSON	•	•	•	•	•	•	•	•	•	381
THORPE, J. P., see CARTER and THOR	PE		•	•	•	•	•			•	•	•	79
TYZACK, S., see GRIGG, BARDWELL an	nd Tyz	ACK	•	•	•	•	•	•	•	•	•	•	885
VAHL, O., see SUNDET and VAHL .	•	•	•			•	•		•	•		•	1001
VOLKMAN, J. K., SMITH, D. J., EGLI Sterol and fatty acid composition o	-			-				ORN:	er, E.	D. 8	S.		509
WALDOCK, M. J., see LANGDON and V													431
WALKER, G., see WHITE and WALKER						_							529
WHEATLY, M. G.	•			•	•			•	-				57
The provision of oxygen to develop	oing eg	gs b	y fem	ale sl	nore	crabs	(Carci	inus	maend	ts)			117
WHITE, K. N. and WALKER, G.													
The barnacle excretory organ .	•	•		•	•		•	•		•	•	•	529
WILLIAMSON, P. and KENDALL, M. A Population age structure and grown		he t	rochid	I Ma	nada	nta lir	neata -	dete	rmine	d fre	om	shell	
rings	•	•		•	•	•	•	•	•	•	•	•	1001
WILLIAMSON, R. M. and ROBERTS, B.	L.												
Body cooling as a supplement to an	naesthe	sia f	for fish	aes	•	•	•	•	•	•	•	•	129
WILSON, D. P.													
An experimental search for phytogenetic dition natural sea waters			algae		ucin •	g exte	rnal n	neta •	bolite: •	s wh	ich (con-	585
WRIGHT, J. R. and HARTNOLL, R. G.													
An energy budget for a population	of the	lim	pet Pa	itella	vulg	ata		•		•		•	627

SHORT NOTES

										PAGE
Boney, A. D.										
Distephanus speculum: double skeletons with one at	errar	it par	tner	•	•	•	•	•	•	1027
FORSTER, G. R. A note on the growth of <i>Arctica islandica</i> .		•	•	•	•	•		•	•	817
HARTLEY, J. P. Five species of polychaete new to British waters		•	•	•	•				•	279

CORRIGENDA

Page 695, l. 6, for $1_1/2$ read $(1 - l_1)/2$ Page 888, l. 2, for $\chi^2 = 2\sum_x f_x \ln (f_x/f_x)$, F_x), read $\chi^2 = 2\sum_x f_x \ln (f_x/F_x)$,

The Ecology of Marine Sediments

An Introduction to the Structure and Function of Benthic Communities JOHN S. GRAY

This book analyses the patterns found in benthic communities and relates them to current ecological theory. The structural properties of communities considered cover patterns of individuals and species, niche theory, diversity and stability, the question of whether or not true communities exist, and the discussion of factors that control the structure of benthic communities. The effects of pollution are discussed in terms of how organisms adapt to it, and the functional organisation of communities is also considered. Students of marine biology at undergraduate and postgraduate level will find Professor Gray's book of great interest. Hard covers £15.00 net Paperback £6.95 net

Cambridge Studies in Modern Biology 2

Weddell Seal, Consummate Diver

GERALD L. KOOYMAN

Dr Kooyman describes the behaviour patterns and analyses the physiology of the Weddell seal, an animal that holds a unique niche in the world's ecology by occupying the most southern latitude of any mammal on a permanent basis. Study of this remarkable animal, which can dive to 600 metres and remain submerged for more than one hour, has provided important insights into methods of animal navigation, respiration and metabolism, with applications to human diving physiology

£18.00 net

CAMBRIDGE UNIVERSITY PRESS

Stress and Fish

edited by A. D. Pickering

September/October 1981, xiv + 368pp., £24.60 (UK only) / \$59.50, 0.12.554550.9

This book extends our knowledge by presenting original research in the context of a detailed review of the existing information. The endocrinological/physiological responses of fish to stress, fundamental to our understanding of the subsequent performance of fish, are given particular attention as are the problems of stress associated with intensive fish cultivation and the harmful influences of man's activities on the aquatic environment.

Aquarium Systems

edited by A. D. Hawkins

September/October 1981, x + 452pp., £27.80 (UK only) / \$67.00, 0.12.333380.6

This book was written as a practical guide to fish-keeping in the laboratory and is the result of collaboration between working scientists with first-hand experience in the subjects they have presented. It considers the basic aspects of aquarium design and construction, the supply of aquarium water and its treatment to make it suitable for the fish, the choice of materials for building the aquarium in order to minimize corrosion and contamination of the water, and other practical aspects of fish husbandry.



A Subsidiary of Harcourt Brace Jovanovich, Publishers London New York Toronto Sydney San Francisco 24-28 Oval Road, London NW1 7DX, England 111 Fifth Avenue, New York, NY 10003, USA

Jnl. of Marine Biology, 61, 4

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

										£
Annual Members, receiving the Journal								per a	nnum	15.00
Annual Memb	ers,	witho	ut the	e Jour	nal			per a	nnum	3.00
Founders .										100.00
Governors .			•	•	•		•	•	•	500.00

Annual subscriptions become due on 1 January.

Members of the Assocation have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc.; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

JOURNAL OF THE MARINE BIOLOGICAL ASSOCIATION

Vol. 61 No. 4

CONTENTS

	PAGE
AL-OGILY, S. M. and KNIGHT-JONES, E. W. Circeis paguri, the spirorbid polychaete associated with the hermit-crab Eupagurus bernhardus	821
ANDERSON, M. Ergenstrema labrosi sp. nov. (Monogenea) on the gills of the thick-lipped grey mullet Chelon labrosus at Plymouth	827
ANDERSON, M. The change with host age of the composition of the ancyrocephaline (mono- genean) populations of parasites on thick-lipped grey mullets at Plymouth	833
BALLANTINE, J. A., ROBERTS, J. C. and MORRIS, R. J. Sterols of the cephalopod Spirula spirula	843
BLAXTER, J. H. S., GRAY, J. A. B. and DENTON, E. J. Sound and startle responses in herring shoals	851
BLAXTER, J. H. S. and Hoss, D. E. Startle response in herring: the effect of sound stimulus frequency, size of fish and selective interference with the acoustico-lateralis system	871
FORSTER, G. R. The age and growth of Callista chione	881
GRIGG, H., BARDWELL, S. J. and TYZACK, S. Patterns of variation in the prosome length of overwintering Stage V copepodites of <i>Calanus finmarchicus</i> in the Firth of Clyde	885
HERRING, P. J., CLARKE, M. R., BOLETZKY, S. VON and RYAN, K. P. The light organs of Sepiola atlantica and Spirula spirula (Mollusca: Cephalopoda): bacterial and intrinsic systems in the order Sepioidea.	901
JANSSEN, J. and HARBISON, G. R. Fish in salps: the association of squaretails (<i>Tetragonurus</i> spp.) with pelagic tunicates	917
NORTON, T. A. and FETTER, R. The settlement of Sargassum muticum propagules in stationary and flowing water	929
OLIVE, P. J. W. Control of the reproductive cycle in female <i>Bulalia viridis</i> (Polychaeta: Phyllodocidae)	941
POTTS, G. W. The anatomy of respiratory structures in the dorid nudibranchs, Onchidoris bilamellata and Archidoris pseudoargus, with details of the epidermal glands	959
SCOTT, J. M. The vitamin B ₁₀ requirement of the marine rotifer Brachionus plicatilis	983
SMITH, J. W. The occurrence of Thalassomyces fagei (Ellobiopsidae) in euphausiids (Crustacea:	
Malacostraca) in the north-east Atlantic and northern North Sea	995
SUNDET, J. H. and VAHL, O. Seasonal changes in dry weight and biochemical composition of the tissues of sexually mature and immature Iceland scallops, <i>Chlamys islandica</i>	1001
WILLIAMSON, P. and KENDALL, M. A. Population age structure and growth of the trochid Monodonta lineata determined from shell rings	1011
SHORT NOTE BONEY, A. D. Distephanus speculum: double skeletons with one aberrant partner	1027
BOOK REVIEW AND BOOK NOTICES	
	1031
REPORT OF THE COUNCIL FOR 1980-81	1033
BALANCE SHEET 1980-81	1071

C Copyright by the Marine Biological Association of the U.K. 1981

The subscription price of volume 61, 1981 of the Journal to non-members of the Association is \pounds 78.00 net a volume of four parts, post free, or US \$218.00 in U.S.A. and Canada, payable in advance. Single parts cost \pounds 23.00 (US \$64.00 in U.S.A. and Canada) plus postage. Subscriptions may be sent to any bookseller or to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, or in the U.S.A. and Canada, to Cambridge University Press, 32 East 57th Street, New York, 10022. All orders must be accompanied by payment.

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP

32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge